

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081716\
 Data File : BM007164.D
 Acq On : 17 Aug 2016 04:38
 Operator : UM/SJ
 Sample : H4423-04
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD2Q6

Quant Time: Aug 17 05:43:43 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Aug 17 04:01:43 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	259808	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	1037768	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	616284	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.18	188	1454408	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	1881673	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	1966115	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.33	96	33178	5.58	ng/uL	0.00
5) Phenol-d5	6.97	99	644711	30.63	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	385653	31.97	ng/ul	0.00
9) 2-Chlorophenol-d4	7.34	132	522953	31.20	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	511434	29.53	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	247832	32.88	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	283121	35.16	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.21	165	520979	30.89	ng/ul	0.00
29) 4-Chloroaniline-d4	10.73	131	672243	33.49	ng/ul	0.00
43) Dimethylphthalate-d6	13.84	166	1631912	32.05	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1984588	32.45	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	201440	22.07	ng/ul	0.00
57) Fluorene-d10	15.43	176	1403427	31.53	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	161810	20.13	ng/ul	0.00
70) Anthracene-d10	17.27	188	2216002	32.89	ng/ul	0.00
76) Pyrene-d10	19.57	212	2674057	33.67	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.49	264	3026453	33.65	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.89	163	777396	15.27	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081716\
Data File : BM007164.D
Acq On : 17 Aug 2016 04:38
Operator : UM/SJ
Sample : H4423-04
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD2Q6

Quant Time: Aug 17 05:43:43 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 17 04:01:43 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 15.27 ng/ul

RT: 13.89 min Scan# 1922

Delta R.T. -0.00 min

Lab File: BM007164.D

Acq: 17 Aug 2016 04:38

Instrument :

BNA_M

ClientSampleId :

BD2Q6


Tot Ion:163 Resp: 777396

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.2

164 9.9 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

