

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081816\
 Data File : BM007189.D
 Acq On : 17 Aug 2016 21:10
 Operator : UM/SJ
 Sample : H4470-03
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JHPX7

Quant Time: Aug 18 10:11:11 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Aug 17 04:01:43 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	206615	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	825973	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	478233	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	1130645	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	1515526	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	1576553	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	3591	0.76	ng/uL	0.00
5) Phenol-d5	6.97	99	63557	3.80	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	175220	18.26	ng/ul	0.00
9) 2-Chlorophenol-d4	7.34	132	196749	14.76	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	122946	8.93	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	114571	19.10	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	124606	19.44	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.21	165	232626	17.33	ng/ul	0.00
29) 4-Chloroaniline-d4	10.73	131	17180	1.08	ng/ul	0.00
43) Dimethylphthalate-d6	13.85	166	789606	19.98	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	939304	19.79	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	20729	2.93	ng/ul	0.00
57) Fluorene-d10	15.43	176	692101	20.04	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	87758	14.05	ng/ul	0.00
70) Anthracene-d10	17.27	188	1168042	22.30	ng/ul	0.00
76) Pyrene-d10	19.57	212	1441393	22.53	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.48	264	1630787	22.61	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.89	163	271502	6.87	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081816\
Data File : BM007189.D
Acq On : 17 Aug 2016 21:10
Operator : UM/SJ
Sample : H4470-03
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JHPX7

Quant Time: Aug 18 10:11:11 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 17 04:01:43 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 6.87 ng/ul

RT: 13.89 min Scan# 1922

Delta R.T. 0.00 min

Lab File: BM007189.D

Acq: 17 Aug 2016 21:10

Instrument :

BNA_M

ClientSampleId :

JHPX7


Tot Ion:163 Resp: 271502

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.2

164 9.3 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

