

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081816\
 Data File : BM007194.D
 Acq On : 18 Aug 2016 00:09
 Operator : UM/SJ
 Sample : H4470-08
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JHPY5

Quant Time: Aug 18 10:36:39 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Aug 17 04:01:43 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	227367	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	881811	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	509132	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	1206847	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	1557473	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	1567573	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.32	96	5078	0.98	ng/uL	0.00
5) Phenol-d5	6.97	99	97118	5.27	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	206680	19.58	ng/ul	0.00
9) 2-Chlorophenol-d4	7.34	132	249440	17.00	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	168257	11.10	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	139248	21.74	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	155688	22.75	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.21	165	292538	20.41	ng/ul	0.00
29) 4-Chloroaniline-d4	10.74	131	1589	0.09	ng/ul	0.01
43) Dimethylphthalate-d6	13.85	166	939500	22.33	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1101311	21.79	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	35271	4.68	ng/ul	0.00
57) Fluorene-d10	15.43	176	780949	21.24	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	112253	16.83	ng/ul	0.00
70) Anthracene-d10	17.27	188	1180696	21.12	ng/ul	0.00
76) Pyrene-d10	19.57	212	1414267	21.51	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.48	264	1489396	20.77	ng/ul	-0.01

Target Compounds


						Ovalue
6) Phenol	7.00	94	46131	2.38	ng/ul	92
14) Acetophenone	8.62	105	189207	8.11	ng/ul	99
44) Dimethylphthalate	13.89	163	335406	7.98	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081816\
Data File : BM007194.D
Acq On : 18 Aug 2016 00:09
Operator : UM/SJ
Sample : H4470-08
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JHPY5

Quant Time: Aug 18 10:36:39 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 17 04:01:43 2016
Response via : Initial Calibration





#6

Phenol

Concen: 2.38 ng/ul

RT: 7.00 min Scan# 750

Delta R.T. 0.00 min

Lab File: BM007194.D

Acq: 18 Aug 2016 00:09

Instrument :

BNA_M

ClientSampleId :

JHPY5


Tot Ion: 94 Resp: 46131

Ion Ratio Lower Upper

94 100

65 33.5 23.9 35.9




66 47.5 33.5 50.3



Abundance Ion 94.00 (93.70 to 94.70): BM007176.D (-743) (-)

Ion 65.00 (64.70 to 65.70): BM007176.D (-743) (-)

Ion 66.00 (65.70 to 66.70): BM007176.D (-743) (-)



#14

Acetophenone

Concen: 8.11 ng/ul

RT: 8.62 min Scan# 1026

Delta R.T. 0.00 min

Lab File: BM007194.D

Acq: 18 Aug 2016 00:09


Tgt Ion:105 Resp: 189207

Ion Ratio Lower Upper

105 100

77 81.1 65.9 98.9



51 27.2 22.2 33.2




Abundance Ion 105.00 (104.70 to 105.70): BM007176.D (-1019) (-)

Ion 77.00 (76.70 to 77.70): BM007176.D (-1019) (-)

Ion 51.00 (50.70 to 51.70): BM007176.D (-1019) (-)





#44
 Dimethylphthalate
 Concen: 7.98 ng/ul
 RT: 13.89 min Scan# 1922
 Delta R.T. 0.00 min
 Lab File: BM007194.D
 Acq: 18 Aug 2016 00:09

Instrument :
 BNA_M
 ClientSampleId :
 JHPY5

Tot Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.2
164	9.5	7.8	11.8

