

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081916\
 Data File : BM007222.D
 Acq On : 19 Aug 2016 00:51
 Operator : UM/SJ
 Sample : H4479-04
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTD02053

Quant Time: Aug 19 04:50:14 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 19 04:48:28 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	279124	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	1110192	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	640103	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	1551694	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	2005618	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	2064827	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	30783	4.82	ng/uL	0.00
5) Phenol-d5	6.97	99	588314	26.02	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	353644	27.28	ng/ul	0.00
9) 2-Chlorophenol-d4	7.33	132	479416	26.62	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	482144	25.91	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	227085	28.16	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	254376	29.53	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.21	165	481355	26.67	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	621731	28.96	ng/ul	0.00
43) Dimethylphthalate-d6	13.84	166	1481747	28.01	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1782559	28.06	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	198647	20.95	ng/ul	0.00
57) Fluorene-d10	15.43	176	1279734	27.68	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	151138	17.63	ng/ul	0.00
70) Anthracene-d10	17.27	188	2066043	28.74	ng/ul	0.00
76) Pyrene-d10	19.57	212	2493702	29.46	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.49	264	2810978	29.76	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.89	163	1702541	32.21	ng/ul	100
45) 2,6-Dinitrotoluene	13.89	165	17771	1.73	ng/ul#	52


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081916\
Data File : BM007222.D
Acq On : 19 Aug 2016 00:51
Operator : UM/SJ
Sample : H4479-04
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SSTD02053

Quant Time: Aug 19 04:50:14 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 19 04:48:28 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 32.21 ng/ul

RT: 13.89 min Scan# 1922

Delta R.T. 0.00 min

Lab File: BM007222.D

Acq: 19 Aug 2016 00:51

Instrument :

BNA_M

ClientSampleId :

SSTD02053


Tgt Ion:163 Resp: 1702541

Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2




164 9.9 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#45

2,6-Dinitrotoluene

Concen: 1.73 ng/ul

RT: 13.89 min Scan# 1922

Delta R.T. -0.12 min

Lab File: BM007222.D

Acq: 19 Aug 2016 00:51


Tgt Ion:165 Resp: 17771

Ion Ratio Lower Upper

165 100

89 16.0 46.6 69.8#

121 29.8 16.0 24.0#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 89.00 (88.70 to 89.70): BM0

Ion 121.00 (120.70 to 121.70): E

