

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081916\
 Data File : BM007221.D
 Acq On : 19 Aug 2016 01:27
 Operator : UM/SJ
 Sample : H4479-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E5N37

Quant Time: Aug 19 05:48:10 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 19 04:48:28 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	292398	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	1159429	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	670466	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	1583319	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	2034800	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	2099718	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	31673	4.73	ng/uL	0.00
5) Phenol-d5	6.97	99	616374	26.02	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	360584	26.56	ng/ul	0.00
9) 2-Chlorophenol-d4	7.33	132	500686	26.54	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	498818	25.59	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	235269	27.94	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	259448	28.84	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	490659	26.04	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	631765	28.17	ng/ul	0.00
43) Dimethylphthalate-d6	13.84	166	1509392	27.25	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1824321	27.42	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	213418	21.49	ng/ul	0.00
57) Fluorene-d10	15.43	176	1301380	26.87	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	161979	18.51	ng/ul	0.00
70) Anthracene-d10	17.27	188	2062093	28.11	ng/ul	0.00
76) Pyrene-d10	19.57	212	2473025	28.79	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.49	264	2804996	29.21	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.89	163	1023991	18.49	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081916\
Data File : BM007221.D
Acq On : 19 Aug 2016 01:27
Operator : UM/SJ
Sample : H4479-05
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
E5N37

Quant Time: Aug 19 05:48:10 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 19 04:48:28 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 18.49 ng/ul

RT: 13.89 min Scan# 1922

Delta R.T. -0.00 min

Lab File: BM007221.D

Acq: 19 Aug 2016 01:27

Instrument :

BNA_M

ClientSampleId :

E5N37


Tgt Ion:163 Resp: 1023991

Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2

164 9.8 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

