

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081916\
 Data File : BM007223.D
 Acq On : 19 Aug 2016 02:39
 Operator : UM/SJ
 Sample : H4479-06
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E5N38

Quant Time: Aug 19 09:10:58 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 19 09:10:25 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	291412	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	1170899	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	679185	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	1621684	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	2049360	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	2116406	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	30953	4.64	ng/uL	0.00
5) Phenol-d5	6.97	99	623535	26.41	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	364318	26.92	ng/ul	0.00
9) 2-Chlorophenol-d4	7.33	132	509286	27.09	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	504792	25.99	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	241782	28.43	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	267546	29.45	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	503220	26.44	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	647073	28.57	ng/ul	0.00
43) Dimethylphthalate-d6	13.84	166	1556928	27.74	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1898159	28.16	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	228740	22.74	ng/ul	0.00
57) Fluorene-d10	15.43	176	1345334	27.42	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	174947	19.52	ng/ul	0.00
70) Anthracene-d10	17.27	188	2161041	28.77	ng/ul	0.00
76) Pyrene-d10	19.57	212	2620275	30.29	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.49	264	2950843	30.48	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.89	163	965326	17.21	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081916\
Data File : BM007223.D
Acq On : 19 Aug 2016 02:39
Operator : UM/SJ
Sample : H4479-06
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
E5N38

Quant Time: Aug 19 09:10:58 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 19 09:10:25 2016
Response via : Initial Calibration






#44
 Dimethylphthalate
 Concen: 17.21 ng/ul
 RT: 13.89 min Scan# 1922
 Delta R.T. -0.00 min
 Lab File: BM007223.D
 Acq: 19 Aug 2016 02:39

Instrument :
 BNA_M
 ClientSampleId :
 E5N38

Tgt Ion:163 Resp: 965326
 Ion Ratio Lower Upper
 163 100
 194 4.5 3.4 5.2
 164 9.4 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E

