

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081916\
 Data File : BM007224.D
 Acq On : 19 Aug 2016 03:15
 Operator : UM/SJ
 Sample : H4479-07
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E5N39

Quant Time: Aug 19 09:11:04 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 19 09:10:25 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	299101	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	1188715	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	692970	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	1646020	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	2131786	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	2203890	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	33295	4.86	ng/uL	0.00
5) Phenol-d5	6.97	99	627384	25.89	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	367186	26.44	ng/ul	0.00
9) 2-Chlorophenol-d4	7.33	132	514086	26.64	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	508354	25.50	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	239010	27.68	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	265101	28.74	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	505678	26.17	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	644375	28.03	ng/ul	0.00
43) Dimethylphthalate-d6	13.84	166	1539637	26.89	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1888334	27.46	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	220694	21.50	ng/ul	0.00
57) Fluorene-d10	15.43	176	1334994	26.67	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	169384	18.62	ng/ul	0.00
70) Anthracene-d10	17.27	188	2140352	28.07	ng/ul	0.00
76) Pyrene-d10	19.57	212	2559726	28.45	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.49	264	2904403	28.81	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.89	163	710109	12.41	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081916\
Data File : BM007224.D
Acq On : 19 Aug 2016 03:15
Operator : UM/SJ
Sample : H4479-07
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
E5N39

Quant Time: Aug 19 09:11:04 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 19 09:10:25 2016
Response via : Initial Calibration





#44
 Dimethylphthalate
 Concen: 12.41 ng/ul
 RT: 13.89 min Scan# 1921
 Delta R.T. -0.01 min
 Lab File: BM007224.D
 Acq: 19 Aug 2016 03:15

Instrument :
 BNA_M
 ClientSampleId :
 E5N39

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.2
164	9.9	7.8	11.8

