

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082021\
 Data File : BM031837.D
 Acq On : 20 Aug 2021 12:09
 Operator : CG/JU
 Sample : M3426-07RE
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SWCS-10-0002

Quant Time: Aug 20 13:15:46 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 18 14:13:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.534	152	42056	20.000	ng	# 0.00
21) Naphthalene-d8	10.292	136	168608	20.000	ng	0.00
39) Acenaphthene-d10	14.169	164	97463	20.000	ng	-0.01
64) Phenanthrene-d10	16.927	188	197648	20.000	ng	# 0.00
76) Chrysene-d12	21.127	240	193269	20.000	ng	0.00
86) Perylene-d12	23.280	264	201328	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.175	112	282848	107.944	ng	0.00
7) Phenol-d6	6.734	99	345730	91.056	ng	0.00
23) Nitrobenzene-d5	8.681	82	242120	60.127	ng	-0.01
42) 2,4,6-Tribromophenol	15.674	330	102966	85.777	ng	0.00
45) 2-Fluorobiphenyl	12.781	172	413782	56.509	ng	-0.01
79) Terphenyl-d14	19.574	244	577969	50.386	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082021\
Data File : BM031837.D
Acq On : 20 Aug 2021 12:09
Operator : CG/JU
Sample : M3426-07RE
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SWCS-10-0002

Quant Time: Aug 20 13:15:46 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 18 14:13:35 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.534 min Scan# 756
Delta R.T. -0.006 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09




Instrument :
BNA_M
ClientSampleId :
SWCS-10-0002


Tgt Ion:152 Resp: 42056
Ion Ratio Lower Upper
152 100
150 162.0 125.9 188.9
115 67.1 44.6 67.0#



#5
2-Fluorophenol
Concen: 107.944 ng
RT: 5.175 min Scan# 355
Delta R.T. 0.000 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09

Tgt Ion:112 Resp: 282848
Ion Ratio Lower Upper
112 100
64 62.4 47.1 70.7
63 37.7 27.3 40.9









#7
Phenol-d6
Concen: 91.056 ng
RT: 6.734 min Scan# 620
Delta R.T. 0.000 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09




Instrument :
BNA_M
ClientSampleId :
SWCS-10-0002


Tgt Ion: 99 Resp: 345730
Ion Ratio Lower Upper
99 100
42 25.2 18.0 27.0
71 42.8 30.9 46.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.292 min Scan# 1225
Delta R.T. -0.006 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09

Tgt Ion: 136 Resp: 168608
Ion Ratio Lower Upper
136 100
137 10.8 8.4 12.6
54 7.9 5.5 8.3
68 5.5 4.2 6.2









#23
Nitrobenzene-d5
Concen: 60.127 ng
RT: 8.681 min Scan# 951
Delta R.T. -0.012 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09




Instrument :
BNA_M
ClientSampleId :
SWCS-10-0002


Tgt Ion: 82 Resp: 242120
Ion Ratio Lower Upper
82 100
128 37.2 31.1 46.7
54 53.8 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.169 min Scan# 1884
Delta R.T. -0.012 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09

Tgt Ion: 164 Resp: 97463
Ion Ratio Lower Upper
164 100
162 97.8 83.4 125.0
160 43.5 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 85.777 ng
RT: 15.674 min Scan# 2140
Delta R.T. -0.006 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09




Instrument :
BNA_M
ClientSampleId :
SWCS-10-0002


Tgt Ion:330 Resp: 102966
Ion Ratio Lower Upper
330 100
332 97.3 77.0 115.4
141 58.1 30.2 45.2#



#45
2-Fluorobiphenyl
Concen: 56.509 ng
RT: 12.781 min Scan# 1648
Delta R.T. -0.012 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09

Tgt Ion:172 Resp: 413782
Ion Ratio Lower Upper
172 100
171 34.7 28.6 43.0
170 23.1 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.927 min Scan# 2353
Delta R.T. -0.006 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09




Instrument :
BNA_M
ClientSampleId :
SWCS-10-0002


Tgt Ion:188 Resp: 197648
Ion Ratio Lower Upper
188 100
94 8.7 6.0 9.0
80 10.0 6.6 9.8#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.127 min Scan# 3067
Delta R.T. -0.006 min
Lab File: BM031837.D
Acq: 20 Aug 2021 12:09

Tgt Ion:240 Resp: 193269
Ion Ratio Lower Upper
240 100
120 10.5 7.0 10.6
236 25.2 21.0 31.4





#79

Terphenyl-d14

Concen: 50.386 ng

RT: 19.574 min Scan# 2803

Delta R.T. -0.006 min

Lab File: BM031837.D

Acq: 20 Aug 2021 12:09





Tgt Ion:244 Resp: 577969

Ion Ratio Lower Upper

244 100

212 7.9 6.3 9.5

122 10.5 6.9 10.3#



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.280 min Scan# 3433

Delta R.T. 0.000 min

Lab File: BM031837.D

Acq: 20 Aug 2021 12:09

Tgt Ion:264 Resp: 201328

Ion Ratio Lower Upper

264 100

260 22.5 19.8 29.8

265 20.9 17.7 26.5

