

Data Path : U:\HPCHEM1\BNA M\DATA\BM082217\
 Data File : BM011334.D
 Acq On : 22 Aug 2017 19:22
 Operator : SJ/JU
 Sample : I4898-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 NB-08-081817-A

Quant Time: Aug 23 03:36:03 2017
 Quant Method : Z:\HPCHEM1\BNA M\Methods\8270-BM072617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 16 02:25:04 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.26	152	134342	20.00	ng	-0.02
21) Naphthalene-d8	10.02	136	464470	20.00	ng	-0.02
38) Acenaphthene-d10	13.94	164	306440	20.00	ng	-0.02
63) Phenanthrene-d10	16.70	188	792098	20.00	ng	-0.02
75) Chrysene-d12	20.92	240	1051439	20.00	ng	-0.02
86) Perylene-d12	22.99	264	1109782	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	4.91	112	898274	113.03	ng	-0.02
7) Phenol-d6	6.47	99	1216343	107.72	ng	-0.02
23) Nitrobenzene-d5	8.42	82	1265355	102.25	ng	-0.02
41) 2,4,6-Tribromophenol	15.44	330	562568	114.54	ng	-0.02
44) 2-Fluorobiphenyl	12.54	172	1971499	80.69	ng	-0.02
78) Terphenyl-d14	19.37	244	3837906	72.30	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : U:\HPCHEM1\BNA M\DATA\BM082217\
Data File : BM011334.D
Acq On : 22 Aug 2017 19:22
Operator : SJ/JU
Sample : I4898-03
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
NB-08-081817-A

Quant Time: Aug 23 03:36:03 2017
Quant Method : Z:\HPCHEM1\BNA M\Methods\8270-BM072617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 16 02:25:04 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.26 min Scan# 761
Delta R.T. -0.02 min
Lab File: BM011334.D
Acq: 22 Aug 2017 19:22

Instrument :
BNA_M
ClientSampleId :
NB-08-081817-A

Tot Ion:152 Resp: 134342
Ion Ratio Lower Upper
152 100
150 138.2 119.5 179.3
115 71.7 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 113.031 ng
RT: 4.91 min Scan# 361
Delta R.T. -0.02 min
Lab File: BM011334.D
Acq: 22 Aug 2017 19:22

Tgt Ion:112 Resp: 898274
Ion Ratio Lower Upper
112 100
64 88.7 38.6 57.8#
63 53.4 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 107.722 ng

RT: 6.47 min Scan# 627

Delta R.T. -0.02 min

Lab File: BM011334.D

Acq: 22 Aug 2017 19:22

Instrument :

BNA_M

ClientSampleId :

NB-08-081817-A





Tot Ion: 99 Resp: 1216343

Ion Ratio Lower Upper

99 100

42 25.9 11.0 16.4#

71 65.4 23.4 35.2#



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.02 min Scan# 1230

Delta R.T. -0.02 min

Lab File: BM011334.D

Acq: 22 Aug 2017 19:22

Tgt Ion: 136 Resp: 464470




Ion Ratio Lower Upper


136 100

137 9.3 8.7 13.1

54 11.6 4.6 6.8#

68 7.9 3.7 5.5#








#23
 Nitrobenzene-d5
 Concen: 102.247 ng
 RT: 8.42 min Scan# 957
 Delta R.T. -0.02 min
 Lab File: BM011334.D
 Acq: 22 Aug 2017 19:22




Instrument :
 BNA_M
 ClientSampleId :
 NB-08-081817-A

Tot Ion	Ratio	Lower	Upper
82	100		
128	23.1	32.8	49.2#
54	48.8	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 13.94 min Scan# 1896
 Delta R.T. -0.02 min
 Lab File: BM011334.D
 Acq: 22 Aug 2017 19:22

Tgt Ion	Ratio	Lower	Upper
164	100		
162	97.3	82.4	123.6
160	45.9	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 114.539 ng
 RT: 15.44 min Scan# 2152
 Delta R.T. -0.02 min
 Lab File: BM011334.D
 Acq: 22 Aug 2017 19:22

Instrument :
 BNA_M
 ClientSampleId :
 NB-08-081817-A

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	0.0	0.0#
141	48.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 80.686 ng
 RT: 12.54 min Scan# 1658
 Delta R.T. -0.02 min
 Lab File: BM011334.D
 Acq: 22 Aug 2017 19:22

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	28.5	42.7
170	23.0	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.70 min Scan# 2365
Delta R.T. -0.02 min
Lab File: BM011334.D
Acq: 22 Aug 2017 19:22




Instrument :
BNA_M
ClientSampleId :
NB-08-081817-A


Tot Ion:188 Resp: 792098
Ion Ratio Lower Upper
188 100
94 6.7 8.7 13.1#
80 11.5 9.3 13.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 20.92 min Scan# 3083
Delta R.T. -0.02 min
Lab File: BM011334.D
Acq: 22 Aug 2017 19:22

Tgt Ion:240 Resp: 1051439
Ion Ratio Lower Upper
240 100
120 4.6 8.2 12.2#
236 26.6 20.0 30.0





#78

Terphenyl-d14

Concen: 72.305 ng

RT: 19.37 min Scan# 2819

Delta R.T. -0.02 min

Lab File: BM011334.D

Acq: 22 Aug 2017 19:22

Instrument :

BNA_M

ClientSampleId :

NB-08-081817-A


Tot Ion:244 Resp: 3837906

Ion Ratio Lower Upper

244 100

212 9.2 4.9 7.3#




122 6.4 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 22.99 min Scan# 3435

Delta R.T. -0.03 min

Lab File: BM011334.D

Acq: 22 Aug 2017 19:22


Tgt Ion:264 Resp: 1109782

Ion Ratio Lower Upper

264 100

260 23.5 18.6 27.8

265 22.7 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

