

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM082418\
 Data File : BM016591.D
 Acq On : 24 Aug 2018 16:51
 Operator : SJ/JU
 Sample : J4581-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 EP1-Q3-A4

Quant Time: Aug 24 21:57:06 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM082118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 24 10:59:20 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	107494	20.00	ng	0.00
21) Naphthalene-d8	10.82	136	371831	20.00	ng	0.00
38) Acenaphthene-d10	14.65	164	269589	20.00	ng	0.00
63) Phenanthrene-d10	17.39	188	856220	20.00	ng	0.00
75) Chrysene-d12	21.53	240	1151635	20.00	ng	0.00
86) Perylene-d12	23.82	264	1355229	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	287812	52.47	ng	0.00
7) Phenol-d6	7.18	99	446240	61.47	ng	0.00
23) Nitrobenzene-d5	9.19	82	402094	49.38	ng	0.00
41) 2,4,6-Tribromophenol	16.15	330	203262	26.97	ng	0.00
44) 2-Fluorobiphenyl	13.26	172	1349365	48.11	ng	0.00
78) Terphenyl-d14	19.98	244	3195471	58.73	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.11	163	204144	7.882	ng	Qvalue # 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM082418\
Data File : BM016591.D
Acq On : 24 Aug 2018 16:51
Operator : SJ/JU
Sample : J4581-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
EP1-Q3-A4

Quant Time: Aug 24 21:57:06 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM082118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 24 10:59:20 2018
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.01 min Scan# 803
 Delta R.T. 0.01 min
 Lab File: BM016591.D
 Acq: 24 Aug 2018 16:51




Instrument :
 BNA_M
 ClientSampleId :
 EP1-Q3-A4


Tgt Ion:152 Resp: 107494
 Ion Ratio Lower Upper
 152 100
 150 148.9 119.5 179.3
 115 58.8 43.0 64.4



#5
 2-Fluorophenol
 Concen: 52.467 ng
 RT: 5.55 min Scan# 385
 Delta R.T. -0.00 min
 Lab File: BM016591.D
 Acq: 24 Aug 2018 16:51

Tgt Ion:112 Resp: 287812
 Ion Ratio Lower Upper
 112 100
 64 53.0 38.6 57.8
 63 42.7 19.3 28.9#





#7

Phenol-d6

Concen: 61.475 ng

RT: 7.18 min Scan# 662

Delta R.T. -0.00 min

Lab File: BM016591.D

Acq: 24 Aug 2018 16:51

Instrument :

BNA_M

ClientSampleId :

EP1-Q3-A4


Tgt Ion: 99 Resp: 446240

Ion Ratio Lower Upper

99 100

42 20.8 11.0 16.4#

71 64.7 23.4 35.2#




Abundance Ion 99.00 (98.70 to 99.70): BM016484.D (-657) (-)

Ion 42.00 (41.70 to 42.70): BM016484.D (-657) (-)

Ion 71.00 (70.70 to 71.70): BM016484.D (-657) (-)

Time-->




Abundance Ion 99.00 (98.70 to 99.70): BM016591.D (-645) (-)

Ion 42.00 (41.70 to 42.70): BM016591.D (-645) (-)

Ion 71.00 (70.70 to 71.70): BM016591.D (-645) (-)

Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.82 min Scan# 1280

Delta R.T. 0.01 min

Lab File: BM016591.D

Acq: 24 Aug 2018 16:51

Tgt Ion: 136 Resp: 371831


Ion Ratio Lower Upper

136 100

137 8.8 8.7 13.1

54 7.5 4.6 6.8#

68 3.1 3.7 5.5#




Abundance Ion 136.00 (135.70 to 136.70): BM016484.D (-1274) (-)

Ion 137.00 (136.70 to 137.70): BM016484.D (-1274) (-)

Ion 54.00 (53.70 to 54.70): BM016484.D (-1274) (-)

Ion 68.00 (67.70 to 68.70): BM016484.D (-1274) (-)

Time-->




Abundance Ion 136.00 (135.70 to 136.70): BM016591.D (-1262) (-)

Ion 137.00 (136.70 to 137.70): BM016591.D (-1262) (-)

Ion 54.00 (53.70 to 54.70): BM016591.D (-1262) (-)

Ion 68.00 (67.70 to 68.70): BM016591.D (-1262) (-)





Time-->



#23
Nitrobenzene-d5
Concen: 49.375 ng
RT: 9.19 min Scan# 1004
Delta R.T. -0.01 min
Lab File: BM016591.D
Acq: 24 Aug 2018 16:51




Instrument :
BNA_M
ClientSampled :
EP1-Q3-A4


Tgt Ion	Ratio	Lower	Upper
82	100		
128	34.9	32.8	49.2
54	37.6	40.6	60.8#



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.65 min Scan# 1931
Delta R.T. -0.01 min
Lab File: BM016591.D
Acq: 24 Aug 2018 16:51

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.0	82.4	123.6
160	43.6	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 26.972 ng
 RT: 16.15 min Scan# 2186
 Delta R.T. -0.00 min
 Lab File: BM016591.D
 Acq: 24 Aug 2018 16:51




Instrument :
 BNA_M
 ClientSampleId :
 EP1-Q3-A4


Tgt Ion	Ratio	Lower	Upper
330	100		
332	93.3	0.0	0.0#
141	35.7	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 48.112 ng
 RT: 13.26 min Scan# 1696
 Delta R.T. -0.01 min
 Lab File: BM016591.D
 Acq: 24 Aug 2018 16:51

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.8	28.5	42.7
170	23.3	18.8	28.2









#49
 Dimethylphthalate
 Concen: 7.882 ng
 RT: 14.11 min Scan# 1840
 Delta R.T. -0.01 min
 Lab File: BM016591.D
 Acq: 24 Aug 2018 16:51




Instrument :
 BNA_M
 ClientSampleId :
 EP1-Q3-A4


Tgt Ion	Ratio	Lower	Upper
163	100		
194	7.2	2.7	4.1#
164	11.5	8.2	12.2



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.39 min Scan# 2398
 Delta R.T. -0.00 min
 Lab File: BM016591.D
 Acq: 24 Aug 2018 16:51

Tgt Ion	Ratio	Lower	Upper
188	100		
94	3.1	8.7	13.1#
80	3.7	9.3	13.9#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.53 min Scan# 3102

Delta R.T. -0.00 min

Lab File: BM016591.D

Acq: 24 Aug 2018 16:51

Instrument :

BNA_M

ClientSampleId :

EP1-Q3-A4





Tgt Ion:240 Resp: 1151635

Ion Ratio Lower Upper

240 100

120 3.2 8.2 12.2#

236 25.5 20.0 30.0



#78

Terphenyl-d14

Concen: 58.729 ng

RT: 19.98 min Scan# 2838

Delta R.T. -0.00 min

Lab File: BM016591.D

Acq: 24 Aug 2018 16:51




Tgt Ion:244 Resp: 3195471


Ion Ratio Lower Upper

244 100

212 9.1 4.9 7.3#

122 4.0 6.2 9.4#





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.82 min Scan# 3490
Delta R.T. -0.00 min
Lab File: BM016591.D
Acq: 24 Aug 2018 16:51

Instrument :
BNA_M
ClientSampleId :
EP1-Q3-A4

Tgt Ion: 264 Resp: 1355229

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.6	27.8
265	22.8	17.3	25.9

