

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082520\
 Data File : BM027228.D
 Acq On : 26 Aug 2020 01:00
 Operator : JU/CG
 Sample : L3613-01
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBFP9

Quant Time: Aug 26 02:24:26 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Aug 26 01:51:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	154512	20.00	ng/ul	0.00
18) Naphthalene-d8	10.37	136	614977	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.24	164	430264	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.98	188	1002131	20.00	ng/ul	0.00
78) Chrysene-d12	21.18	240	1132067	20.00	ng/ul	0.00
86) Perylene-d12	23.36	264	1121307	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.16	96	15181	5.56	ng/uL	0.00
5) Phenol-d5	6.78	99	340693	27.19	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.94	67	222279	27.42	ng/ul	0.00
9) 2-Chlorophenol-d4	7.14	132	257142	26.64	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	286336	28.47	ng/ul	0.00
19) Nitrobenzene-d5	8.74	128	133369	27.06	ng/ul	0.00
22) 2-Nitrophenol-d4	9.46	143	153333	26.98	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	310781	26.81	ng/ul	0.00
29) 4-Chloroaniline-d4	10.50	131	370588	29.67	ng/ul	0.00
44) Dimethylphthalate-d6	13.66	166	1057083	30.97	ng/ul	0.00
47) Acenaphthylene-d8	13.93	160	1229135	30.45	ng/ul	0.00
52) 4-Nitrophenol-d4	14.44	143	163482	28.39	ng/ul	0.00
58) Fluorene-d10	15.23	176	907021	30.78	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.36	200	158975	24.32	ng/ul	0.00
71) Anthracene-d10	17.08	188	1449848	30.48	ng/ul	0.00
79) Pyrene-d10	19.38	212	1707241	26.15	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.23	264	1938301	31.01	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	13.70	163	272046	7.678	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082520\
Data File : BM027228.D
Acq On : 26 Aug 2020 01:00
Operator : JU/CG
Sample : L3613-01
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBFP9

Quant Time: Aug 26 02:24:26 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 26 01:51:51 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 7.678 ng/ul

RT: 13.70 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BM027228.D

Acq: 26 Aug 2020 01:00

Instrument :

BNA_M

ClientSampleId :

DBFP9


Tot Ion:163 Resp: 272046

Ion Ratio Lower Upper

163 100

194 4.3 3.5 5.3

164 10.4 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

