

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082624\
 Data File : BM047352.D
 Acq On : 26 Aug 2024 18:23
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :

ICVBM082624

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
 Supervised By :mohammad ahmed 08/28/2024

Quant Time: Aug 27 04:27:11 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 26 18:11:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.351	152	261449	20.000	ng	0.00
21) Naphthalene-d8	10.104	136	1028140	20.000	ng	0.00
39) Acenaphthene-d10	14.010	164	688752	20.000	ng	0.00
64) Phenanthrene-d10	16.774	188	1374519	20.000	ng	0.00
76) Chrysene-d12	21.021	240	1030291	20.000	ng	0.00
86) Perylene-d12	23.709	264	1157476	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.004	112	1078574	79.148	ng	0.00
7) Phenol-d6	6.569	99	1491177	80.326	ng	0.00
23) Nitrobenzene-d5	8.498	82	1530742	82.610	ng	0.00
42) 2,4,6-Tribromophenol	15.521	330	687216	82.701	ng	0.00
45) 2-Fluorobiphenyl	12.616	172	3744756	83.540	ng	0.00
79) Terphenyl-d14	19.445	244	4839858	83.615	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.022	88	220371	39.508	ng	99
3) Pyridine	3.393	79	617529m	39.890	ng	
4) n-Nitrosodimethylamine	3.316	42	256366	40.661	ng	100
6) Aniline	6.704	93	685545	40.773	ng	100
8) 2-Chlorophenol	6.928	128	608154	39.871	ng	98
9) Benzaldehyde	6.516	77	414424	44.397	ng	99
10) Phenol	6.592	94	730869	40.016	ng	99
11) bis(2-Chloroethyl)ether	6.804	93	635833	40.172	ng	100
12) 1,3-Dichlorobenzene	7.239	146	749772	40.199	ng	99
13) 1,4-Dichlorobenzene	7.386	146	757494	40.102	ng	99
14) 1,2-Dichlorobenzene	7.692	146	713999	39.886	ng	100
15) Benzyl Alcohol	7.604	79	540230	41.975	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.875	45	767979	40.466	ng	98
17) 2-Methylphenol	7.816	107	521031	41.060	ng	99
18) Hexachloroethane	8.398	117	286230	40.535	ng	98
19) n-Nitroso-di-n-propyla...	8.163	70	503413	39.449	ng	99
20) 3+4-Methylphenols	8.145	107	727895	41.256	ng	99
22) Acetophenone	8.169	105	967224	40.536	ng	# 98
24) Nitrobenzene	8.539	77	788564	41.378	ng	99
25) Isophorone	9.069	82	1439111	41.092	ng	99
26) 2-Nitrophenol	9.239	139	400563	42.731	ng	98
27) 2,4-Dimethylphenol	9.322	122	445076	42.063	ng	98
28) bis(2-Chloroethoxy)met...	9.551	93	893301	41.654	ng	99
29) 2,4-Dichlorophenol	9.780	162	709149	43.204	ng	99
30) 1,2,4-Trichlorobenzene	9.975	180	784076	41.357	ng	99
31) Naphthalene	10.157	128	2050073	40.825	ng	100
32) Benzoic acid	9.528	122	547509	43.333	ng	99
33) 4-Chloroaniline	10.286	127	788122	42.209	ng	99
34) Hexachlorobutadiene	10.433	225	491974	41.551	ng	98
35) Caprolactam	11.098	113	218104	41.019	ng	98
36) 4-Chloro-3-methylphenol	11.439	107	693274	41.592	ng	99
37) 2-Methylnaphthalene	11.780	142	1491928	40.747	ng	99
38) 1-Methylnaphthalene	12.004	142	1467764	40.532	ng	100
40) 1,2,4,5-Tetrachloroben...	12.163	216	872249	42.767	ng	100
41) Hexachlorocyclopentadiene	12.133	237	276174	42.905	ng	98
43) 2,4,6-Trichlorophenol	12.427	196	602159	43.069	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082624\
 Data File : BM047352.D
 Acq On : 26 Aug 2024 18:23
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 ICVBM082624

Quant Time: Aug 27 04:27:11 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 26 18:11:40 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
 Supervised By :mohammad ahmed 08/28/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.510	196	667135	42.966	ng	98
46) 1,1'-Biphenyl	12.833	154	2014205	41.882	ng	99
47) 2-Chloronaphthalene	12.868	162	1567997	41.605	ng	99
48) 2-Nitroaniline	13.098	65	449641	42.592	ng	99
49) Acenaphthylene	13.727	152	2278764	41.602	ng	99
50) Dimethylphthalate	13.492	163	1954808	41.190	ng	100
51) 2,6-Dinitrotoluene	13.616	165	467951	42.350	ng	99
52) Acenaphthene	14.074	154	1437027	41.327	ng	99
53) 3-Nitroaniline	13.945	138	434684	42.632	ng	100
54) 2,4-Dinitrophenol	14.168	184	282500	41.515	ng	99
55) Dibenzofuran	14.421	168	2290830	40.902	ng	100
56) 4-Nitrophenol	14.298	139	339495	42.596	ng	99
57) 2,4-Dinitrotoluene	14.415	165	589760	41.231	ng	99
58) Fluorene	15.074	166	1854076	40.903	ng	100
59) 2,3,4,6-Tetrachlorophenol	14.663	232	532718	41.770	ng	100
60) Diethylphthalate	14.874	149	1911829	40.840	ng	99
61) 4-Chlorophenyl-phenyle...	15.080	204	938376	40.695	ng	99
62) 4-Nitroaniline	15.127	138	392195	41.581	ng	99
63) Azobenzene	15.374	77	1671714	41.008	ng	99
65) 4,6-Dinitro-2-methylph...	15.192	198	364752	43.236	ng	98
66) n-Nitrosodiphenylamine	15.304	169	1565337	41.620	ng	99
67) 4-Bromophenyl-phenylether	15.974	248	609006	41.999	ng	98
68) Hexachlorobenzene	16.080	284	702080	41.920	ng	100
69) Atrazine	16.274	200	435188	35.400	ng	99
70) Pentachlorophenol	16.439	266	465838	43.021	ng	97
71) Phenanthrene	16.821	178	2728835	40.880	ng	100
72) Anthracene	16.909	178	2691622	41.363	ng	100
73) Carbazole	17.198	167	2576628	41.263	ng	100
74) Di-n-butylphthalate	17.774	149	3129211	41.153	ng	100
75) Fluoranthene	18.856	202	3169400	40.436	ng	100
77) Benzidine	19.062	184	837747	48.712	ng	99
78) Pyrene	19.221	202	3255189	41.194	ng	100
80) Butylbenzylphthalate	20.156	149	1292690	41.804	ng	98
81) Benzo(a)anthracene	21.003	228	2800118	41.675	ng	99
82) 3,3'-Dichlorobenzidine	20.944	252	970059	42.920	ng	99
83) Chrysene	21.062	228	2611319	41.317	ng	100
84) Bis(2-ethylhexyl)phtha...	20.956	149	1813135	41.486	ng	99
85) Di-n-octyl phthalate	21.986	149	3080021	41.870	ng	100
87) Indeno(1,2,3-cd)pyrene	26.709	276	3048938	42.079	ng	100
88) Benzo(b)fluoranthene	22.874	252	2769284	41.009	ng	100
89) Benzo(k)fluoranthene	22.927	252	2655717	41.485	ng	100
90) Benzo(a)pyrene	23.585	252	2434592	41.689	ng	99
91) Dibenzo(a,h)anthracene	26.750	278	2464104	41.978	ng	100
92) Benzo(g,h,i)perylene	27.638	276	2583703	42.339	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082624\
 Data File : BM047352.D
 Acq On : 26 Aug 2024 18:23
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :


ICVBM082624

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
 Supervised By :mohammad ahmed 08/28/2024

Quant Time: Aug 27 04:27:11 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 26 18:11:40 2024
 Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082624\
Data File : BM047352.D
Acq On : 26 Aug 2024 18:23
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
ICVBM082624

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024


Quant Time: Aug 27 04:27:11 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 26 18:11:40 2024
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.351 min Scan# 759
Delta R.T. 0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:152 Resp: 261449
Ion Ratio Lower Upper
152 100
150 152.8 121.3 181.9
115 54.4 42.6 64.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#2
1,4-Dioxane
Concen: 39.508 ng
RT: 3.022 min Scan# 23
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion: 88 Resp: 220371
Ion Ratio Lower Upper
88 100
58 68.7 55.4 83.0
43 26.4 20.7 31.1






#3
 Pyridine
 Concen: 39.890 ng m
 RT: 3.393 min Scan# 80
 Delta R.T. -0.006 min
 Lab File: BM047352.D
 Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion: 79 Resp: 617529
 Ion Ratio Lower Upper
 79 100
 52 62.2 47.8 71.6
 51 31.1 25.0 37.4


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
 Supervised By :mohammad ahmed 08/28/2024




#4
 n-Nitrosodimethylamine
 Concen: 40.661 ng
 RT: 3.316 min Scan# 73
 Delta R.T. -0.000 min
 Lab File: BM047352.D
 Acq: 26 Aug 2024 18:23




Tgt Ion: 42 Resp: 256366
 Ion Ratio Lower Upper
 42 100
 74 148.7 119.2 178.8
 44 6.7 5.2 7.8





#5
2-Fluorophenol
Concen: 79.148 ng
RT: 5.004 min Scan# 360
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:112 Resp: 1078574
Ion Ratio Lower Upper
112 100
64 56.7 45.7 68.5
63 29.4 23.8 35.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#6
Aniline
Concen: 40.773 ng
RT: 6.704 min Scan# 649
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23


Tgt Ion: 93 Resp: 685545
Ion Ratio Lower Upper
93 100
66 37.8 30.0 45.0
65 19.3 15.5 23.3





#7
Phenol-d6
Concen: 80.326 ng
RT: 6.569 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion: 99 Resp: 149117
Ion Ratio Lower Upper
99 100
42 16.0 13.0 19.4
71 34.7 27.5 41.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#8
2-Chlorophenol
Concen: 39.871 ng
RT: 6.928 min Scan# 687
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:128 Resp: 608154
Ion Ratio Lower Upper
128 100
130 31.9 12.9 52.9
64 44.4 25.3 65.3









#9
Benzaldehyde
Concen: 44.397 ng
RT: 6.516 min Scan# 617
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :
BNA_M
ClientSampleId :
ICVBM082624

Tgt Ion: 77 Resp: 414424
Ion Ratio Lower Upper
77 100
105 96.8 74.9 114.9
106 92.1 72.6 112.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#10
Phenol
Concen: 40.016 ng
RT: 6.592 min Scan# 630
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23


Tgt Ion: 94 Resp: 730869
Ion Ratio Lower Upper
94 100
65 27.9 7.9 47.9
66 38.7 17.3 57.3





#11
bis(2-Chloroethyl)ether
Concen: 40.172 ng
RT: 6.804 min Scan# 666
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion: 93 Resp: 635833
Ion Ratio Lower Upper
93 100
63 72.1 52.2 92.2
95 32.5 12.9 52.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#12
1,3-Dichlorobenzene
Concen: 40.199 ng
RT: 7.239 min Scan# 740
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion:146 Resp: 749772
Ion Ratio Lower Upper
146 100
148 64.7 51.6 77.4
75 27.9 23.3 34.9





#13
1,4-Dichlorobenzene
Concen: 40.102 ng
RT: 7.386 min Scan# 765
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:146 Resp: 757494
Ion Ratio Lower Upper
146 100
148 65.0 51.0 76.6
111 37.2 30.2 45.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#14
1,2-Dichlorobenzene
Concen: 39.886 ng
RT: 7.692 min Scan# 817
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23


Tgt Ion:146 Resp: 713999
Ion Ratio Lower Upper
146 100
148 64.6 51.8 77.6
111 40.2 31.7 47.5





#15
Benzyl Alcohol
Concen: 41.975 ng
RT: 7.604 min Scan# 802
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion: 79 Resp: 540230
Ion Ratio Lower Upper
79 100
108 75.5 61.1 91.7
77 62.7 51.9 77.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.466 ng
RT: 7.875 min Scan# 848
Delta R.T. -0.018 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23


Tgt Ion: 45 Resp: 767979
Ion Ratio Lower Upper
45 100
77 16.0 0.0 36.7
79 12.4 0.0 33.0





#17
2-Methylphenol
Concen: 41.060 ng
RT: 7.816 min Scan# 81
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:	107	Resp:	52103
Ion	Ratio	Lower	Upper
107	100		
108	114.0	91.6	137.4
77	46.6	38.0	57.0
79	46.2	36.8	55.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#18
Hexachloroethane
Concen: 40.535 ng
RT: 8.398 min Scan# 937
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:	117	Resp:	286230
Ion	Ratio	Lower	Upper
117	100		
119	95.9	77.8	116.8
201	113.0	92.3	138.5









#19
n-Nitroso-di-n-propylamine
Concen: 39.449 ng
RT: 8.163 min Scan# 897
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :
BNA_M
ClientSampleId :
ICVBM082624

Tgt Ion:	70	Resp:	50341
Ion Ratio	Lower	Upper	
70	100		
42	49.9	41.0	61.4
101	9.8	7.9	11.9
130	21.5	17.0	25.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#20
3+4-Methylphenols
Concen: 41.256 ng
RT: 8.145 min Scan# 894
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23


Tgt Ion:	107	Resp:	727895
Ion Ratio	Lower	Upper	
107	100		
108	89.1	69.8	109.8
77	38.4	18.0	58.0
79	29.1	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.104 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:136 Resp: 1028140
Ion Ratio Lower Upper
136 100
137 11.2 8.8 13.2
54 6.9 5.2 7.8
68 5.8 4.6 6.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#22
Acetophenone
Concen: 40.536 ng
RT: 8.169 min Scan# 898
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:105 Resp: 967224
Ion Ratio Lower Upper
105 100
71 7.1 3.1 4.7#
51 24.9 18.7 28.1
120 22.8 18.4 27.6






#23
Nitrobenzene-d5
Concen: 82.610 ng
RT: 8.498 min Scan# 954
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion: 82 Resp: 153074
Ion Ratio Lower Upper
82 100
128 43.6 34.6 51.8
54 44.3 35.5 53.3


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#24
Nitrobenzene
Concen: 41.378 ng
RT: 8.539 min Scan# 961
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion: 77 Resp: 788564
Ion Ratio Lower Upper
77 100
123 44.9 35.6 53.4
65 13.4 10.5 15.7





#25
Isophorone
Concen: 41.092 ng
RT: 9.069 min Scan# 1051
Delta R.T. 0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion: 82 Resp: 143911
Ion Ratio Lower Upper
82 100
95 6.8 5.6 8.4
138 18.0 13.9 20.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#26
2-Nitrophenol
Concen: 42.731 ng
RT: 9.239 min Scan# 1080
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:139 Resp: 400563
Ion Ratio Lower Upper
139 100
109 28.6 23.4 35.0
65 48.1 39.6 59.4






#27
2,4-Dimethylphenol
Concen: 42.063 ng
RT: 9.322 min Scan# 1094
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion:122 Resp: 445070
Ion Ratio Lower Upper
122 100
107 118.4 91.9 137.9
121 58.6 47.0 70.6

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#28
bis(2-Chloroethoxy)methane
Concen: 41.654 ng
RT: 9.551 min Scan# 1133
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion: 93 Resp: 893301
Ion Ratio Lower Upper
93 100
95 32.7 26.6 39.8
123 11.5 9.6 14.4





#29

2,4-Dichlorophenol

Concen: 43.204 ng

RT: 9.780 min Scan# 1172

Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624

Tgt Ion:162 Resp: 709149

Ion Ratio Lower Upper

162 100

164 63.9 44.6 84.6





98 32.1 13.2 53.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024

Supervised By :mohammad ahmed 08/28/2024



#30

1,2,4-Trichlorobenzene

Concen: 41.357 ng

RT: 9.975 min Scan# 1205

Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23




Tgt Ion:180 Resp: 784076


Ion Ratio Lower Upper

180 100

182 95.9 78.2 117.2


145 27.9 22.3 33.5





#31
Naphthalene
Concen: 40.825 ng
RT: 10.157 min Scan# 1236
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:128 Resp: 205007
Ion Ratio Lower Upper
128 100
129 11.0 9.0 13.6
127 13.0 10.4 15.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#32
Benzoic acid
Concen: 43.333 ng
RT: 9.528 min Scan# 1129
Delta R.T. 0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:122 Resp: 547509
Ion Ratio Lower Upper
122 100
105 124.4 106.0 146.0
77 95.7 76.3 116.3






#33
4-Chloroaniline
Concen: 42.209 ng
RT: 10.286 min Scan# 1258
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion:127 Resp: 78812
Ion Ratio Lower Upper
127 100
129 32.1 25.8 38.8
65 31.1 24.2 36.2
92 19.3 15.0 22.6


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#34
Hexachlorobutadiene
Concen: 41.551 ng
RT: 10.433 min Scan# 1283
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion:225 Resp: 491974
Ion Ratio Lower Upper
225 100
223 62.7 51.1 76.7
227 65.2 51.0 76.6





#35
Caprolactam
Concen: 41.019 ng
RT: 11.098 min Scan# 113
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:113 Resp: 218104
Ion Ratio Lower Upper
113 100
55 150.0 126.2 166.2
56 112.7 93.2 133.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#36
4-Chloro-3-methylphenol
Concen: 41.592 ng
RT: 11.439 min Scan# 1454
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23


Tgt Ion:107 Resp: 693274
Ion Ratio Lower Upper
107 100
144 27.8 22.2 33.4
142 83.2 67.7 101.5





#37
2-Methylnaphthalene
Concen: 40.747 ng
RT: 11.780 min Scan# 1512
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:142 Resp: 1491928
Ion Ratio Lower Upper
142 100
141 89.2 70.8 106.2
115 34.1 27.5 41.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#38
1-Methylnaphthalene
Concen: 40.532 ng
RT: 12.004 min Scan# 1550
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:142 Resp: 1467764
Ion Ratio Lower Upper
142 100
141 91.2 72.9 109.3
116 3.7 3.0 4.6






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.010 min Scan# 1891
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion:164 Resp: 688752
Ion Ratio Lower Upper
164 100
162 98.2 79.7 119.5
160 44.1 34.9 52.3


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#40
1,2,4,5-Tetrachlorobenzene
Concen: 42.767 ng
RT: 12.163 min Scan# 1577
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion:216 Resp: 872249
Ion Ratio Lower Upper
216 100
214 78.3 62.6 94.0
179 20.6 16.6 24.8
108 15.7 12.8 19.2





#41
Hexachlorocyclopentadiene
Concen: 42.905 ng
RT: 12.133 min Scan# 11
Delta R.T. 0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion:237 Resp: 276174
Ion Ratio Lower Upper
237 100
235 64.2 42.1 82.1
272 12.6 0.0 32.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#42
2,4,6-Tribromophenol
Concen: 82.701 ng
RT: 15.521 min Scan# 2148
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23



Tgt Ion:330 Resp: 687216
Ion Ratio Lower Upper
330 100
332 96.4 77.2 115.8
141 34.1 27.6 41.4





#43

2,4,6-Trichlorophenol

Concen: 43.069 ng

RT: 12.427 min Scan# 1

Delta R.T. -0.000 min

Lab File: BM047352.D


Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624



Tgt Ion:196 Resp: 602159

Ion Ratio Lower Upper

196 100

198 96.3 78.2 117.2




200 31.4 24.9 37.3

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024

Supervised By :mohammad ahmed 08/28/2024



#44

2,4,5-Trichlorophenol

Concen: 42.966 ng

RT: 12.510 min Scan# 1636

Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23

Tgt Ion:196 Resp: 667135




Ion Ratio Lower Upper


196 100

198 96.9 76.6 115.0

97 42.1 35.9 53.9


132 23.0 19.3 28.9





#45
2-Fluorobiphenyl
Concen: 83.540 ng
RT: 12.616 min Scan# 1654
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion:172 Resp: 3744750
Ion Ratio Lower Upper
172 100
171 34.8 27.8 41.6
170 22.9 18.5 27.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#46
1,1'-Biphenyl
Concen: 41.882 ng
RT: 12.833 min Scan# 1691
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion:154 Resp: 2014205
Ion Ratio Lower Upper
154 100
153 39.6 20.1 60.1
76 11.2 0.0 31.2





#47
2-Chloronaphthalene
Concen: 41.605 ng
RT: 12.868 min Scan# 1697
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion:162 Resp: 156799
Ion Ratio Lower Upper
162 100
127 34.8 28.3 42.5
164 33.2 27.0 40.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#48
2-Nitroaniline
Concen: 42.592 ng
RT: 13.098 min Scan# 1736
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion: 65 Resp: 449641
Ion Ratio Lower Upper
65 100
92 71.0 57.0 85.6
138 113.5 90.0 135.0





#49
Acenaphthylene
Concen: 41.602 ng
RT: 13.727 min Scan# 1843
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion:152 Resp: 2278764
Ion Ratio Lower Upper
152 100
151 19.4 15.4 23.0
153 13.0 10.6 15.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#50
Dimethylphthalate
Concen: 41.190 ng
RT: 13.492 min Scan# 1803
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion:163 Resp: 1954808
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 10.4 8.2 12.4





#51
2,6-Dinitrotoluene
Concen: 42.350 ng
RT: 13.616 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion:165 Resp: 46795
Ion Ratio Lower Upper
165 100
63 47.1 38.2 57.4
89 49.6 40.4 60.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#52
Acenaphthene
Concen: 41.327 ng
RT: 14.074 min Scan# 1902
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion:154 Resp: 1437027
Ion Ratio Lower Upper
154 100
153 112.8 89.5 134.3
152 53.0 43.0 64.4





#53
3-Nitroaniline
Concen: 42.632 ng
RT: 13.945 min Scan# 1880
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:138 Resp: 434684
Ion Ratio Lower Upper
138 100
108 10.1 8.0 12.0
92 112.5 90.1 135.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#54
2,4-Dinitrophenol
Concen: 41.515 ng
RT: 14.168 min Scan# 1918
Delta R.T. 0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23


Tgt Ion:184 Resp: 282500
Ion Ratio Lower Upper
184 100
63 56.2 45.7 68.5
154 60.4 48.5 72.7





#55
Dibenzofuran
Concen: 40.902 ng
RT: 14.421 min Scan# 1961
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:168 Resp: 2290830
Ion Ratio Lower Upper
168 100
139 34.6 27.5 41.3
169 13.1 10.5 15.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#56
4-Nitrophenol
Concen: 42.596 ng
RT: 14.298 min Scan# 1940
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:139 Resp: 339495
Ion Ratio Lower Upper
139 100
109 71.8 51.6 91.6
65 92.9 71.7 111.7






#57
2,4-Dinitrotoluene
Concen: 41.231 ng
RT: 14.415 min Scan# 1960
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion:165 Resp: 589760
Ion Ratio Lower Upper
165 100
63 53.5 42.2 63.4
89 75.2 59.3 88.9
182 2.8 2.1 3.1

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#58
Fluorene
Concen: 40.903 ng
RT: 15.074 min Scan# 2072
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:166 Resp: 1854076
Ion Ratio Lower Upper
166 100
165 97.0 77.8 116.6
167 13.5 11.1 16.7






#59
2,3,4,6-Tetrachlorophenol
Concen: 41.770 ng
RT: 14.663 min Scan# 2002
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion:232 Resp: 532718
Ion Ratio Lower Upper
232 100
131 39.3 31.7 47.5
130 2.1 1.7 2.5
166 30.4 24.2 36.2


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#60
Diethylphthalate
Concen: 40.840 ng
RT: 14.874 min Scan# 2038
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion:149 Resp: 1911829
Ion Ratio Lower Upper
149 100
177 22.7 18.6 28.0
150 12.6 10.2 15.4





#61
4-Chlorophenyl-phenylether
Concen: 40.695 ng
RT: 15.080 min Scan# 2073
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion:204 Resp: 938370
Ion Ratio Lower Upper
204 100
206 33.1 26.5 39.7
141 52.2 42.8 64.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#62
4-Nitroaniline
Concen: 41.581 ng
RT: 15.127 min Scan# 2081
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Tgt Ion:138 Resp: 392195
Ion Ratio Lower Upper
138 100
92 48.7 27.9 67.9
108 77.8 58.7 98.7





#63
Azobenzene
Concen: 41.008 ng
RT: 15.374 min Scan# 2123
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion: 77 Resp: 1671714
Ion Ratio Lower Upper
77 100
182 28.4 7.9 47.9
105 20.4 0.6 40.6
51 25.6 5.0 45.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.774 min Scan# 2361
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23


Tgt Ion:188 Resp: 1374519
Ion Ratio Lower Upper
188 100
94 8.2 6.4 9.6
80 9.3 7.4 11.2





#65
4,6-Dinitro-2-methylphenol
Concen: 43.236 ng
RT: 15.192 min Scan# 2092
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624



Tgt Ion:198 Resp: 364752
Ion Ratio Lower Upper
198 100
51 33.1 14.1 54.1
105 35.9 17.0 57.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#66
n-Nitrosodiphenylamine
Concen: 41.620 ng
RT: 15.304 min Scan# 2111
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:169 Resp: 1565337
Ion Ratio Lower Upper
169 100
168 67.6 53.4 80.0
167 36.4 29.0 43.4






#67
4-Bromophenyl-phenylether
Concen: 41.999 ng
RT: 15.974 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion:248 Resp: 609000
Ion Ratio Lower Upper
248 100
250 97.1 78.8 118.2
141 67.9 55.9 83.9


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#68
Hexachlorobenzene
Concen: 41.920 ng
RT: 16.080 min Scan# 2243
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23



Tgt Ion:284 Resp: 702080
Ion Ratio Lower Upper
284 100
142 33.1 26.5 39.7
249 31.6 25.5 38.3





#69

Atrazine

Concen: 35.400 ng

RT: 16.274 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :





ICVBM082624

Tgt Ion:200 Resp: 435188
 Ion Ratio Lower Upper
 200 100
 173 25.4 5.8 45.8
 215 48.8 28.3 68.3

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
 Supervised By :mohammad ahmed 08/28/2024



#70

Pentachlorophenol

Concen: 43.021 ng




RT: 16.439 min Scan# 2304


Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23

Tgt Ion:266 Resp: 465838
 Ion Ratio Lower Upper
 266 100
 268 62.4 51.0 76.6
 264 62.1 51.9 77.9






#71
Phenanthrene
Concen: 40.880 ng
RT: 16.821 min Scan# 2369
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624





Tgt Ion:178 Resp: 2728835
Ion Ratio Lower Upper
178 100
176 18.9 15.2 22.8
179 15.3 12.2 18.4

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#72
Anthracene
Concen: 41.363 ng
RT: 16.909 min Scan# 2384
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Tgt Ion:178 Resp: 2691622
Ion Ratio Lower Upper
178 100
176 18.4 14.7 22.1
179 15.4 12.6 18.8





#73

Carbazole

Concen: 41.263 ng

RT: 17.198 min Scan# 2433

Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624

Tgt Ion:167 Resp: 2576628

Ion Ratio Lower Upper

167 100

166 21.4 16.9 25.3





139 11.8 9.5 14.3

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024

Supervised By :mohammad ahmed 08/28/2024



#74

Di-n-butylphthalate

Concen: 41.153 ng

RT: 17.774 min Scan# 2531

Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23




Tgt Ion:149 Resp: 3129211


Ion Ratio Lower Upper

149 100

150 9.3 7.4 11.0


104 4.8 3.8 5.6





#75
Fluoranthene
Concen: 40.436 ng
RT: 18.856 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion:202 Resp: 3169400
Ion Ratio Lower Upper
202 100
101 8.9 0.0 29.0
203 17.6 0.0 37.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.021 min Scan# 3083
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23



Tgt Ion:240 Resp: 1030291
Ion Ratio Lower Upper
240 100
120 8.6 7.4 11.0
236 25.5 20.8 31.2





#77

Benzidine

Concen: 48.712 ng

RT: 19.062 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :





ICVBM082624

Tgt Ion:184	Resp: 83774
Ion Ratio	Lower Upper
184	100
185	14.5 11.5 17.3
183	11.1 9.2 13.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#78

Pyrene

Concen: 41.194 ng




RT: 19.221 min Scan# 2777


Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23

Tgt Ion:202	Resp: 3255189
Ion Ratio	Lower Upper
202	100
200	21.0 16.7 25.1
203	17.7 14.2 21.4






#79
 Terphenyl-d14
 Concen: 83.615 ng
 RT: 19.445 min Scan# 2815
 Delta R.T. -0.000 min
 Lab File: BM047352.D
 Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion:244 Resp: 483985
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.0 9.0
 122 8.2 7.0 10.4


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
 Supervised By :mohammad ahmed 08/28/2024




#80
 Butylbenzylphthalate
 Concen: 41.804 ng
 RT: 20.156 min Scan# 2936
 Delta R.T. -0.006 min
 Lab File: BM047352.D
 Acq: 26 Aug 2024 18:23



Tgt Ion:149 Resp: 1292690
 Ion Ratio Lower Upper
 149 100
 91 67.1 52.6 79.0
 206 21.6 18.2 27.2





#81

Benzo(a)anthracene

Concen: 41.675 ng

RT: 21.003 min Scan# 3080

Delta R.T. -0.000 min

Lab File: BM047352.D


Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624



Tgt Ion:228 Resp: 2800118

Ion Ratio Lower Upper

228 100

226 27.2 21.4 32.0




229 19.7 15.8 23.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024

Supervised By :mohammad ahmed 08/28/2024



#82

3,3'-Dichlorobenzidine

Concen: 42.920 ng

RT: 20.944 min Scan# 3070

Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23




Tgt Ion:252 Resp: 970059


Ion Ratio Lower Upper

252 100

254 64.9 52.1 78.1

126 9.0 7.9 11.9





#83

Chrysene

Concen: 41.317 ng

RT: 21.062 min Scan# 3090

Delta R.T. -0.000 min

Lab File: BM047352.D


Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624



Tgt Ion:228 Resp: 2611319

Ion Ratio Lower Upper

228 100

226 30.2 24.0 36.0




229 19.6 15.9 23.9

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024

Supervised By :mohammad ahmed 08/28/2024



#84

Bis(2-ethylhexyl)phthalate

Concen: 41.486 ng

RT: 20.956 min Scan# 3072

Delta R.T. -0.000 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23




Tgt Ion:149 Resp: 1813135


Ion Ratio Lower Upper

149 100

167 28.6 23.1 34.7


279 4.4 3.3 4.9





#85
Di-n-octyl phthalate
Concen: 41.870 ng
RT: 21.986 min Scan# 31
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23




Instrument :
BNA_M
ClientSampleId :
ICVBM082624




Tgt Ion:149 Resp: 308002
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 7.6 6.1 9.1

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024




#86
Perylene-d12
Concen: 20.000 ng
RT: 23.709 min Scan# 3540
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23



Tgt Ion:264 Resp: 1157476
Ion Ratio Lower Upper
264 100
260 23.2 19.0 28.4
265 22.0 17.8 26.6





#87

Indeno(1,2,3-cd)pyrene

Concen: 42.079 ng

RT: 26.709 min Scan# 4050

Delta R.T. -0.000 min

Lab File: BM047352.D


Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion: 276 Resp: 3048938

Ion	Ratio	Lower	Upper
276	100		
138	22.1	17.7	26.5
277	24.9	20.0	30.0

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#88

Benzo(b)fluoranthene

Concen: 41.009 ng

RT: 22.874 min Scan# 3398




Delta R.T. -0.000 min


Lab File: BM047352.D

Acq: 26 Aug 2024 18:23

Tgt Ion: 252 Resp: 2769284

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.8	26.6
125	8.2	6.6	10.0





#89

Benzo(k)fluoranthene

Concen: 41.485 ng

RT: 22.927 min Scan# 34

Delta R.T. -0.006 min

Lab File: BM047352.D


Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624



Tgt Ion:252 Resp: 265571

Ion Ratio Lower Upper

252 100




253 22.0 17.5 26.3

125 8.5 6.6 9.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#90

Benzo(a)pyrene

Concen: 41.689 ng

RT: 23.585 min Scan# 3519

Delta R.T. -0.006 min

Lab File: BM047352.D

Acq: 26 Aug 2024 18:23




Tgt Ion:252 Resp: 2434592


Ion Ratio Lower Upper

252 100

253 21.4 17.7 26.5

125 9.2 7.4 11.2






#91
Dibenzo(a,h)anthracene
Concen: 41.978 ng
RT: 26.750 min Scan# 4058
Delta R.T. -0.006 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23

Instrument :

BNA_M

ClientSampleId :

ICVBM082624






Tgt Ion:278 Resp: 2464104
Ion Ratio Lower Upper
278 100
139 14.1 11.1 16.7
279 23.9 19.2 28.8


Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/27/2024
Supervised By :mohammad ahmed 08/28/2024



#92
Benzo(g,h,i)perylene
Concen: 42.339 ng
RT: 27.638 min Scan# 4208
Delta R.T. -0.000 min
Lab File: BM047352.D
Acq: 26 Aug 2024 18:23



Tgt Ion:276 Resp: 2583703
Ion Ratio Lower Upper
276 100
277 23.9 19.4 29.0
138 18.5 15.0 22.6

