

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082724\
 Data File : BM047363.D
 Acq On : 27 Aug 2024 14:37
 Operator : RC/JU
 Sample : P3727-01 5X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MH-21

Quant Time: Aug 27 15:28:20 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 26 18:11:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.351	152	241597	20.000	ng	0.00
21) Naphthalene-d8	10.104	136	915201	20.000	ng	# 0.00
39) Acenaphthene-d10	14.010	164	651589	20.000	ng	0.00
64) Phenanthrene-d10	16.780	188	1335820	20.000	ng	0.00
76) Chrysene-d12	21.021	240	877589	20.000	ng	0.00
86) Perylene-d12	23.727	264	997788	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.010	112	221753	17.610	ng	0.00
7) Phenol-d6	6.575	99	290091	16.910	ng	0.00
23) Nitrobenzene-d5	8.498	82	187996	11.398	ng	0.00
42) 2,4,6-Tribromophenol	15.527	330	118525	15.077	ng	0.00
45) 2-Fluorobiphenyl	12.616	172	501166	11.818	ng	0.00
79) Terphenyl-d14	19.445	244	617153	12.517	ng	0.00
Target Compounds						
						Qvalue
52) Acenaphthene	14.075	154	71605	2.177	ng	99
58) Fluorene	15.074	166	99837	2.328	ng	94
71) Phenanthrene	16.821	178	894588	13.790	ng	100
72) Anthracene	16.910	178	267524	4.230	ng	97
75) Fluoranthene	18.857	202	1271819	16.696	ng	99
78) Pyrene	19.221	202	1149965	17.085	ng	99
80) Butylbenzylphthalate	20.162	149	64248	2.439	ng	99
81) Benzo(a)anthracene	21.003	228	505783	8.838	ng	95
83) Chrysene	21.062	228	481793m	8.949	ng	
84) Bis(2-ethylhexyl)phtha...	20.956	149	119268	3.204	ng	# 95
87) Indeno(1,2,3-cd)pyrene	26.733	276	269678	4.318	ng	97
88) Benzo(b)fluoranthene	22.880	252	536161	9.210	ng	# 87
89) Benzo(k)fluoranthene	22.933	252	208025m	3.770	ng	
90) Benzo(a)pyrene	23.597	252	420156	8.346	ng	# 89
92) Benzo(g,h,i)perylene	27.674	276	269323	5.120	ng	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082724\
Data File : BM047363.D
Acq On : 27 Aug 2024 14:37
Operator : RC/JU
Sample : P3727-01 5X
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MH-21


Quant Time: Aug 27 15:28:20 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 26 18:11:40 2024
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082724\
Data File : BM047363.D
Acq On : 27 Aug 2024 14:37
Operator : RC/JU
Sample : P3727-01 5X
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MH-21

Quant Time: Aug 27 15:28:20 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 26 18:11:40 2024
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.351 min Scan# 70
 Delta R.T. 0.000 min
 Lab File: BM047363.D
 Acq: 27 Aug 2024 14:37




Instrument :
 BNA_M
 ClientSampleId :
 MH-21


Tgt Ion:152 Resp: 241597
 Ion Ratio Lower Upper
 152 100
 150 154.0 121.3 181.9
 115 53.5 42.6 64.0



#5
 2-Fluorophenol
 Concen: 17.610 ng
 RT: 5.010 min Scan# 361
 Delta R.T. 0.006 min
 Lab File: BM047363.D
 Acq: 27 Aug 2024 14:37

Tgt Ion:112 Resp: 221753
 Ion Ratio Lower Upper
 112 100
 64 55.3 45.7 68.5
 63 28.1 23.8 35.8









#7
Phenol-d6
Concen: 16.910 ng
RT: 6.575 min Scan# 61
Delta R.T. 0.006 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37




Instrument :
BNA_M
ClientSampleId :
MH-21


Tgt Ion: 99 Resp: 290091
Ion Ratio Lower Upper
99 100
42 16.3 13.0 19.4
71 35.3 27.5 41.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.104 min Scan# 1227
Delta R.T. 0.000 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37

Tgt Ion: 136 Resp: 915201
Ion Ratio Lower Upper
136 100
137 11.4 8.8 13.2
54 7.7 5.2 7.8
68 6.9 4.6 6.8









#23
Nitrobenzene-d5
Concen: 11.398 ng
RT: 8.498 min Scan# 91
Delta R.T. 0.000 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37




Instrument :
BNA_M
ClientSampleId :
MH-21


Tgt Ion: 82 Resp: 187996
Ion Ratio Lower Upper
82 100
128 43.0 34.6 51.8
54 43.5 35.5 53.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.010 min Scan# 1891
Delta R.T. -0.000 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37

Tgt Ion:164 Resp: 651589
Ion Ratio Lower Upper
164 100
162 98.9 79.7 119.5
160 43.5 34.9 52.3









#42
2,4,6-Tribromophenol
Concen: 15.077 ng
RT: 15.527 min Scan# 2149
Delta R.T. 0.000 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37




Instrument :
BNA_M
ClientSampleId :
MH-21


Tgt Ion:330 Resp: 118525
Ion Ratio Lower Upper
330 100
332 96.5 77.2 115.8
141 33.5 27.6 41.4



#45
2-Fluorobiphenyl
Concen: 11.818 ng
RT: 12.616 min Scan# 1654
Delta R.T. 0.000 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37

Tgt Ion:172 Resp: 501166
Ion Ratio Lower Upper
172 100
171 34.4 27.8 41.6
170 22.7 18.5 27.7









#52
Acenaphthene
Concen: 2.177 ng
RT: 14.075 min Scan# 1903
Delta R.T. -0.006 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37




Instrument :
BNA_M
ClientSampleId :
MH-21


Tgt Ion:154 Resp: 71605
Ion Ratio Lower Upper
154 100
153 112.5 89.5 134.3
152 55.1 43.0 64.4



#58
Fluorene
Concen: 2.328 ng
RT: 15.074 min Scan# 2072
Delta R.T. 0.000 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37

Tgt Ion:166 Resp: 99837
Ion Ratio Lower Upper
166 100
165 103.0 77.8 116.6
167 16.2 11.1 16.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.780 min Scan# 21

Delta R.T. 0.006 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37

Instrument :

BNA_M

ClientSampleId :

MH-21





Tgt Ion:188 Resp: 1335820

Ion Ratio Lower Upper

188 100

94 7.7 6.4 9.6

80 8.4 7.4 11.2



#71

Phenanthrene

Concen: 13.790 ng

RT: 16.821 min Scan# 2369

Delta R.T. 0.000 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37




Tgt Ion:178 Resp: 894588


Ion Ratio Lower Upper

178 100

176 18.9 15.2 22.8

179 15.4 12.2 18.4





#72

Anthracene

Concen: 4.230 ng

RT: 16.910 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37

Instrument :

BNA_M

ClientSampleId :

MH-21





Tgt Ion:178 Resp: 267524

Ion Ratio Lower Upper

178 100

176 18.9 14.7 22.1

179 18.2 12.6 18.8



#75

Fluoranthene

Concen: 16.696 ng

RT: 18.857 min Scan# 2715

Delta R.T. 0.000 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37




Tgt Ion:202 Resp: 1271819


Ion Ratio Lower Upper

202 100

101 9.1 0.0 29.0

203 18.3 0.0 37.5





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.021 min Scan# 3083

Delta R.T. 0.000 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37

Instrument :

BNA_M

ClientSampleId :

MH-21





Tgt Ion:240 Resp: 877589

Ion Ratio Lower Upper

240 100

120 9.6 7.4 11.0

236 26.8 20.8 31.2



#78

Pyrene

Concen: 17.085 ng

RT: 19.221 min Scan# 2777

Delta R.T. 0.000 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37




Tgt Ion:202 Resp: 1149965


Ion Ratio Lower Upper

202 100

200 20.2 16.7 25.1

203 18.2 14.2 21.4









#79
 Terphenyl-d14
 Concen: 12.517 ng
 RT: 19.445 min Scan# 2815
 Delta R.T. 0.000 min
 Lab File: BM047363.D
 Acq: 27 Aug 2024 14:37




Instrument :
 BNA_M
 ClientSampleId :
 MH-21


Tgt Ion:244 Resp: 617153
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 8.8 7.0 10.4



#80
 Butylbenzylphthalate
 Concen: 2.439 ng
 RT: 20.162 min Scan# 2937
 Delta R.T. 0.000 min
 Lab File: BM047363.D
 Acq: 27 Aug 2024 14:37

Tgt Ion:149 Resp: 64248
 Ion Ratio Lower Upper
 149 100
 91 66.1 52.6 79.0
 206 23.4 18.2 27.2









#81
Benzo(a)anthracene
Concen: 8.838 ng
RT: 21.003 min Scan# 3080
Delta R.T. 0.000 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37




Instrument :
BNA_M
ClientSampleId :
MH-21


Tgt Ion:228 Resp: 505783
Ion Ratio Lower Upper
228 100
226 29.1 21.4 32.0
229 22.5 15.8 23.8



#83
Chrysene
Concen: 8.949 ng m
RT: 21.062 min Scan# 3090
Delta R.T. 0.000 min
Lab File: BM047363.D
Acq: 27 Aug 2024 14:37

Tgt Ion:228 Resp: 481793
Ion Ratio Lower Upper
228 100
226 30.3 24.0 36.0
229 24.7 15.9 23.9#









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 3.204 ng
 RT: 20.956 min Scan# 3072
 Delta R.T. 0.000 min
 Lab File: BM047363.D
 Acq: 27 Aug 2024 14:37




Instrument :
 BNA_M
 ClientSampleId :
 MH-21


Tgt Ion:149 Resp: 119268
 Ion Ratio Lower Upper
 149 100
 167 31.3 23.1 34.7
 279 7.5 3.3 4.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.727 min Scan# 3543
 Delta R.T. 0.012 min
 Lab File: BM047363.D
 Acq: 27 Aug 2024 14:37

Tgt Ion:264 Resp: 997788
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.0 28.4
 265 23.4 17.8 26.6





#87

Indeno(1,2,3-cd)pyrene

Concen: 4.318 ng

RT: 26.733 min Scan# 4050

Delta R.T. 0.024 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37

Instrument :

BNA_M

ClientSampleId :

MH-21





Tgt Ion:276 Resp: 269678

Ion Ratio Lower Upper

276 100

138 20.9 17.7 26.5

277 23.7 20.0 30.0



#88

Benzo(b)fluoranthene

Concen: 9.210 ng

RT: 22.880 min Scan# 3399

Delta R.T. 0.006 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37




Tgt Ion:252 Resp: 536161


Ion Ratio Lower Upper

252 100

253 27.5 17.8 26.6#

125 15.1 6.6 10.0#





#89

Benzo(k)fluoranthene

Concen: 3.770 ng m

RT: 22.933 min Scan# 34

Delta R.T. 0.000 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37

Instrument :

BNA_M

ClientSampleId :

MH-21





Tgt Ion:252 Resp: 208025

Ion Ratio Lower Upper

252 100

253 32.0 17.5 26.3#

125 19.2 6.6 9.8#



#90

Benzo(a)pyrene

Concen: 8.346 ng

RT: 23.597 min Scan# 3521

Delta R.T. 0.006 min

Lab File: BM047363.D

Acq: 27 Aug 2024 14:37




Tgt Ion:252 Resp: 420156


Ion Ratio Lower Upper

252 100

253 27.1 17.7 26.5#

125 14.0 7.4 11.2#





#92

Benzo(g,h,i)perylene

Concen: 5.120 ng

RT: 27.674 min Scan# 41

Delta R.T. 0.035 min

Lab File: BM047363.D


Acq: 27 Aug 2024 14:37

Instrument :

BNA_M

ClientSampleId :

MH-21



Tgt Ion:276 Resp: 269323

Ion Ratio Lower Upper

276 100

277 28.3 19.4 29.0

138 21.6 15.0 22.6

