

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082924\
 Data File : BM047391.D
 Acq On : 29 Aug 2024 11:37
 Operator : RC/JU
 Sample : PB163024BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :

PB163024BS

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
 Supervised By :mohammad ahmed 09/02/2024

Quant Time: Aug 29 12:13:17 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 26 18:11:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

Internal Standards

1) 1,4-Dichlorobenzene-d4	7.345	152	293280	20.000	ng	0.00
21) Naphthalene-d8	10.104	136	1171133	20.000	ng	0.00
39) Acenaphthene-d10	14.010	164	825608	20.000	ng	0.00
64) Phenanthrene-d10	16.780	188	1784491	20.000	ng	0.00
76) Chrysene-d12	21.027	240	1585657	20.000	ng	0.00
86) Perylene-d12	23.721	264	1734077	20.000	ng	0.00

08/30/2024

Supervised By :mohammad ahmed

09/02/2024

System Monitoring Compounds

5) 2-Fluorophenol	5.010	112	1996798	130.625	ng	0.00
7) Phenol-d6	6.581	99	2651723	127.338	ng	0.01
23) Nitrobenzene-d5	8.504	82	1694888	80.300	ng	0.00
42) 2,4,6-Tribromophenol	15.527	330	1249509	125.442	ng	0.00
45) 2-Fluorobiphenyl	12.622	172	4211848	78.385	ng	0.00
79) Terphenyl-d14	19.450	244	7048784	79.125	ng	0.00

Target Compounds

Compound	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.016	88	171895	27.473	ng	99
3) Pyridine	3.393	79	481522	27.728	ng	98
4) n-Nitrosodimethylamine	3.310	42	287065	40.589	ng	98
6) Aniline	6.698	93	504940	26.772	ng	99
8) 2-Chlorophenol	6.934	128	848844	49.611	ng	97
9) Benzaldehyde	6.516	77	151960	10.681	ng	96
10) Phenol	6.604	94	993232	48.478	ng	100
11) bis(2-Chloroethyl)ether	6.804	93	789145	44.447	ng	98
12) 1,3-Dichlorobenzene	7.234	146	860657	41.136	ng	100
13) 1,4-Dichlorobenzene	7.381	146	880038	41.532	ng	100
14) 1,2-Dichlorobenzene	7.692	146	857490	42.703	ng	99
15) Benzyl Alcohol	7.610	79	744902	51.597	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.869	45	920668m	43.246	ng	
17) 2-Methylphenol	7.822	107	688113	48.341	ng	98
18) Hexachloroethane	8.392	117	330348	41.705	ng	99
19) n-Nitroso-di-n-propyla...	8.163	70	586007	40.937	ng	98
20) 3+4-Methylphenols	8.151	107	932631	47.123	ng	96
22) Acetophenone	8.175	105	1058146	38.932	ng	# 100
24) Nitrobenzene	8.545	77	896705	41.307	ng	98
25) Isophorone	9.069	82	1698320	42.573	ng	98
26) 2-Nitrophenol	9.239	139	502993	47.106	ng	98
27) 2,4-Dimethylphenol	9.328	122	622719	51.666	ng	99
28) bis(2-Chloroethoxy)met...	9.551	93	1040534	42.595	ng	99
29) 2,4-Dichlorophenol	9.786	162	932601	49.881	ng	99
30) 1,2,4-Trichlorobenzene	9.975	180	912311	42.245	ng	99
31) Naphthalene	10.151	128	2392852	41.833	ng	99
32) Benzoic acid	9.551	122	613538	42.630	ng	98
33) 4-Chloroaniline	10.292	127	704469	33.123	ng	99
34) Hexachlorobutadiene	10.433	225	559742	41.503	ng	99
35) Caprolactam	11.122	113	279775m	46.193	ng	
36) 4-Chloro-3-methylphenol	11.451	107	904575	47.643	ng	100
37) 2-Methylnaphthalene	11.780	142	1797781	43.105	ng	99
38) 1-Methylnaphthalene	12.010	142	1675638	40.623	ng	100
40) 1,2,4,5-Tetrachloroben...	12.163	216	983113	40.213	ng	99
41) Hexachlorocyclopentadiene	12.133	237	695234	90.105	ng	99
43) 2,4,6-Trichlorophenol	12.433	196	788866	47.070	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082924\
 Data File : BM047391.D
 Acq On : 29 Aug 2024 11:37
 Operator : RC/JU
 Sample : PB163024BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :

PB163024BS

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
 Supervised By :mohammad ahmed 09/02/2024

Quant Time: Aug 29 12:13:17 2024

Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Mon Aug 26 18:11:40 2024

Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	12.527	196	801055	43.039	ng	98	08/30/2024
46) 1,1'-Biphenyl	12.833	154	2232110	38.719	ng	99	Supervised By :mohammad
47) 2-Chloronaphthalene	12.869	162	1840135	40.732	ng	99	ahmed
48) 2-Nitroaniline	13.104	65	586893	46.378	ng	96	
49) Acenaphthylene	13.727	152	3014969	45.919	ng	100	
50) Dimethylphthalate	13.492	163	2549459	44.816	ng	100	
51) 2,6-Dinitrotoluene	13.621	165	591379	44.649	ng	94	09/02/2024
52) Acenaphthene	14.080	154	1766044	42.370	ng	100	
53) 3-Nitroaniline	13.951	138	478132	39.120	ng	99	
54) 2,4-Dinitrophenol	14.180	184	773883	94.876	ng	97	
55) Dibenzofuran	14.421	168	2925171	43.570	ng	99	
56) 4-Nitrophenol	14.316	139	917223	96.007	ng	98	
57) 2,4-Dinitrotoluene	14.427	165	779194	45.444	ng	91	
58) Fluorene	15.074	166	2347102	43.197	ng	99	
59) 2,3,4,6-Tetrachlorophenol	14.668	232	728082	47.625	ng	98	
60) Diethylphthalate	14.880	149	2495429	44.470	ng	98	
61) 4-Chlorophenyl-phenyle...	15.080	204	1200652	43.438	ng	97	
62) 4-Nitroaniline	15.139	138	533183	47.158	ng	98	
63) Azobenzene	15.374	77	2124306	43.472	ng	98	
65) 4,6-Dinitro-2-methylph...	15.204	198	521587	47.622	ng	97	
66) n-Nitrosodiphenylamine	15.304	169	2107059	43.152	ng	100	
67) 4-Bromophenyl-phenylether	15.974	248	805036	42.763	ng	98	
68) Hexachlorobenzene	16.086	284	913029	41.991	ng	98	
69) Atrazine	16.280	200	643827	40.339	ng	98	
70) Pentachlorophenol	16.445	266	1161080	82.594	ng	99	
71) Phenanthrene	16.821	178	3833804	44.238	ng	99	
72) Anthracene	16.915	178	3833503	45.377	ng	100	
73) Carbazole	17.198	167	3709931	45.762	ng	100	
74) Di-n-butylphthalate	17.774	149	4434980	44.926	ng	100	
75) Fluoranthene	18.862	202	4663362	45.828	ng	100	
77) Benzidine	19.068	184	598135	22.598	ng	100	
78) Pyrene	19.227	202	4881073	40.135	ng	100	
80) Butylbenzylphthalate	20.162	149	2071146	43.520	ng	96	
81) Benzo(a)anthracene	21.009	228	4665941	45.123	ng	99	
82) 3,3'-Dichlorobenzidine	20.950	252	1457229	41.893	ng	#	98
83) Chrysene	21.068	228	4309551	44.305	ng	99	
84) Bis(2-ethylhexyl)phtha...	20.956	149	2815250	41.855	ng	#	99
85) Di-n-octyl phthalate	21.986	149	5204552	45.971	ng	99	
87) Indeno(1,2,3-cd)pyrene	26.744	276	5806431	53.489	ng	99	
88) Benzo(b)fluoranthene	22.886	252	4999778	49.420	ng	99	
89) Benzo(k)fluoranthene	22.944	252	4627635	48.252	ng	99	
90) Benzo(a)pyrene	23.603	252	4576664	52.311	ng	100	
91) Dibenzo(a,h)anthracene	26.791	278	4678711	53.203	ng	99	
92) Benzo(g,h,i)perylene	27.679	276	4555260	49.826	ng	99	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082924\
Data File : BM047391.D
Acq On : 29 Aug 2024 11:37
Operator : RC/JU
Sample : PB163024BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :


PB163024BS

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024

Quant Time: Aug 29 12:13:17 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 26 18:11:40 2024
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082924\
Data File : BM047391.D
Acq On : 29 Aug 2024 11:37
Operator : RC/JU
Sample : PB163024BS
Misc :
ALS Vial : 4 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
PB163024BS

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024


Quant Time: Aug 29 12:13:17 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM082624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 26 18:11:40 2024
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.345 min Scan# 71
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:152 Resp: 293280
Ion Ratio Lower Upper
152 100
150 153.2 121.3 181.9
115 54.3 42.6 64.0


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#2
1,4-Dioxane
Concen: 27.473 ng
RT: 3.016 min Scan# 22
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion: 88 Resp: 171895
Ion Ratio Lower Upper
88 100
58 68.8 55.4 83.0
43 27.2 20.7 31.1






#3
Pyridine
Concen: 27.728 ng
RT: 3.393 min Scan# 80
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion: 79 Resp: 48152
Ion Ratio Lower Upper
79 100
52 58.5 47.8 71.6
51 29.3 25.0 37.4

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024



#4
n-Nitrosodimethylamine
Concen: 40.589 ng
RT: 3.310 min Scan# 72
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion: 42 Resp: 287065
Ion Ratio Lower Upper
42 100
74 146.4 119.2 178.8
44 6.5 5.2 7.8





#5
2-Fluorophenol
Concen: 130.625 ng
RT: 5.010 min Scan# 360
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion: 112 Resp: 1996798
Ion Ratio Lower Upper
112 100
64 55.2 45.7 68.5
63 29.1 23.8 35.8


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#6
Aniline
Concen: 26.772 ng
RT: 6.698 min Scan# 648
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion: 93 Resp: 504940
Ion Ratio Lower Upper
93 100
66 37.7 30.0 45.0
65 18.8 15.5 23.3





#7
Phenol-d6
Concen: 127.338 ng
RT: 6.581 min Scan# 61
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion: 99 Resp: 265172
Ion Ratio Lower Upper
99 100
42 15.3 13.0 19.4
71 34.4 27.5 41.3


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#8
2-Chlorophenol
Concen: 49.611 ng
RT: 6.934 min Scan# 688
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:128 Resp: 848844
Ion Ratio Lower Upper
128 100
130 32.5 12.9 52.9
64 42.3 25.3 65.3







#9
Benzaldehyde
Concen: 10.681 ng
RT: 6.516 min Scan# 617
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :
BNA_M
ClientSampleId :
PB163024BS

Tgt Ion: 77 Resp: 151960
Ion Ratio Lower Upper
77 100
105 99.9 74.9 114.9
106 94.9 72.6 112.6



Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#10
Phenol
Concen: 48.478 ng
RT: 6.604 min Scan# 632
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion: 94 Resp: 993232
Ion Ratio Lower Upper
94 100
65 27.5 7.9 47.9
66 37.2 17.3 57.3





#11
bis(2-Chloroethyl)ether
Concen: 44.447 ng
RT: 6.804 min Scan# 666
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion: 93 Resp: 789145
Ion Ratio Lower Upper
93 100
63 70.4 52.2 92.2
95 32.4 12.9 52.9


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#12
1,3-Dichlorobenzene
Concen: 41.136 ng
RT: 7.234 min Scan# 739
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion:146 Resp: 860657
Ion Ratio Lower Upper
146 100
148 64.5 51.6 77.4
75 29.1 23.3 34.9





#13
1,4-Dichlorobenzene
Concen: 41.532 ng
RT: 7.381 min Scan# 764
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:146 Resp: 880038
Ion Ratio Lower Upper
146 100
148 63.8 51.0 76.6
111 38.0 30.2 45.2


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed

09/02/2024



#14
1,2-Dichlorobenzene
Concen: 42.703 ng
RT: 7.692 min Scan# 817
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:146 Resp: 857490
Ion Ratio Lower Upper
146 100
148 65.0 51.8 77.6
111 39.1 31.7 47.5







#15
Benzyl Alcohol
Concen: 51.597 ng
RT: 7.610 min Scan# 802
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :
BNA_M
ClientSampleId :
PB163024BS

Tgt Ion: 79 Resp: 744902
Ion Ratio Lower Upper
79 100
108 77.6 61.1 91.7
77 63.5 51.9 77.9



Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#16
2,2'-oxybis(1-Chloropropane)
Concen: 43.246 ng m
RT: 7.869 min Scan# 847
Delta R.T. -0.024 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion: 45 Resp: 920668
Ion Ratio Lower Upper
45 100
77 16.3 0.0 36.7
79 12.2 0.0 33.0





#17
2-Methylphenol
Concen: 48.341 ng
RT: 7.822 min Scan# 839
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion	Ratio	Lower	Upper
107	100		
108	112.6	91.6	137.4
77	46.1	38.0	57.0
79	45.7	36.8	55.2


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#18
Hexachloroethane
Concen: 41.705 ng
RT: 8.392 min Scan# 936
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion	Ratio	Lower	Upper
117	100		
119	96.4	77.8	116.8
201	114.4	92.3	138.5







#19
n-Nitroso-di-n-propylamine
Concen: 40.937 ng
RT: 8.163 min Scan# 897
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :
BNA_M
ClientSampleId :
PB163024BS

Tgt Ion: 70 Resp: 58600
Ion Ratio Lower Upper
70 100
42 49.3 41.0 61.4
101 9.5 7.9 11.9
130 21.4 17.0 25.6



Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#20
3+4-Methylphenols
Concen: 47.123 ng
RT: 8.151 min Scan# 895
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion:107 Resp: 932631
Ion Ratio Lower Upper
107 100
108 91.3 69.8 109.8
77 46.1 18.0 58.0
79 29.8 9.8 49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.104 min Scan# 1227
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:136 Resp: 1171133
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 7.0 5.2 7.8
68 5.7 4.6 6.8


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#22
Acetophenone
Concen: 38.932 ng
RT: 8.175 min Scan# 899
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion:105 Resp: 1058146
Ion Ratio Lower Upper
105 100
71 4.7 3.1 4.7#
51 23.5 18.7 28.1
120 22.8 18.4 27.6





#23
Nitrobenzene-d5
Concen: 80.300 ng
RT: 8.504 min Scan# 91
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion: 82 Resp: 169488
Ion Ratio Lower Upper
82 100
128 44.1 34.6 51.8
54 43.2 35.5 53.3


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#24
Nitrobenzene
Concen: 41.307 ng
RT: 8.545 min Scan# 962
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion: 77 Resp: 896705
Ion Ratio Lower Upper
77 100
123 46.0 35.6 53.4
65 12.7 10.5 15.7





#25
Isophorone
Concen: 42.573 ng
RT: 9.069 min Scan# 1051
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion: 82 Resp: 1698320
Ion Ratio Lower Upper
82 100
95 7.1 5.6 8.4
138 18.6 13.9 20.9


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#26
2-Nitrophenol
Concen: 47.106 ng
RT: 9.239 min Scan# 1080
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion:139 Resp: 502993
Ion Ratio Lower Upper
139 100
109 28.4 23.4 35.0
65 47.8 39.6 59.4





#27
2,4-Dimethylphenol
Concen: 51.666 ng
RT: 9.328 min Scan# 1095
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:122 Resp: 622719
Ion Ratio Lower Upper
122 100
107 116.2 91.9 137.9
121 58.3 47.0 70.6


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#28
bis(2-Chloroethoxy)methane
Concen: 42.595 ng
RT: 9.551 min Scan# 1133
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion: 93 Resp: 1040534
Ion Ratio Lower Upper
93 100
95 33.3 26.6 39.8
123 13.7 9.6 14.4






#29
2,4-Dichlorophenol
Concen: 49.881 ng
RT: 9.786 min Scan# 1173
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion:162 Resp: 93260
Ion Ratio Lower Upper
162 100
164 65.0 44.6 84.6
98 32.0 13.2 53.2

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#30
1,2,4-Trichlorobenzene
Concen: 42.245 ng
RT: 9.975 min Scan# 1205
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion:180 Resp: 912311
Ion Ratio Lower Upper
180 100
182 96.1 78.2 117.2
145 27.7 22.3 33.5





#31
Naphthalene
Concen: 41.833 ng
RT: 10.151 min Scan# 1135
Delta R.T. -0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:128 Resp: 239285
Ion Ratio Lower Upper
128 100
129 11.0 9.0 13.6
127 12.9 10.4 15.6


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed

09/02/2024



#32
Benzoic acid
Concen: 42.630 ng
RT: 9.551 min Scan# 1133
Delta R.T. 0.029 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:122 Resp: 613538
Ion Ratio Lower Upper
122 100
105 128.0 106.0 146.0
77 99.2 76.3 116.3






#33
4-Chloroaniline
Concen: 33.123 ng
RT: 10.292 min Scan# 1259
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion:127 Resp: 704469
Ion Ratio Lower Upper
127 100
129 31.9 25.8 38.8
65 29.6 24.2 36.2
92 18.2 15.0 22.6

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#34
Hexachlorobutadiene
Concen: 41.503 ng
RT: 10.433 min Scan# 1283
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion:225 Resp: 559742
Ion Ratio Lower Upper
225 100
223 62.2 51.1 76.7
227 64.2 51.0 76.6





#35
Caprolactam
Concen: 46.193 ng m
RT: 11.122 min Scan# 1400
Delta R.T. 0.024 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:113 Resp: 279775
Ion Ratio Lower Upper
113 100
55 140.3 126.2 166.2
56 105.3 93.2 133.2


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#36
4-Chloro-3-methylphenol
Concen: 47.643 ng
RT: 11.451 min Scan# 1456
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion:107 Resp: 904575
Ion Ratio Lower Upper
107 100
144 27.9 22.2 33.4
142 85.1 67.7 101.5





#37
2-Methylnaphthalene
Concen: 43.105 ng
RT: 11.780 min Scan# 1512
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:142 Resp: 179778
Ion Ratio Lower Upper
142 100
141 89.0 70.8 106.2
115 33.3 27.5 41.3


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#38
1-Methylnaphthalene
Concen: 40.623 ng
RT: 12.010 min Scan# 1551
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion:142 Resp: 1675638
Ion Ratio Lower Upper
142 100
141 91.5 72.9 109.3
116 3.8 3.0 4.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.010 min Scan# 1891
Delta R.T. -0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:164 Resp: 825608
Ion Ratio Lower Upper
164 100
162 99.3 79.7 119.5
160 43.4 34.9 52.3


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.213 ng
RT: 12.163 min Scan# 1577
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion:216 Resp: 983113
Ion Ratio Lower Upper
216 100
214 78.0 62.6 94.0
179 20.2 16.6 24.8
108 16.4 12.8 19.2





#41
Hexachlorocyclopentadiene
Concen: 90.105 ng
RT: 12.133 min Scan# 11
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:237 Resp: 695234
Ion Ratio Lower Upper
237 100
235 62.9 42.1 82.1
272 13.0 0.0 32.3


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#42
2,4,6-Tribromophenol
Concen: 125.442 ng
RT: 15.527 min Scan# 2149
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Tgt Ion:330 Resp: 1249509
Ion Ratio Lower Upper
330 100
332 96.9 77.2 115.8
141 32.9 27.6 41.4






#43
2,4,6-Trichlorophenol
Concen: 47.070 ng
RT: 12.433 min Scan# 1
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion:196 Resp: 78886
Ion Ratio Lower Upper
196 100
198 96.6 78.2 117.2
200 31.5 24.9 37.3

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#44
2,4,5-Trichlorophenol
Concen: 43.039 ng
RT: 12.527 min Scan# 1639
Delta R.T. 0.018 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Tgt Ion:196 Resp: 801055
Ion Ratio Lower Upper
196 100
198 96.9 76.6 115.0
97 42.8 35.9 53.9
132 24.2 19.3 28.9





#45
2-Fluorobiphenyl
Concen: 78.385 ng
RT: 12.622 min Scan# 1655
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :



PB163024BS

Tgt Ion:172 Resp: 421184
Ion Ratio Lower Upper
172 100
171 34.9 27.8 41.6
170 23.5 18.5 27.7

Manual Integrations



APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#46
1,1'-Biphenyl
Concen: 38.719 ng
RT: 12.833 min Scan# 1691
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:154 Resp: 2232110
Ion Ratio Lower Upper
154 100
153 39.8 20.1 60.1
76 10.8 0.0 31.2






#47
2-Chloronaphthalene
Concen: 40.732 ng
RT: 12.869 min Scan# 1697
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion:162 Resp: 184013
Ion Ratio Lower Upper
162 100
127 35.8 28.3 42.5
164 32.9 27.0 40.4

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#48
2-Nitroaniline
Concen: 46.378 ng
RT: 13.104 min Scan# 1737
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion: 65 Resp: 586893
Ion Ratio Lower Upper
65 100
92 71.8 57.0 85.6
138 118.3 90.0 135.0





#49
Acenaphthylene
Concen: 45.919 ng
RT: 13.727 min Scan# 1843
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:152 Resp: 3014969
Ion Ratio Lower Upper
152 100
151 19.4 15.4 23.0
153 13.3 10.6 15.8


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#50
Dimethylphthalate
Concen: 44.816 ng
RT: 13.492 min Scan# 1803
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion:163 Resp: 2549459
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 10.4 8.2 12.4





#51
2,6-Dinitrotoluene
Concen: 44.649 ng
RT: 13.621 min Scan# 1825
Delta R.T. 0.005 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:165 Resp: 591379
Ion Ratio Lower Upper
165 100
63 43.2 38.2 57.4
89 47.4 40.4 60.6


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#52
Acenaphthene
Concen: 42.370 ng
RT: 14.080 min Scan# 1903
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:154 Resp: 1766044
Ion Ratio Lower Upper
154 100
153 111.8 89.5 134.3
152 53.4 43.0 64.4







#53
3-Nitroaniline
Concen: 39.120 ng
RT: 13.951 min Scan# 11
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :
BNA_M
ClientSampleId :
PB163024BS

Tgt Ion:138 Resp: 47813
Ion Ratio Lower Upper
138 100
108 10.1 8.0 12.0
92 110.9 90.1 135.1



Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#54
2,4-Dinitrophenol
Concen: 94.876 ng
RT: 14.180 min Scan# 1920
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion:184 Resp: 773883
Ion Ratio Lower Upper
184 100
63 54.2 45.7 68.5
154 59.5 48.5 72.7





#55
Dibenzenofuran
Concen: 43.570 ng
RT: 14.421 min Scan# 1961
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:168 Resp: 292517
Ion Ratio Lower Upper
168 100
139 34.7 27.5 41.3
169 13.3 10.5 15.7


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#56
4-Nitrophenol
Concen: 96.007 ng
RT: 14.316 min Scan# 1943
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37


Tgt Ion:139 Resp: 917223
Ion Ratio Lower Upper
139 100
109 73.4 51.6 91.6
65 89.0 71.7 111.7





#57
2,4-Dinitrotoluene
Concen: 45.444 ng
RT: 14.427 min Scan# 1960
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:165 Resp: 779194
Ion Ratio Lower Upper
165 100
63 44.8 42.2 63.4
89 67.7 59.3 88.9
182 2.7 2.1 3.1


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#58
Fluorene
Concen: 43.197 ng
RT: 15.074 min Scan# 2072
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:166 Resp: 2347102
Ion Ratio Lower Upper
166 100
165 96.2 77.8 116.6
167 13.6 11.1 16.7






#59
2,3,4,6-Tetrachlorophenol
Concen: 47.625 ng
RT: 14.668 min Scan# 2002
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion:232 Resp: 728081
Ion Ratio Lower Upper
232 100
131 38.2 31.7 47.5
130 2.0 1.7 2.5
166 29.9 24.2 36.2

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#60
Diethylphthalate
Concen: 44.470 ng
RT: 14.880 min Scan# 2039
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Tgt Ion:149 Resp: 2495429
Ion Ratio Lower Upper
149 100
177 24.2 18.6 28.0
150 12.4 10.2 15.4






#61
4-Chlorophenyl-phenylether
Concen: 43.438 ng
RT: 15.080 min Scan# 2073
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion:204 Resp: 1200652
Ion Ratio Lower Upper
204 100
206 33.3 26.5 39.7
141 50.7 42.8 64.2

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#62
4-Nitroaniline
Concen: 47.158 ng
RT: 15.139 min Scan# 2083
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion:138 Resp: 533183
Ion Ratio Lower Upper
138 100
92 47.7 27.9 67.9
108 76.3 58.7 98.7





#63
Azobenzene
Concen: 43.472 ng
RT: 15.374 min Scan# 2123
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion: 77 Resp: 2124300
Ion Ratio Lower Upper
77 100
182 29.2 7.9 47.9
105 21.7 0.6 40.6
51 25.3 5.0 45.0


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.780 min Scan# 2362
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:188 Resp: 1784491
Ion Ratio Lower Upper
188 100
94 7.9 6.4 9.6
80 8.9 7.4 11.2






#65
4,6-Dinitro-2-methylphenol
Concen: 47.622 ng
RT: 15.204 min Scan# 2094
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :



PB163024BS



Tgt Ion:198 Resp: 52158
Ion Ratio Lower Upper
198 100
51 31.9 14.1 54.1
105 36.0 17.0 57.0


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#66
n-Nitrosodiphenylamine
Concen: 43.152 ng
RT: 15.304 min Scan# 2111
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Tgt Ion:169 Resp: 2107059
Ion Ratio Lower Upper
169 100
168 66.8 53.4 80.0
167 35.7 29.0 43.4






#67
4-Bromophenyl-phenylether
Concen: 42.763 ng
RT: 15.974 min Scan# 211
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion:248 Resp: 805030
Ion Ratio Lower Upper
248 100
250 97.1 78.8 118.2
141 67.5 55.9 83.9

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#68
Hexachlorobenzene
Concen: 41.991 ng
RT: 16.086 min Scan# 2244
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37




Tgt Ion:284 Resp: 913029
Ion Ratio Lower Upper
284 100
142 30.9 26.5 39.7
249 31.6 25.5 38.3





#69
 Atrazine
 Concen: 40.339 ng
 RT: 16.280 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BM047391.D
 Acq: 29 Aug 2024 11:37



Instrument :
 BNA_M
 ClientSampleId :
 PB163024BS



Tgt Ion:200 Resp: 64382
 Ion Ratio Lower Upper
 200 100
 173 24.5 5.8 45.8
 215 47.5 28.3 68.3


Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
 Supervised By :mohammad ahmed 09/02/2024




08/30/2024
 Supervised By :mohammad
 ahmed



09/02/2024




#70
 Pentachlorophenol
 Concen: 82.594 ng
 RT: 16.445 min Scan# 2305
 Delta R.T. 0.006 min
 Lab File: BM047391.D
 Acq: 29 Aug 2024 11:37




Tgt Ion:266 Resp: 1161080
 Ion Ratio Lower Upper
 266 100
 268 64.3 51.0 76.6
 264 63.1 51.9 77.9





#71
Phenanthrene
Concen: 44.238 ng
RT: 16.821 min Scan# 21
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:178 Resp: 3833804
Ion Ratio Lower Upper
178 100
176 19.3 15.2 22.8
179 15.6 12.2 18.4


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#72
Anthracene
Concen: 45.377 ng
RT: 16.915 min Scan# 2385
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Tgt Ion:178 Resp: 3833503
Ion Ratio Lower Upper
178 100
176 18.6 14.7 22.1
179 15.5 12.6 18.8





#73

Carbazole

Concen: 45.762 ng

RT: 17.198 min Scan# 2433

Delta R.T. 0.000 min

Lab File: BM047391.D

Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS

Tgt Ion:167 Resp: 370993

Ion Ratio Lower Upper

167 100

166 21.3 16.9 25.3



139 12.0 9.5 14.3

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024



Supervised By :mohammad ahmed 09/02/2024



08/30/2024

Supervised By :mohammad
ahmed

09/02/2024



#74

Di-n-butylphthalate

Concen: 44.926 ng

RT: 17.774 min Scan# 2531

Delta R.T. 0.000 min

Lab File: BM047391.D

Acq: 29 Aug 2024 11:37




Tgt Ion:149 Resp: 4434980


Ion Ratio Lower Upper

149 100

150 9.2 7.4 11.0


104 4.7 3.8 5.6





#75
Fluoranthene
Concen: 45.828 ng
RT: 18.862 min Scan# 21
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:202 Resp: 466336
Ion Ratio Lower Upper
202 100
101 8.7 0.0 29.0
203 17.5 0.0 37.5


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.027 min Scan# 3084
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:240 Resp: 1585657
Ion Ratio Lower Upper
240 100
120 8.6 7.4 11.0
236 25.6 20.8 31.2







#77
Benzidine
Concen: 22.598 ng
RT: 19.068 min Scan# 2751
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :
BNA_M
ClientSampleId :
PB163024BS

Tgt Ion:184 Resp: 598135
Ion Ratio Lower Upper
184 100
185 14.4 11.5 17.3
183 11.4 9.2 13.8



Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#78
Pyrene
Concen: 40.135 ng
RT: 19.227 min Scan# 2778
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:202 Resp: 4881073
Ion Ratio Lower Upper
202 100
200 20.9 16.7 25.1
203 17.6 14.2 21.4





#79
 Terphenyl-d14
 Concen: 79.125 ng
 RT: 19.450 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BM047391.D
 Acq: 29 Aug 2024 11:37

Instrument :

BNA_M



ClientSampleId :

PB163024BS

Tgt Ion:244 Resp: 7048784
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.0 9.0
 122 7.4 7.0 10.4



Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
 Supervised By :mohammad ahmed 09/02/2024






08/30/2024
 Supervised By :mohammad
 ahmed


09/02/2024



#80
 Butylbenzylphthalate
 Concen: 43.520 ng
 RT: 20.162 min Scan# 2937
 Delta R.T. 0.000 min
 Lab File: BM047391.D
 Acq: 29 Aug 2024 11:37


Tgt Ion:149 Resp: 2071146
 Ion Ratio Lower Upper
 149 100
 91 62.2 52.6 79.0
 206 23.6 18.2 27.2





#81
Benzo(a)anthracene
Concen: 45.123 ng
RT: 21.009 min Scan# 3080
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:228 Resp: 466594
Ion Ratio Lower Upper
228 100
226 27.7 21.4 32.0
229 19.9 15.8 23.8


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024




08/30/2024
Supervised By :mohammad
ahmed



09/02/2024




#82
3,3'-Dichlorobenzidine
Concen: 41.893 ng
RT: 20.950 min Scan# 3071
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Tgt Ion:252 Resp: 1457229
Ion Ratio Lower Upper
252 100
254 63.8 52.1 78.1
126 7.9 7.9 11.9





#83

Chrysene

Concen: 44.305 ng

RT: 21.068 min Scan# 3091

Delta R.T. 0.006 min

Lab File: BM047391.D

Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS

Tgt Ion:228 Resp: 430955

Ion Ratio Lower Upper

228 100



226 30.6 24.0 36.0

229 20.0 15.9 23.9

Manual Integrations



APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024



08/30/2024
Supervised By :mohammad
ahmed

09/02/2024



#84

Bis(2-ethylhexyl)phthalate

Concen: 41.855 ng

RT: 20.956 min Scan# 3072

Delta R.T. 0.000 min

Lab File: BM047391.D

Acq: 29 Aug 2024 11:37




Tgt Ion:149 Resp: 2815250


Ion Ratio Lower Upper

149 100

167 29.2 23.1 34.7


279 4.9 3.3 4.9#





#85
Di-n-octyl phthalate
Concen: 45.971 ng
RT: 21.986 min Scan# 31
Delta R.T. 0.000 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37



Instrument :
BNA_M
ClientSampleId :
PB163024BS



Tgt Ion:149 Resp: 520455
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 7.1 6.1 9.1


Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.721 min Scan# 3542
Delta R.T. 0.006 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:264 Resp: 1734077
Ion Ratio Lower Upper
264 100
260 24.0 19.0 28.4
265 21.8 17.8 26.6





#87

Indeno(1,2,3-cd)pyrene

Concen: 53.489 ng

RT: 26.744 min Scan# 4050

Delta R.T. 0.035 min

Lab File: BM047391.D

Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS

Tgt Ion:276 Resp: 580643

Ion Ratio Lower Upper

276 100



138 21.0 17.7 26.5

277 25.1 20.0 30.0

Manual Integrations



APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024



08/30/2024
Supervised By :mohammad
ahmed

09/02/2024



#88

Benzo(b)fluoranthene

Concen: 49.420 ng

RT: 22.886 min Scan# 3400

Delta R.T. 0.012 min

Lab File: BM047391.D

Acq: 29 Aug 2024 11:37




Tgt Ion:252 Resp: 4999778


Ion Ratio Lower Upper

252 100

253 22.5 17.8 26.6

125 8.0 6.6 10.0






#89
Benzo(k)fluoranthene
Concen: 48.252 ng
RT: 22.944 min Scan# 3408
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Instrument :

BNA_M

ClientSampleId :

PB163024BS





Tgt Ion:252 Resp: 4627635
Ion Ratio Lower Upper
252 100
253 21.7 17.5 26.3
125 7.8 6.6 9.8

Manual Integrations


APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024
Supervised By :mohammad ahmed 09/02/2024






08/30/2024
Supervised By :mohammad
ahmed


09/02/2024



#90
Benzo(a)pyrene
Concen: 52.311 ng
RT: 23.603 min Scan# 3522
Delta R.T. 0.012 min
Lab File: BM047391.D
Acq: 29 Aug 2024 11:37

Tgt Ion:252 Resp: 4576664
Ion Ratio Lower Upper
252 100
253 22.2 17.7 26.5
125 8.9 7.4 11.2





#91

Dibenzo(a,h)anthracene

Concen: 53.203 ng

RT: 26.791 min Scan# 4058

Delta R.T. 0.035 min

Lab File: BM047391.D

Acq: 29 Aug 2024 11:37

Instrument :

BNM

ClientSampleId :

PB163024BS

Tgt Ion:278 Resp: 467871

Ion Ratio Lower Upper

278 100

139 13.2 11.1 16.7



279 23.7 19.2 28.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/30/2024



Supervised By :mohammad ahmed 09/02/2024



08/30/2024

Supervised By :mohammad
ahmed

09/02/2024



#92

Benzo(g,h,i)perylene

Concen: 49.826 ng

RT: 27.679 min Scan# 4215

Delta R.T. 0.041 min

Lab File: BM047391.D

Acq: 29 Aug 2024 11:37

Tgt Ion:276 Resp: 4555260

Ion Ratio Lower Upper

276 100

277 23.9 19.4 29.0

138 18.6 15.0 22.6

