

Quantitation Report (QT/LSC Reviewed)


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM083021\
 Data File : BM032016.D
 Acq On : 01 Sep 2021 12:15
 Operator : CG/JU
 Sample : M3448-02DL 5X
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBKD4DL

Quant Time: Sep 01 13:51:28 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM082821.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 01 11:29:00 2021
 Response via : Initial Calibration

Manual Integrations
 APPROVED

mohammad
 9/1/2021 4:04:31 PM



Quantitation Report (Qedit)




```
Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM083021\
Data File : BM083021.D
Acq On    : 01 Sep 2021 12:15
Operator  : CG/JU
Sample    : M3448-02DL 5X
Misc      :
ALS Vial  : 31 Sample Multiplier: 1
```

Instrument :
BNA_M
ClientSampleId :
DBKD4DL

Quant Time: Sep 01 13:51:28 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM082821.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 01 11:29:00 2021
Response via : Initial Calibration

Manual Integrations APPROVED

mohammad
9/1/2021 4:04:31 PM



(4) Pyridine-d5 (S)

3.528min (+ 0.006) 0.07 ng/ul




response 251

Ion	Exp%	Act%
84.00	100.00	100.00
56.00	73.70	0.00
54.00	35.80	0.00
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM083021\
Data File : BM032016.D
Acq On : 01 Sep 2021 12:15
Operator : CG/JU
Sample : M3448-02DL 5X
Misc :
ALS Vial : 31 Sample Multiplier: 1

Manual Integrations
APPROVED

Quant Time: Sep 01 13:51:28 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM082821.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 01 11:29:00 2021
Response via : Initial Calibration



3.563min (+ 0.041) 1.21 ng/ul m

response 4655

Ion	Exp%	Act%
84.00	100.00	100.00
56.00	73.70	38.00
54.00	35.80	19.88
0.00	0.00	0.00

Quantitation Report (QT/LSC Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM083021\
 Data File : BM032016.D
 Acq On : 01 Sep 2021 12:15
 Operator : CG/JU
 Sample : M3448-02DL 5X
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBKD4DL

Manual Integrations
 APPROVED

mohammad
 9/1/2021 4:04:31 PM

Quant Time: Sep 01 13:51:28 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM082821.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 01 11:29:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.498	152	62520	20.000	ng/ul	0.00
20) Naphthalene-d8	10.257	136	263261	20.000	ng/ul	# 0.00
38) Acenaphthene-d10	14.139	164	195868	20.000	ng/ul	0.00
64) Phenanthrene-d10	16.898	188	457342	20.000	ng/ul	# 0.00
79) Chrysene-d12	21.103	240	552248	20.000	ng/ul	# 0.00
88) Perylene-d12	23.239	264	543173	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	0.000	96	0d	0.000	ng/ul	
4) Pyridine-d5	3.563	84	4655m	1.210	ng/ul	0.04
7) Phenol-d5	6.710	99	4350	0.839	ng/ul	0.01
9) Bis-(2-Chloroethyl)eth...	6.863	67	16202	5.401	ng/ul	0.00
11) 2-Chlorophenol-d4	7.045	132	16377	4.105	ng/ul	0.00
15) 4-Methylphenol-d8	8.222	113	9604	2.159	ng/ul	0.00
21) Nitrobenzene-d5	8.657	128	10958	5.731	ng/ul	0.00
24) 2-Nitrophenol-d4	9.369	143	10437	4.612	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.904	165	20620	4.542	ng/ul	0.01
31) 4-Chloroaniline-d4	10.422	131	21016	3.281	ng/ul	0.01
46) Dimethylphthalate-d6	13.569	166	105873	7.144	ng/ul	0.00
49) Acenaphthylene-d8	13.827	160	108687	6.192	ng/ul	0.00
54) 4-Nitrophenol-d4	0.000	143	0d	0.000	ng/ul	
60) Fluorene-d10	15.145	176	96466	7.404	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	0.000	200	0d	0.000	ng/ul	
73) Anthracene-d10	16.998	188	165393	7.619	ng/ul	0.00
81) Pyrene-d10	19.303	212	206255	7.974	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.103	264	215007	7.532	ng/ul	0.00
Target Compounds						
36) 2-Methylnaphthalene	11.928	142	31690	3.050	ng/ul	99
37) 1-Methylnaphthalene	12.151	142	86714	8.193	ng/ul	99
52) Acenaphthene	14.204	153	377902	32.218	ng/ul	98
56) Dibenzofuran	14.545	168	45940	2.656	ng/ul	98
61) Fluorene	15.198	166	125655	8.585	ng/ul	94
72) Phenanthrene	16.939	178	89061	3.565	ng/ul	98
80) Fluoranthene	18.968	202	43578	1.386	ng/ul#	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

20 a 13721