


Data Path : Z:\HPCHEM1\BNA_M\Data\BM083115\
Data File : BM002619.D
Acq On : 01 Sep 2015 09:23
Operator : UM/IZ
Sample : G3456-13
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9E97

Quant Time: Sep 01 11:07:56 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081415MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Sep 01 07:11:38 2015
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
9/1/2015 2:56:52 PM



Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\Data\BM083115\
 Data File : BM002619.D
 Acq On : 01 Sep 2015 09:23
 Operator : UM/IZ
 Sample : G3456-13
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9E97

Quant Time: Sep 01 11:06:08 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081415MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Sep 01 07:11:38 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 9/1/2015 2:56:52 PM



(24) Benzo(k)fluoranthene

24.079min (+0.053) 0.00ng/ul

response 102

ion	Exp%	Act%
252.00	100	100
253.00	22.20	119.77#
125.00	12.30	171.71#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\Data\BM083115\
 Data File : BM002619.D
 Acq On : 01 Sep 2015 09:23
 Operator : UM/IZ
 Sample : G3456-13
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9E97

Quant Time: Sep 01 11:06:08 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081415MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Sep 01 07:11:38 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 9/1/2015 2:56:52 PM



(24) Benzo(k)fluoranthene

24.021min (-0.006) 1.13ng/ul m

response 28147

Ion Exp% Act%

252.00 100 100

253.00 22.20 25.82

125.00 12.30 18.88#

0.00 0.00 0.00

U.M
 09/03/15

Data Path : Z:\HPCHEM1\BNA_M\Data\BM083115\
 Data File : BM002619.D
 Acq On : 01 Sep 2015 09:23
 Operator : UM/IZ
 Sample : G3456-13
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9E97

Quant Time: Sep 01 11:07:56 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081415MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Sep 01 07:11:38 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 9/1/2015 2:56:52 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.78	152	111988	20.00	ng/ul	0.00
2) Naphthalene-d8	11.65	136	645963	20.00	ng/ul	0.00
6) Acenaphthene-d10	15.37	164	314271	20.00	ng/ul	0.00
12) Phenanthrene-d10	18.07	188	549623	20.00	ng/ul	0.00
17) Chrysene-d12	22.16	240	423470	20.00	ng/ul	0.00
22) Perylene-d12	24.79	264	433063	20.00	ng/ul	0.00

System Monitoring Compounds

7) Acenaphthylene-d8	15.07	160	679634	21.15	ng/ul	0.00
10) Fluorene-d10	16.34	176	380966	16.88	ng/ul	0.00
14) Anthracene-d10	18.17	188	514611	19.41	ng/ul	0.00
18) Pyrene-d10	20.40	212	359722	19.16	ng/ul	0.00
25) Benzo(a)pyrene-d12	24.61	264	310403	13.64	ng/ul	0.00

Target Compounds

						Qvalue
13) Phenanthrene	18.12	178	127728	4.02	ng/ul	98
15) Anthracene	18.21	178	33063	1.03	ng/ul	97
16) Fluoranthene	20.07	202	158122	4.40	ng/ul	97
19) Pyrene	20.43	202	114542	4.62	ng/ul	99
20) Benzo(a)anthracene	22.14	228	65081	2.57	ng/ul	96
21) Chrysene	22.20	228	61060	2.58	ng/ul	95
23) Benzo(b)fluoranthene	23.97	252	89835	3.43	ng/ul#	93
24) Benzo(k)fluoranthene	24.02	252	28147m	1.13	ng/ul	
26) Benzo(a)pyrene	24.67	252	59954	2.40	ng/ul#	93
27) Indeno(1,2,3-cd)pyrene	27.54	276	42741	1.49	ng/ul	97
29) Benzo(g,h,i)perylene	28.40	276	42927	1.79	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

U.M
 09/03/15