

Data Path : Z:\HPCHEM1\BNA M\DATA\BM090315\
 Data File : BM002660.D
 Acq On : 03 Sep 2015 22:33
 Operator : UM/IZ
 Sample : MDL-01-S
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MDL-01-S

Quant Time: Sep 04 04:37:48 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM90315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 04 04:35:12 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.78	152	7280	0.40	ng/ul	0.00
4) Naphthalene-d8	11.64	136	29075	0.40	ng/ul	0.00
8) Acenaphthene-d10	15.36	164	12178	0.40	ng/ul	0.00
12) Phenanthrene-d10	18.08	188	21167	0.40	ng/ul	0.00
18) Chrysene-d12	22.16	240	18319	0.40	ng/ul	0.00
22) Perylene-d12	24.77	264	18030	0.40	ng/ul	-0.01
System Monitoring Compounds						
2) 1,4-Dioxane-d8	3.87	96	31	0.00	ng/uL	0.05
6) 2-Methylnaphthalene-d10	13.17	152	17395	0.45	ng/ul	0.00
16) Fluoranthene-d10	20.03	212	23258	0.48	ng/ul	-0.01
Target Compounds				Ovalue		
5) Naphthalene	11.69	128	4522	0.06	ng/ul	95
7) 2-Methylnaphthalene	13.25	142	3258	0.06	ng/ul	95
9) Acenaphthylene	15.09	152	4036	0.06	ng/ul	98
10) Acenaphthene	15.42	153	2748	0.06	ng/ul	98
11) Fluorene	16.39	166	2924	0.06	ng/ul#	95
13) Pentachlorophenol	17.77	266	19	0.01	ng/ul#	46
14) Phenanthrene	18.11	178	4025	0.06	ng/ul	95
15) Anthracene	18.20	178	3778	0.06	ng/ul	95
17) Fluoranthene	20.07	202	4383	0.07	ng/ul	89
19) Pyrene	20.42	202	4488	0.06	ng/ul#	93
20) Benzo(a)anthracene	22.14	228	4082	0.07	ng/ul#	91
21) Chrysene	22.19	228	3898	0.07	ng/ul#	89
23) Benzo(b)fluoranthene	23.96	252	4622	0.07	ng/ul#	56
24) Benzo(k)fluoranthene	24.01	252	3792	0.06	ng/ul#	51
25) Benzo(a)pyrene	24.66	252	3797	0.06	ng/ul#	47
26) Indeno(1,2,3-cd)pyrene	27.54	276	4545	0.06	ng/ul	97
27) Dibenzo(a,h)anthracene	27.55	278	3692	0.06	ng/ul#	68
28) Benzo(a,h,i)perylene	28.40	276	3934	0.07	ng/ul#	75


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM090315\
Data File : BM002660.D
Acq On : 03 Sep 2015 22:33
Operator : UM/IZ
Sample : MDL-01-S
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MDL-01-S

Quant Time: Sep 04 04:37:48 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM90315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 04 04:35:12 2015
Response via : Initial Calibration





#5

Naphthalene

Concen: 0.06 ng/ul

RT: 11.69 min Scan# 546

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33

Instrument :

BNA_M

ClientSampleId :

MDL-01-S


Tot Ion:128 Resp: 4522

Ion Ratio Lower Upper

128 100

129 14.1 9.8 14.8




127 15.4 10.7 16.1



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#7

2-Methylnaphthalene

Concen: 0.06 ng/ul

RT: 13.25 min Scan# 678

Delta R.T. 0.00 min

Lab File: BM002660.D


Acq: 03 Sep 2015 22:33

Tgt Ion:142 Resp: 3258

Ion Ratio Lower Upper



142 100


141 92.1 70.3 105.5



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#9

Acenaphthylene

Concen: 0.06 ng/ul

RT: 15.09 min Scan# 852

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33

Instrument :

BNA_M

ClientSampleId :

MDL-01-S





Tot Ion:152 Resp: 4036

Ion Ratio Lower Upper

152 100

151 21.3 16.8 25.2

153 15.5 11.3 16.9



#10

Acenaphthene

Concen: 0.06 ng/ul

RT: 15.42 min Scan# 871

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33




Tgt Ion:153 Resp: 2748


Ion Ratio Lower Upper

153 100

152 51.6 42.3 63.5

154 83.0 64.7 97.1





#11

Fluorene

Concen: 0.06 ng/ul

RT: 16.39 min Scan# 928

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33

Instrument :

BNA_M

ClientSampleId :

MDL-01-S





Tot Ion:166 Resp: 2924

Ion Ratio Lower Upper

166 100

165 104.5 87.6 131.4

167 16.9 11.1 16.7#



#13

Pentachlorophenol

Concen: 0.01 ng/ul

RT: 17.77 min Scan# 1013

Delta R.T. 0.03 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33




Tgt Ion:266 Resp: 19


Ion Ratio Lower Upper

266 100

264 0.0 53.5 80.3#

268 47.4 54.2 81.2#





#14

Phenanthrene

Concen: 0.06 ng/ul

RT: 18.11 min Scan# 1035

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33

Instrument :

BNA_M

ClientSampleId :

MDL-01-S


Tot Ion:178 Resp: 4025

Ion Ratio Lower Upper

178 100

176 21.9 16.2 24.4




179 19.0 12.8 19.2



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#15

Anthracene

Concen: 0.06 ng/ul

RT: 18.20 min Scan# 1041

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33


Tgt Ion:178 Resp: 3778

Ion Ratio Lower Upper

178 100

176 20.9 15.8 23.8



179 19.8 13.3 19.9




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E









#17
Fluoranthene
Concen: 0.07 ng/ul
RT: 20.07 min Scan# 1181
Delta R.T. 0.00 min
Lab File: BM002660.D
Acq: 03 Sep 2015 22:33




Instrument :
BNA_M
ClientSampleId :
MDL-01-S


Tot Ion:202 Resp: 4383
Ion Ratio Lower Upper
202 100
101 10.5 0.0 33.1
203 23.6 0.0 37.2



#19
Pyrene
Concen: 0.06 ng/ul
RT: 20.42 min Scan# 1210
Delta R.T. 0.00 min
Lab File: BM002660.D
Acq: 03 Sep 2015 22:33

Tgt Ion:202 Resp: 4488
Ion Ratio Lower Upper
202 100
200 23.8 18.0 27.0
203 22.3 13.8 20.6#





#20

Benzo(a)anthracene

Concen: 0.07 ng/ul

RT: 22.14 min Scan# 1360

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33

Instrument :

BNA_M

ClientSampleId :

MDL-01-S


Tot Ion:228 Resp: 4082

Ion Ratio Lower Upper

228 100

226 29.7 23.0 34.4




229 28.0 15.2 22.8#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#21

Chrysene

Concen: 0.07 ng/ul

RT: 22.19 min Scan# 1365

Delta R.T. -0.01 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33


Tgt Ion:228 Resp: 3898

Ion Ratio Lower Upper

228 100

226 37.0 25.7 38.5



229 25.6 15.2 22.8#




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#23

Benzo(b)fluoranthene

Concen: 0.07 ng/ul

RT: 23.96 min Scan# 1535

Delta R.T. -0.01 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33

Instrument :

BNA_M

ClientSampleId :

MDL-01-S


Tot Ion:252 Resp: 4622

Ion Ratio Lower Upper

252 100

253 41.1 0.0 48.0




125 43.6 0.0 36.6#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#24

Benzo(k)fluoranthene

Concen: 0.06 ng/ul

RT: 24.01 min Scan# 1540

Delta R.T. -0.01 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33


Tgt Ion:252 Resp: 3792

Ion Ratio Lower Upper

252 100

253 43.3 20.8 31.2#



125 46.5 12.2 18.4#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#25

Benzo(a)pyrene

Concen: 0.06 ng/ul

RT: 24.66 min Scan# 1602

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33

Instrument :

BNA_M

ClientSampleId :

MDL-01-S


Tot Ion:252 Resp: 3797

Ion Ratio Lower Upper

252 100

253 46.8 21.8 32.8#




125 52.5 14.5 21.7#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#26

Indeno(1,2,3-cd)pyrene

Concen: 0.06 ng/ul

RT: 27.54 min Scan# 1878

Delta R.T. 0.00 min

Lab File: BM002660.D

Acq: 03 Sep 2015 22:33


Tgt Ion:276 Resp: 4545

Ion Ratio Lower Upper

276 100

138 34.6 27.5 41.3



277 27.0 19.3 28.9




Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E









#27
Dibenzo(a,h)anthracene
Concen: 0.06 ng/ul
RT: 27.55 min Scan# 1879
Delta R.T. 0.00 min
Lab File: BM002660.D
Acq: 03 Sep 2015 22:33

Instrument :
BNA_M
ClientSampleId :
MDL-01-S

Tot Ion:278 Resp: 3692
Ion Ratio Lower Upper
278 100
139 43.5 21.7 32.5#
279 44.6 21.9 32.9#



#28
Benzo(g,h,i)perylene
Concen: 0.07 ng/ul
RT: 28.40 min Scan# 1961
Delta R.T. -0.01 min
Lab File: BM002660.D
Acq: 03 Sep 2015 22:33

Tgt Ion:276 Resp: 3934
Ion Ratio Lower Upper
276 100
277 37.2 21.3 31.9#
138 47.8 25.5 38.3#

