

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM090321\
 Data File : BM032056.D
 Acq On : 04 Sep 2021 01:19
 Operator : CG/JU
 Sample : M3486-11
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AY8

Manual Integrations
 APPROVED

mohammad
 9/7/2021 11:37:43 AM

Quant Time: Sep 04 02:16:54 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM090321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 03 16:21:27 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.452	152	2240	0.400	ng/ul	0.00
4) Naphthalene-d8	10.203	136	8358	0.400	ng/ul	-0.02
9) Acenaphthene-d10	14.095	164	5667	0.400	ng/ul	0.00
13) Phenanthrene-d10	16.852	188	11029	0.400	ng/ul	-0.01
17) Chrysene-d12	21.057	240	9519	0.400	ng/ul	#-0.02
23) Perylene-d12	23.171	264	11203	0.400	ng/ul	#-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.064	96	5844	2.375	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.804	152	2266	0.175	ng/ul	-0.02
18) Fluoranthene-d10	18.892	212	5485	0.197	ng/ul	-0.01
Target Compounds					Qvalue	
5) Naphthalene	10.253	128	85612	3.860	ng/ul	94
7) 2-Methylnaphthalene	11.876	142	65474	4.231	ng/ul	99
8) 1-Methylnaphthalene	12.101	142	49225	3.231	ng/ul	97
10) Acenaphthylene	13.815	152	63678	2.784	ng/ul	97
11) Acenaphthene	14.159	153	2837m	0.152	ng/ul	
12) Fluorene	15.156	166	4961	0.227	ng/ul#	81
14) Pentachlorophenol	16.515	266	424	0.145	ng/ul	92
15) Phenanthrene	16.893	178	98939	2.947	ng/ul	97
16) Anthracene	16.987	178	71992	2.445	ng/ul	96
19) Fluoranthene	18.919	202	648392	15.760	ng/ul	99
20) Pyrene	19.285	202	633167	14.931	ng/ul	99
21) Benzo(a)anthracene	21.042	228	306758	8.822	ng/ul	98
22) Chrysene	21.093	228	415598	10.405	ng/ul	99
24) Benzo(b)fluoranthene	22.551	252	818616m	15.894	ng/ul	
25) Benzo(k)fluoranthene	22.584	252	244645m	4.605	ng/ul	
26) Benzo(a)pyrene	23.079	252	426288	9.471	ng/ul#	80
27) Indeno(1,2,3-cd)pyrene	25.240	276	396259	6.463	ng/ul#	99
28) Dibenzo(a,h)anthracene	25.242	278	94753m	1.923	ng/ul	
29) Benzo(g,h,i)perylene	25.865	276	334534	6.131	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM090321\
Data File : BM032056.D
Acq On : 04 Sep 2021 01:19
Operator : CG/JU
Sample : M3486-11
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AY8

Manual Integrations
APPROVED

mohammad
9/7/2021 11:37:43 AM

Quant Time: Sep 04 02:16:54 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM090321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 03 16:21:27 2021
Response via : Initial Calibration

