

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM090415\
 Data File : BM002673.D
 Acq On : 04 Sep 2015 14:17
 Operator : UM/IZ
 Sample : MDL-03-S
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MDL-03-S

Quant Time: Sep 04 14:51:34 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM90315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 04 04:35:12 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.78	152	7688	0.40	ng/ul	0.00
4) Naphthalene-d8	11.64	136	27883	0.40	ng/ul	0.00
8) Acenaphthene-d10	15.36	164	11334	0.40	ng/ul	0.00
12) Phenanthrene-d10	18.08	188	20987	0.40	ng/ul	0.00
18) Chrysene-d12	22.16	240	19880	0.40	ng/ul	0.00
22) Perylene-d12	24.78	264	19430	0.40	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
2) 1,4-Dioxane-d8	3.87	96	46	0.01	ng/uL	0.05
6) 2-Methylnaphthalene-d10	13.17	152	13923	0.37	ng/ul	0.00
16) Fluoranthene-d10	20.04	212	20976	0.44	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
5) Naphthalene	11.69	128	3952	0.05	ng/ul	95
7) 2-Methylnaphthalene	13.24	142	3030	0.06	ng/ul	96
9) Acenaphthylene	15.09	152	3415	0.06	ng/ul#	97
10) Acenaphthene	15.42	153	2305	0.05	ng/ul	95
11) Fluorene	16.39	166	2389	0.05	ng/ul#	91
13) Pentachlorophenol	17.74	266	25	0.01	ng/ul#	45
14) Phenanthrene	18.11	178	3641	0.06	ng/ul	95
15) Anthracene	18.11	178	3641	0.06	ng/ul	95
17) Fluoranthene	20.06	202	4022	0.06	ng/ul	91
19) Pyrene	20.42	202	4094	0.05	ng/ul#	93
20) Benzo(a)anthracene	22.14	228	3756	0.06	ng/ul#	92
21) Chrysene	22.19	228	3779	0.06	ng/ul#	92
23) Benzo(b)fluoranthene	23.96	252	3962	0.06	ng/ul#	57
24) Benzo(k)fluoranthene	24.01	252	3914	0.06	ng/ul#	58
25) Benzo(a)pyrene	24.66	252	3658	0.06	ng/ul#	51
26) Indeno(1,2,3-cd)pyrene	27.54	276	4327	0.06	ng/ul	97
27) Dibenzo(a,h)anthracene	27.54	278	3573	0.06	ng/ul#	74
28) Benzo(g,h,i)perylene	28.40	276	3786	0.06	ng/ul#	80


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM090415\
Data File : BM002673.D
Acq On : 04 Sep 2015 14:17
Operator : UM/IZ
Sample : MDL-03-S
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MDL-03-S

Quant Time: Sep 04 14:51:34 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM90315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 04 04:35:12 2015
Response via : Initial Calibration





#5

Naphthalene

Concen: 0.05 ng/ul

RT: 11.69 min Scan# 546

Delta R.T. 0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17

Instrument :

BNA_M

ClientSampleId :

MDL-03-S


Tgt Ion:128 Resp: 3952

Ion Ratio Lower Upper

128 100

129 14.4 9.8 14.8




127 15.5 10.7 16.1



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#7

2-Methylnaphthalene

Concen: 0.06 ng/ul

RT: 13.24 min Scan# 677

Delta R.T. -0.01 min

Lab File: BM002673.D


Acq: 04 Sep 2015 14:17

Tgt Ion:142 Resp: 3030

Ion Ratio Lower Upper



142 100


141 91.4 70.3 105.5



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#9

Acenaphthylene

Concen: 0.06 ng/ul

RT: 15.09 min Scan# 852

Delta R.T. 0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17

Instrument :

BNA_M

ClientSampleId :

MDL-03-S


Tgt Ion:152 Resp: 3415

Ion Ratio Lower Upper

152 100

151 21.2 16.8 25.2




153 17.0 11.3 16.9#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#10

Acenaphthene

Concen: 0.05 ng/ul

RT: 15.42 min Scan# 871

Delta R.T. 0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17


Tgt Ion:153 Resp: 2305

Ion Ratio Lower Upper

153 100

152 50.3 42.3 63.5



154 85.6 64.7 97.1




Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E





#11

Fluorene

Concen: 0.05 ng/ul

RT: 16.39 min Scan# 928

Delta R.T. 0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17

Instrument :

BNA_M

ClientSampleId :

MDL-03-S


Tgt Ion:166 Resp: 2389

Ion Ratio Lower Upper

166 100

165 100.4 87.6 131.4




167 17.7 11.1 16.7#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#13

Pentachlorophenol

Concen: 0.01 ng/ul

RT: 17.74 min Scan# 1011

Delta R.T. -0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17


Tgt Ion:266 Resp: 25

Ion Ratio Lower Upper

266 100

264 88.0 53.5 80.3#



268 0.0 54.2 81.2#




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#14

Phenanthrene

Concen: 0.06 ng/ul

RT: 18.11 min Scan# 1035

Delta R.T. -0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17

Instrument :

BNA_M

ClientSampleId :

MDL-03-S


Tgt Ion:178 Resp: 3641

Ion Ratio Lower Upper

178 100

176 22.5 16.2 24.4




179 18.6 12.8 19.2



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#15

Anthracene

Concen: 0.06 ng/ul

RT: 18.11 min Scan# 1035

Delta R.T. -0.09 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17


Tgt Ion:178 Resp: 3641

Ion Ratio Lower Upper

178 100

176 22.5 15.8 23.8



179 18.6 13.3 19.9




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#17

Fluoranthene

Concen: 0.06 ng/ul

RT: 20.06 min Scan# 1180

Delta R.T. -0.01 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17

Instrument :

BNA_M

ClientSampleId :

MDL-03-S


Tgt Ion:202 Resp: 4022

Ion Ratio Lower Upper

202 100

101 17.7 0.0 33.1




203 20.4 0.0 37.2



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#19

Pyrene

Concen: 0.05 ng/ul

RT: 20.42 min Scan# 1210

Delta R.T. 0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17


Tgt Ion:202 Resp: 4094

Ion Ratio Lower Upper

202 100

200 21.5 18.0 27.0



203 22.6 13.8 20.6#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#20

Benzo(a)anthracene

Concen: 0.06 ng/u1

RT: 22.14 min Scan# 1360

Delta R.T. 0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17

Instrument :

BNA_M

ClientSampleId :

MDL-03-S


Tgt Ion:228 Resp: 3756

Ion Ratio Lower Upper

228 100

226 29.2 23.0 34.4




229 26.9 15.2 22.8#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#21

Chrysene

Concen: 0.06 ng/u1

RT: 22.19 min Scan# 1365

Delta R.T. -0.01 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17


Tgt Ion:228 Resp: 3779

Ion Ratio Lower Upper

228 100

226 34.5 25.7 38.5



229 25.0 15.2 22.8#




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#23

Benzo(b)fluoranthene

Concen: 0.06 ng/ul

RT: 23.96 min Scan# 1535

Delta R.T. -0.01 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17

Instrument :

BNA_M

ClientSampleId :

MDL-03-S


Tgt Ion:252 Resp: 3962

Ion Ratio Lower Upper

252 100

253 41.8 0.0 48.0




125 41.4 0.0 36.6#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#24

Benzo(k)fluoranthene

Concen: 0.06 ng/ul

RT: 24.01 min Scan# 1540

Delta R.T. -0.01 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17


Tgt Ion:252 Resp: 3914

Ion Ratio Lower Upper

252 100

253 40.8 20.8 31.2#



125 41.6 12.2 18.4#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#25

Benzo(a)pyrene

Concen: 0.06 ng/ul

RT: 24.66 min Scan# 1602

Delta R.T. 0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17

Instrument :

BNA_M

ClientSampleId :

MDL-03-S


Tgt Ion:252 Resp: 3658

Ion Ratio Lower Upper

252 100

253 45.8 21.8 32.8#




125 48.5 14.5 21.7#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#26

Indeno(1,2,3-cd)pyrene

Concen: 0.06 ng/ul

RT: 27.54 min Scan# 1878

Delta R.T. 0.00 min

Lab File: BM002673.D

Acq: 04 Sep 2015 14:17


Tgt Ion:276 Resp: 4327

Ion Ratio Lower Upper

276 100

138 35.5 27.5 41.3



277 26.3 19.3 28.9




Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E









#27
Dibenzo(a,h)anthracene
Concen: 0.06 ng/ul
RT: 27.54 min Scan# 1878
Delta R.T. -0.01 min
Lab File: BM002673.D
Acq: 04 Sep 2015 14:17

Instrument :
BNA_M
ClientSampleId :
MDL-03-S

Tgt Ion: 278 Resp: 3573
Ion Ratio Lower Upper
278 100
139 39.8 21.7 32.5#
279 42.0 21.9 32.9#



#28
Benzo(g,h,i)perylene
Concen: 0.06 ng/ul
RT: 28.40 min Scan# 1961
Delta R.T. -0.01 min
Lab File: BM002673.D
Acq: 04 Sep 2015 14:17

Tgt Ion: 276 Resp: 3786
Ion Ratio Lower Upper
276 100
277 35.5 21.3 31.9#
138 44.0 25.5 38.3#

