

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM090517\
 Data File : BM011428.D
 Acq On : 05 Sep 2017 12:12
 Operator : SJ/JU
 Sample : I5050-04
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RT4651-1540

Quant Time: Sep 05 13:29:51 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM083117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 31 18:39:59 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.98	152	336797	20.00	ng	-0.01
21) Naphthalene-d8	10.79	136	1371693	20.00	ng	-0.01
38) Acenaphthene-d10	14.62	164	734037	20.00	ng	-0.01
63) Phenanthrene-d10	17.35	188	1813481	20.00	ng	-0.01
75) Chrysene-d12	21.52	240	2261580	20.00	ng	-0.02
86) Perylene-d12	23.89	264	1544582	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	2797142	139.80	ng	0.00
7) Phenol-d6	7.13	99	3316723	119.55	ng	0.00
23) Nitrobenzene-d5	9.15	82	2120628	101.88	ng	-0.01
41) 2,4,6-Tribromophenol	16.10	330	1269210	149.45	ng	-0.01
44) 2-Fluorobiphenyl	13.24	172	5013946	98.46	ng	-0.01
78) Terphenyl-d14	19.96	244	8565863	93.98	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM090517\
Data File : BM011428.D
Acq On : 05 Sep 2017 12:12
Operator : SJ/JU
Sample : I5050-04
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RT4651-1540

Quant Time: Sep 05 13:29:51 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM083117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 31 18:39:59 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.98 min Scan# 883
Delta R.T. -0.01 min
Lab File: BM011428.D
Acq: 05 Sep 2017 12:12

Instrument :
BNA_M
ClientSampleId :
RT4651-1540

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.1	119.5	179.3
115	56.6	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 139.798 ng
RT: 5.55 min Scan# 469
Delta R.T. 0.00 min
Lab File: BM011428.D
Acq: 05 Sep 2017 12:12

Tgt Ion	Ratio	Lower	Upper
112	100		
64	67.4	38.6	57.8#
63	34.0	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 119.547 ng

RT: 7.13 min Scan# 739

Delta R.T. -0.01 min

Lab File: BM011428.D

Acq: 05 Sep 2017 12:12

Instrument :


BNA_M

ClientSampleId :




RT4651-1540

Tot Ion: 99 Resp: 3316723

Ion	Ratio	Lower	Upper
99	100		
42	23.5	11.0	16.4#
71	29.2	23.4	35.2



Abundance Ion 99.00 (98.70 to 99.70): BM011370.D (-731) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.79 min Scan# 1361


Delta R.T. -0.01 min

Lab File: BM011428.D



Acq: 05 Sep 2017 12:12


Tgt Ion: 136 Resp: 1371693

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.7	13.1
54	10.0	4.6	6.8#
68	7.2	3.7	5.5#



Abundance Ion 136.00 (135.70 to 136.70): BM011370.D (-1353) (-)









#23
 Nitrobenzene-d5
 Concen: 101.878 ng
 RT: 9.15 min Scan# 1081
 Delta R.T. -0.01 min
 Lab File: BM011428.D
 Acq: 05 Sep 2017 12:12




Instrument :
 BNA_M
 ClientSampleId :
 RT4651-1540


Tot Ion: 82 Resp: 2120628
 Ion Ratio Lower Upper
 82 100
 128 43.6 32.8 49.2
 54 64.3 40.6 60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.62 min Scan# 2011
 Delta R.T. -0.01 min
 Lab File: BM011428.D
 Acq: 05 Sep 2017 12:12

Tgt Ion:164 Resp: 734037
 Ion Ratio Lower Upper
 164 100
 162 102.9 82.4 123.6
 160 46.7 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 149.451 ng
 RT: 16.10 min Scan# 2263
 Delta R.T. -0.01 min
 Lab File: BM011428.D
 Acq: 05 Sep 2017 12:12

Instrument :
 BNA_M
 ClientSampleId :
 RT4651-1540

Tot Ion:330 Resp: 1269210
 Ion Ratio Lower Upper
 330 100
 332 96.1 0.0 0.0#
 141 41.4 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 98.462 ng
 RT: 13.24 min Scan# 1777
 Delta R.T. -0.01 min
 Lab File: BM011428.D
 Acq: 05 Sep 2017 12:12

Tgt Ion:172 Resp: 5013946
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.5 42.7
 170 24.1 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.35 min Scan# 2476
Delta R.T. -0.01 min
Lab File: BM011428.D
Acq: 05 Sep 2017 12:12




Instrument :
BNA_M
ClientSampleId :
RT4651-1540


Tot Ion:188 Resp: 1813481
Ion Ratio Lower Upper
188 100
94 10.7 8.7 13.1
80 11.7 9.3 13.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.52 min Scan# 3184
Delta R.T. -0.02 min
Lab File: BM011428.D
Acq: 05 Sep 2017 12:12

Tgt Ion:240 Resp: 2261580
Ion Ratio Lower Upper
240 100
120 12.8 8.2 12.2#
236 25.5 20.0 30.0





#78

Terphenyl-d14

Concen: 93.978 ng

RT: 19.96 min Scan# 2920

Delta R.T. -0.01 min

Lab File: BM011428.D

Acq: 05 Sep 2017 12:12

Instrument :


BNA_M

ClientSampleId :

RT4651-1540

Tot Ion:244 Resp: 8565863




Ion	Ratio	Lower	Upper
244	100		
212	7.8	4.9	7.3#
122	11.9	6.2	9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

1e+07 Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.89 min Scan# 3588


Delta R.T. -0.02 min

Lab File: BM011428.D

Acq: 05 Sep 2017 12:12

Tgt Ion:264 Resp: 1544582

Ion	Ratio	Lower	Upper
264	100		
260	24.3	18.6	27.8
265	21.6	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E

1000000 Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

