

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM090717\
 Data File : BM011459.D
 Acq On : 07 Sep 2017 17:51
 Operator : SJ/JU
 Sample : PB102135TB
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB102135TB

Quant Time: Sep 08 07:48:28 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM083117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 31 18:39:59 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.98	152	494090	20.00	ng	-0.01
21) Naphthalene-d8	10.79	136	2125530	20.00	ng	-0.02
38) Acenaphthene-d10	14.61	164	1130245	20.00	ng	-0.02
63) Phenanthrene-d10	17.34	188	2383884	20.00	ng	-0.02
75) Chrysene-d12	21.51	240	2478504	20.00	ng	-0.02
86) Perylene-d12	23.89	264	2209436	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	4664374	158.91	ng	0.00
7) Phenol-d6	7.13	99	6042601	148.46	ng	0.00
23) Nitrobenzene-d5	9.15	82	3234083	100.27	ng	-0.01
41) 2,4,6-Tribromophenol	16.09	330	1677489	128.28	ng	-0.02
44) 2-Fluorobiphenyl	13.23	172	7710580	98.34	ng	-0.02
78) Terphenyl-d14	19.96	244	9180299	91.90	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM090717\
Data File : BM011459.D
Acq On : 07 Sep 2017 17:51
Operator : SJ/JU
Sample : PB102135TB
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB102135TB

Quant Time: Sep 08 07:48:28 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM083117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 31 18:39:59 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.98 min Scan# 883
Delta R.T. -0.01 min
Lab File: BM011459.D
Acq: 07 Sep 2017 17:51

Instrument :
BNA_M
ClientSampleId :
PB102135TB




Tot Ion:152 Resp: 494090
Ion Ratio Lower Upper
152 100
150 152.1 119.5 179.3
115 55.2 43.0 64.4




#5

2-Fluorophenol
Concen: 158.907 ng
RT: 5.54 min Scan# 468
Delta R.T. -0.01 min
Lab File: BM011459.D
Acq: 07 Sep 2017 17:51

Tgt Ion:112 Resp: 4664374
Ion Ratio Lower Upper
112 100
64 67.7 38.6 57.8#
63 35.5 19.3 28.9#





#7

Phenol-d6

Concen: 148.462 ng

RT: 7.13 min Scan# 739

Delta R.T. -0.01 min

Lab File: BM011459.D

Acq: 07 Sep 2017 17:51

Instrument :

BNA_M

ClientSampleId :

PB102135TB





Tot Ion: 99 Resp: 6042601

Ion Ratio Lower Upper

99 100

42 23.5 11.0 16.4#

71 30.7 23.4 35.2



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.79 min Scan# 1360

Delta R.T. -0.02 min

Lab File: BM011459.D

Acq: 07 Sep 2017 17:51

Tgt Ion: 136 Resp: 2125530




Ion Ratio Lower Upper


136 100

137 10.6 8.7 13.1

54 10.0 4.6 6.8#

68 7.2 3.7 5.5#





#23

Nitrobenzene-d5

Concen: 100.267 ng

RT: 9.15 min Scan# 1081

Delta R.T. -0.01 min

Lab File: BM011459.D

Acq: 07 Sep 2017 17:51

Instrument :

BNA_M

ClientSampleId :

PB102135TB





Tot Ion: 82 Resp: 3234083

Ion Ratio Lower Upper

82 100

128 43.7 32.8 49.2

54 63.2 40.6 60.8#



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.61 min Scan# 2010

Delta R.T. -0.02 min

Lab File: BM011459.D

Acq: 07 Sep 2017 17:51




Tgt Ion: 164 Resp: 1130245


Ion Ratio Lower Upper

164 100

162 102.0 82.4 123.6

160 46.4 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 128.283 ng
 RT: 16.09 min Scan# 2262
 Delta R.T. -0.02 min
 Lab File: BM011459.D
 Acq: 07 Sep 2017 17:51

Instrument :
 BNA_M
 ClientSampleId :
 PB102135TB

Tot Ion:330 Resp: 1677489
 Ion Ratio Lower Upper
 330 100
 332 96.7 0.0 0.0#
 141 41.0 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 98.338 ng
 RT: 13.23 min Scan# 1776
 Delta R.T. -0.02 min
 Lab File: BM011459.D
 Acq: 07 Sep 2017 17:51

Tgt Ion:172 Resp: 7710580
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.5 42.7
 170 24.2 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.34 min Scan# 2475
 Delta R.T. -0.02 min
 Lab File: BM011459.D
 Acq: 07 Sep 2017 17:51




Instrument :
 BNA_M
 ClientSampleId :
 PB102135TB


Tot Ion:188 Resp: 2383884
 Ion Ratio Lower Upper
 188 100
 94 10.6 8.7 13.1
 80 12.3 9.3 13.9



#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.51 min Scan# 3183
 Delta R.T. -0.02 min
 Lab File: BM011459.D
 Acq: 07 Sep 2017 17:51

Tgt Ion:240 Resp: 2478504
 Ion Ratio Lower Upper
 240 100
 120 12.1 8.2 12.2
 236 25.0 20.0 30.0





#78

Terphenyl-d14

Concen: 91.904 ng

RT: 19.96 min Scan# 2919

Delta R.T. -0.02 min

Lab File: BM011459.D

Acq: 07 Sep 2017 17:51

Instrument :



BNA_M

ClientSampleId :

PB102135TB

Tot Ion:244 Resp: 9180299



Ion	Ratio	Lower	Upper
244	100		
212	7.8	4.9	7.3#
122	11.8	6.2	9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.89 min Scan# 3587



Delta R.T. -0.03 min

Lab File: BM011459.D

Acq: 07 Sep 2017 17:51

Tgt Ion:264 Resp: 2209436

Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.6	27.8
265	21.7	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

