

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM091418\
 Data File : BM016746.D
 Acq On : 14 Sep 2018 10:45
 Operator : SJ/JU
 Sample : PB112820BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Sep 14 23:38:26 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Sep 14 23:38:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	250821	20.00	ng/ul	0.00
18) Naphthalene-d8	10.52	136	1058435	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.37	164	557480	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.12	188	1158404	20.00	ng/ul	0.00
78) Chrysene-d12	21.30	240	1161838	20.00	ng/ul	0.00
86) Perylene-d12	23.54	264	1207038	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.27	96	36823	6.28	ng/uL	0.00
5) Phenol-d5	6.90	99	641345	30.32	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.07	67	420224	32.07	ng/ul	0.00
9) 2-Chlorophenol-d4	7.27	132	542068	31.40	ng/ul	0.00
13) 4-Methylphenol-d8	8.43	113	508671	31.07	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	238309	34.26	ng/ul	0.00
22) 2-Nitrophenol-d4	9.60	143	211743	33.49	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.13	165	478488	29.78	ng/ul	0.00
29) 4-Chloroaniline-d4	10.65	131	730415	37.65	ng/ul	0.00
44) Dimethylphthalate-d6	13.79	166	1407854	31.45	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	1830857	31.67	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	184617	25.13	ng/ul	0.00
58) Fluorene-d10	15.37	176	1262206	32.31	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.48	200	112225	23.60	ng/ul	0.00
71) Anthracene-d10	17.22	188	1853598	33.17	ng/ul	0.00
79) Pyrene-d10	19.52	212	1932565	34.28	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.40	264	2065368	32.80	ng/ul	0.00


Target Compounds				Ovalue	
46) 2,6-Dinitrotoluene	13.79	165	8642	1.286	ng/ul# 43


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM091418\
Data File : BM016746.D
Acq On : 14 Sep 2018 10:45
Operator : SJ/JU
Sample : PB112820BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Sep 14 23:38:26 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Sep 14 23:38:05 2018
Response via : Initial Calibration





#46

2,6-Dinitrotoluene

Concen: 1.286 ng/ul

RT: 13.79 min Scan# 1836

Delta R.T. -0.16 min

Lab File: BM016746.D

Acq: 14 Sep 2018 10:45

Instrument :

BNA_M

ClientSampleId :


Tot Ion:165 Resp: 8642

Ion Ratio Lower Upper

165 100

89 0.0 43.8 65.8#

121 26.9 17.8 26.6#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 89.00 (88.70 to 89.70): BM0

Ion 121.00 (120.70 to 121.70): E

