

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM091418\
 Data File : BM016749.D
 Acq On : 14 Sep 2018 12:34
 Operator : SJ/JU
 Sample : J4868-03MSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DB3Q2MSD

Quant Time: Sep 14 23:59:05 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Sep 14 23:38:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	230522	20.00	ng/ul	0.00
18) Naphthalene-d8	10.52	136	962517	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.37	164	520949	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.12	188	1171291	20.00	ng/ul	0.00
78) Chrysene-d12	21.30	240	1323104	20.00	ng/ul	0.00
86) Perylene-d12	23.54	264	1423519	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.27	96	33620	6.24	ng/uL	0.00
5) Phenol-d5	6.90	99	137746	7.08	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.07	67	391439	32.51	ng/ul	0.00
9) 2-Chlorophenol-d4	7.26	132	424158	26.73	ng/ul	0.00
13) 4-Methylphenol-d8	8.43	113	255156	16.96	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	237882	37.61	ng/ul	0.00
22) 2-Nitrophenol-d4	9.60	143	214522	37.31	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.13	165	440174	30.13	ng/ul	0.00
29) 4-Chloroaniline-d4	10.66	131	1576	0.09	ng/ul	0.00
44) Dimethylphthalate-d6	13.79	166	1482096	35.43	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	1846617	34.18	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	40002	5.83	ng/ul	0.00
58) Fluorene-d10	15.37	176	1326171	36.33	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.48	200	148190	30.82	ng/ul	0.00
71) Anthracene-d10	17.22	188	2054998	36.36	ng/ul	0.00
79) Pyrene-d10	19.52	212	2319709	36.13	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.40	264	2690981	36.24	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	6.92	94	126566	6.521	ng/ul 98
10) 2-Chlorophenol	7.30	128	369742	23.198	ng/ul 98
15) N-Nitroso-di-n-propylamine	8.53	70	344283	29.504	ng/ul 92
33) 4-Chloro-3-methylphenol	11.79	107	359564	24.438	ng/ul 95
50) Acenaphthene	14.43	153	1117134	30.770	ng/ul 99
53) 4-Nitrophenol	14.57	109	32322	6.110	ng/ul 87
55) 2,4-Dinitrotoluene	14.73	165	299926	32.484	ng/ul 91
69) Pentachlorophenol	16.76	266	229763	29.792	ng/ul 96
80) Pvrene	19.54	202	2613736	32.172	ng/ul# 87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM091418\
Data File : BM016749.D
Acq On : 14 Sep 2018 12:34
Operator : SJ/JU
Sample : J4868-03MSD
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DB3Q2MSD

Quant Time: Sep 14 23:59:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Sep 14 23:38:05 2018
Response via : Initial Calibration





#6

Phenol

Concen: 6.521 ng/ul

RT: 6.92 min Scan# 669

Delta R.T. -0.01 min

Lab File: BM016749.D

Acq: 14 Sep 2018 12:34

Instrument :

BNA_M

ClientSampleId :

DB3Q2MSD


Tot Ion: 94 Resp: 126566

Ion Ratio Lower Upper

94 100

65 29.4 23.0 34.6




66 39.7 30.4 45.6



Abundance Ion 94.00 (93.70 to 94.70): BM016745.D (-663) (-)

Ion 65.00 (64.70 to 65.70): BM016745.D (-663) (-)

Ion 66.00 (65.70 to 66.70): BM016745.D (-663) (-)



#10

2-Chlorophenol

Concen: 23.198 ng/ul

RT: 7.30 min Scan# 733

Delta R.T. 0.00 min

Lab File: BM016749.D

Acq: 14 Sep 2018 12:34


Tgt Ion:128 Resp: 369742

Ion Ratio Lower Upper

128 100

64 47.9 39.8 59.6



130 31.8 25.8 38.8




Abundance Ion 128.00 (127.70 to 128.70): BM016745.D (-726) (-)

Ion 64.00 (63.70 to 64.70): BM016745.D (-726) (-)

Ion 130.00 (129.70 to 130.70): BM016745.D (-726) (-)









#15
N-Nitroso-di-n-propylamine
Concen: 29.504 ng/ul
RT: 8.53 min Scan# 943
Delta R.T. -0.01 min
Lab File: BM016749.D
Acq: 14 Sep 2018 12:34




Instrument :
BNA_M
ClientSampleId :
DB3Q2MSD


Tot Ion: 70 Resp: 344283
Ion Ratio Lower Upper
70 100
42 58.9 40.2 60.4
101 9.6 7.7 11.5
130 21.4 17.8 26.6



#33
4-Chloro-3-methylphenol
Concen: 24.438 ng/ul
RT: 11.79 min Scan# 1497
Delta R.T. -0.01 min
Lab File: BM016749.D
Acq: 14 Sep 2018 12:34

Tgt Ion: 107 Resp: 359564
Ion Ratio Lower Upper
107 100
144 26.0 21.1 31.7
142 80.2 60.1 90.1





#50

Acenaphthene

Concen: 30.770 ng/ul

RT: 14.43 min Scan# 1946

Delta R.T. 0.00 min

Lab File: BM016749.D

Acq: 14 Sep 2018 12:34

Instrument :

BNA_M

ClientSampleId :

DB3Q2MSD


Tot Ion:153 Resp: 1117134

Ion Ratio Lower Upper

153 100

152 47.8 37.9 56.9




154 88.1 69.8 104.6



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E



#53

4-Nitrophenol

Concen: 6.110 ng/ul

RT: 14.57 min Scan# 1970

Delta R.T. 0.00 min

Lab File: BM016749.D

Acq: 14 Sep 2018 12:34


Tgt Ion:109 Resp: 32322

Ion Ratio Lower Upper

109 100

139 130.3 91.2 136.8



65 127.4 92.6 139.0




Abundance Ion 109.00 (108.70 to 109.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 65.00 (64.70 to 65.70): E









#55
 2,4-Dinitrotoluene
 Concen: 32.484 ng/ul
 RT: 14.73 min Scan# 1997
 Delta R.T. 0.00 min
 Lab File: BM016749.D
 Acq: 14 Sep 2018 12:34

Instrument :
 BNA_M
 ClientSampleId :
 DB3Q2MSD

Tot Ion	Ratio	Lower	Upper
165	100		
63	45.3	31.4	47.0
182	2.9	2.7	4.1




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BM
 Ion 182.00 (181.70 to 182.70): E






#69
 Pentachlorophenol
 Concen: 29.792 ng/ul
 RT: 16.76 min Scan# 2342
 Delta R.T. 0.00 min
 Lab File: BM016749.D
 Acq: 14 Sep 2018 12:34

Tgt Ion	Ratio	Lower	Upper
266	100		
264	65.7	48.2	72.4
268	66.4	52.3	78.5



Abundance Ion 265.70 (265.40 to 266.40): E
 Ion 264.00 (263.70 to 264.70): E
 Ion 268.00 (267.70 to 268.70): E





#80
 Pvrene
 Concen: 32.172 ng/ul
 RT: 19.54 min Scan# 2814
 Delta R.T. 0.00 min
 Lab File: BM016749.D
 Acq: 14 Sep 2018 12:34

Instrument :
 BNA_M
 ClientSampleId :
 DB3Q2MSD

Tot Ion:202 Resp: 2613736
 Ion Ratio Lower Upper
 202 100
 101 13.2 6.9 10.3#
 100 11.4 5.6 8.4#

