

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM091520\
 Data File : BM027416.D
 Acq On : 15 Sep 2020 17:40
 Operator : JU/CG
 Sample : L3995-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BG0N3

Quant Time: Sep 15 18:15:52 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM090420MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Sep 15 13:17:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	146700	20.00	ng/ul	0.00
18) Naphthalene-d8	10.32	136	524838	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.20	164	321554	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.94	188	686595	20.00	ng/ul	0.00
78) Chrysene-d12	21.14	240	706743	20.00	ng/ul	0.00
86) Perylene-d12	23.31	264	783277	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	19435	5.89	ng/uL	0.00
5) Phenol-d5	6.75	99	76664	6.34	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	173719	21.63	ng/ul	0.00
9) 2-Chlorophenol-d4	7.10	132	180143	20.34	ng/ul	0.00
13) 4-Methylphenol-d8	8.27	113	126205	12.80	ng/ul	0.00
19) Nitrobenzene-d5	8.70	128	98016	24.81	ng/ul	0.00
22) 2-Nitrophenol-d4	9.42	143	109110	25.18	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.96	165	214947	23.05	ng/ul	0.00
29) 4-Chloroaniline-d4	10.47	131	22224	2.02	ng/ul	0.01
44) Dimethylphthalate-d6	13.62	166	750167	29.32	ng/ul	0.00
47) Acenaphthylene-d8	13.89	160	875571	30.29	ng/ul	0.00
52) 4-Nitrophenol-d4	14.42	143	12677	2.81	ng/ul	0.00
58) Fluorene-d10	15.20	176	631173	27.54	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.32	200	104700	23.83	ng/ul	0.00
71) Anthracene-d10	17.04	188	1024022	31.54	ng/ul	0.00
79) Pyrene-d10	19.34	212	1180812	37.51	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.17	264	1310119	31.18	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	6.77	94	15805	1.230	ng/ul 100
45) Dimethylphthalate	13.66	163	50660	1.879	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM091520\
Data File : BM027416.D
Acq On : 15 Sep 2020 17:40
Operator : JU/CG
Sample : L3995-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BG0N3

Quant Time: Sep 15 18:15:52 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM090420MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Sep 15 13:17:19 2020
Response via : Initial Calibration









#6

Phenol

Concen: 1.230 ng/ul
 RT: 6.77 min Scan# 643
 Delta R.T. -0.01 min
 Lab File: BM027416.D
 Acq: 15 Sep 2020 17:40

Instrument :
 BNA_M
 ClientSampled :
 BG0N3

Tot Ion: 94 Resp: 15805
 Ion Ratio Lower Upper
 94 100
 65 38.3 30.2 45.4
 66 52.9 42.4 63.6



#45

Dimethylphthalate

Concen: 1.879 ng/ul
 RT: 13.66 min Scan# 1815
 Delta R.T. -0.00 min
 Lab File: BM027416.D
 Acq: 15 Sep 2020 17:40

Tgt Ion: 163 Resp: 50660
 Ion Ratio Lower Upper
 163 100
 194 4.1 3.3 4.9
 164 10.6 8.1 12.1

