

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM091718\
 Data File : BM016782.D
 Acq On : 17 Sep 2018 23:53
 Operator : SJ/JU
 Sample : J4868-04RX
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DB3Q3RX

Quant Time: Sep 18 02:02:17 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Sep 18 01:29:01 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	242913	20.00	ng/ul	0.00
18) Naphthalene-d8	10.51	136	990153	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.37	164	521829	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.12	188	1167389	20.00	ng/ul	0.00
78) Chrysene-d12	21.30	240	1290343	20.00	ng/ul	0.00
86) Perylene-d12	23.54	264	1373896	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.28	96	4734	0.83	ng/uL	0.00
5) Phenol-d5	6.90	99	68172	3.33	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.07	67	163963	12.92	ng/ul	0.00
9) 2-Chlorophenol-d4	7.26	132	182524	10.92	ng/ul	0.00
13) 4-Methylphenol-d8	8.43	113	113330	7.15	ng/ul	0.00
19) Nitrobenzene-d5	8.87	128	90823	13.96	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	79064	13.37	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.13	165	182312	12.13	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	0.00
44) Dimethylphthalate-d6	13.78	166	556791	13.29	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	611019	11.29	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	16083	2.34	ng/ul	0.00
58) Fluorene-d10	15.36	176	494308	13.52	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.47	200	42451	8.86	ng/ul	0.00
71) Anthracene-d10	17.21	188	758302	13.46	ng/ul	0.00
79) Pyrene-d10	19.51	212	868142	13.87	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.40	264	978498	13.65	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.83	163	659824	16.113	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM091718\
Data File : BM016782.D
Acq On : 17 Sep 2018 23:53
Operator : SJ/JU
Sample : J4868-04RX
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DB3Q3RX

Quant Time: Sep 18 02:02:17 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Sep 18 01:29:01 2018
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 16.113 ng/ul

RT: 13.83 min Scan# 1843

Delta R.T. -0.01 min

Lab File: BM016782.D

Acq: 17 Sep 2018 23:53

Instrument :

BNA_M

ClientSampleId :

DB3Q3RX


Tot Ion:163 Resp: 659824

Ion Ratio Lower Upper

163 100

194 4.2 4.0 6.0

164 10.3 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

