

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM091824\
 Data File : BM047561.D
 Acq On : 18 Sep 2024 18:26
 Operator : RC/JU
 Sample : P4088-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 NB-614-COMP-07

Quant Time: Sep 19 03:18:20 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091424.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Sep 15 08:56:37 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.851	152	261772	20.000	ng	0.00
21) Naphthalene-d8	10.645	136	1029988	20.000	ng	0.00
39) Acenaphthene-d10	14.480	164	513901	20.000	ng	0.00
64) Phenanthrene-d10	17.215	188	935134	20.000	ng	0.00
76) Chrysene-d12	21.444	240	744295	20.000	ng	0.00
86) Perylene-d12	24.474	264	819285	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	1524462	92.725	ng	0.00
7) Phenol-d6	7.010	99	1974846	85.295	ng	0.00
23) Nitrobenzene-d5	9.004	82	1198154	58.217	ng	0.00
42) 2,4,6-Tribromophenol	15.962	330	380265	76.554	ng	0.00
45) 2-Fluorobiphenyl	13.110	172	2036518	54.589	ng	0.00
79) Terphenyl-d14	19.833	244	2451056	59.011	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM091824\
Data File : BM047561.D
Acq On : 18 Sep 2024 18:26
Operator : RC/JU
Sample : P4088-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
NB-614-COMP-07


Quant Time: Sep 19 03:18:20 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091424.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Sep 15 08:56:37 2024
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM091824\
Data File : BM047561.D
Acq On : 18 Sep 2024 18:26
Operator : RC/JU
Sample : P4088-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
NB-614-COMP-07

Quant Time: Sep 19 03:18:20 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091424.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Sep 15 08:56:37 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.851 min Scan# 810
Delta R.T. 0.000 min
Lab File: BM047561.D
Acq: 18 Sep 2024 18:26




Instrument :
BNA_M
ClientSampleId :
NB-614-COMP-07


Tgt Ion:152 Resp: 261772
Ion Ratio Lower Upper
152 100
150 159.3 126.8 190.2
115 63.7 47.8 71.8



#5
2-Fluorophenol
Concen: 92.725 ng
RT: 5.422 min Scan# 397
Delta R.T. -0.000 min
Lab File: BM047561.D
Acq: 18 Sep 2024 18:26

Tgt Ion:112 Resp: 1524462
Ion Ratio Lower Upper
112 100
64 61.6 48.2 72.4
63 33.5 26.0 39.0









#7
Phenol-d6
Concen: 85.295 ng
RT: 7.010 min Scan# 667
Delta R.T. -0.000 min
Lab File: BM047561.D
Acq: 18 Sep 2024 18:26




Instrument :
BNA_M
ClientSampleId :
NB-614-COMP-07


Tgt Ion: 99 Resp: 1974846
Ion Ratio Lower Upper
99 100
42 18.9 15.8 23.8
71 34.6 27.6 41.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.645 min Scan# 1285
Delta R.T. 0.000 min
Lab File: BM047561.D
Acq: 18 Sep 2024 18:26

Tgt Ion: 136 Resp: 1029988
Ion Ratio Lower Upper
136 100
137 10.4 9.0 13.6
54 8.5 6.6 9.8
68 6.9 4.9 7.3





#23

Nitrobenzene-d5

Concen: 58.217 ng

RT: 9.004 min Scan# 1006

Delta R.T. -0.000 min

Lab File: BM047561.D

Acq: 18 Sep 2024 18:26

Instrument :





BNA_M

ClientSampleId :

NB-614-COMP-07

Tgt Ion: 82 Resp: 1198154

Ion	Ratio	Lower	Upper
82	100		
128	39.5	33.0	49.4
54	47.9	39.3	58.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.480 min Scan# 1937




Delta R.T. 0.000 min


Lab File: BM047561.D

Acq: 18 Sep 2024 18:26

Tgt Ion:164 Resp: 513901

Ion	Ratio	Lower	Upper
164	100		
162	101.1	82.2	123.2
160	49.4	38.2	57.2









#42
2,4,6-Tribromophenol
Concen: 76.554 ng
RT: 15.962 min Scan# 2189
Delta R.T. -0.000 min
Lab File: BM047561.D
Acq: 18 Sep 2024 18:26




Instrument :
BNA_M
ClientSampleId :
NB-614-COMP-07


Tgt Ion:330 Resp: 380265
Ion Ratio Lower Upper
330 100
332 95.8 76.9 115.3
141 59.7 42.2 63.2



#45
2-Fluorobiphenyl
Concen: 54.589 ng
RT: 13.110 min Scan# 1704
Delta R.T. -0.000 min
Lab File: BM047561.D
Acq: 18 Sep 2024 18:26

Tgt Ion:172 Resp: 2036518
Ion Ratio Lower Upper
172 100
171 35.4 28.2 42.2
170 24.6 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.215 min Scan# 2402
Delta R.T. -0.000 min
Lab File: BM047561.D
Acq: 18 Sep 2024 18:26




Instrument :
BNA_M
ClientSampleId :
NB-614-COMP-07


Tgt Ion:188 Resp: 935134
Ion Ratio Lower Upper
188 100
94 11.4 8.4 12.6
80 13.0 9.1 13.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.444 min Scan# 3121
Delta R.T. 0.000 min
Lab File: BM047561.D
Acq: 18 Sep 2024 18:26

Tgt Ion:240 Resp: 744295
Ion Ratio Lower Upper
240 100
120 14.3 9.6 14.4
236 26.5 20.9 31.3









#79
 Terphenyl-d14
 Concen: 59.011 ng
 RT: 19.833 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM047561.D
 Acq: 18 Sep 2024 18:26

Instrument :
 BNA_M
 ClientSampleId :
 NB-614-COMP-07

Tgt Ion:244 Resp: 2451056
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.2 9.2
 122 12.7 9.6 14.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.474 min Scan# 3636
 Delta R.T. 0.006 min
 Lab File: BM047561.D
 Acq: 18 Sep 2024 18:26

Tgt Ion:264 Resp: 819285
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.9 28.3
 265 21.6 17.4 26.2

