

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM091917\
 Data File : BM011624.D
 Acq On : 20 Sep 2017 03:06
 Operator : SJ/JU
 Sample : I5234-01DL 10X
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AF5DL

Manual Integrations
 APPROVED

Sohil
 9/20/2017 5:54:49 PM

Quant Time: Sep 20 08:04:01 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM090817MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 20 05:31:56 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.97	152	372231	20.00	ng/ul	0.00
18) Naphthalene-d8	10.77	136	1602446	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.60	164	972176	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.33	188	2224836	20.00	ng/ul	0.00
78) Chrysene-d12	21.50	240	2274909	20.00	ng/ul	0.00
86) Perylene-d12	23.87	264	2111004	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.39	96	1126	0.14	ng/uL	0.00
5) Phenol-d5	7.12	99	22461	0.63	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.29	67	79374	3.30	ng/ul	0.00
9) 2-Chlorophenol-d4	7.50	132	65910	2.45	ng/ul	0.00
13) 4-Methylphenol-d8	8.67	113	37739	1.35	ng/ul	0.00
19) Nitrobenzene-d5	9.13	128	37063	3.05	ng/ul	0.00
22) 2-Nitrophenol-d4	9.86	143	38035	3.01	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.39	165	78696m	3.09	ng/ul	0.00
29) 4-Chloroaniline-d4	10.94	131	1471	0.05	ng/ul	0.04
44) Dimethylphthalate-d6	14.00	166	295511	3.60	ng/ul	0.00
47) Acenaphthylene-d8	14.29	160	323389	3.25	ng/ul	0.00
52) 4-Nitrophenol-d4	14.82	143	1424	0.09	ng/ul	0.04
58) Fluorene-d10	15.59	176	253270	3.56	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.70	200	24882	1.92	ng/ul	0.00
71) Anthracene-d10	17.43	188	401164	3.66	ng/ul	0.00
79) Pyrene-d10	19.72	212	428457	4.02	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.72	264	352292	3.50	ng/ul	0.00

Target Compounds

					Qvalue
37) 1,2,4,5-Tetrachlorobenzene	12.79	216	204423m	7.089	ng/ul
73) 1,2,3,4-Tetrachlorobenzene	13.40	216	730491	24.640	ng/uL

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM091917\
Data File : BM011624.D
Acq On : 20 Sep 2017 03:06
Operator : SJ/JU
Sample : I5234-01DL 10X
Misc :
ALS Vial : 28 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
C0AF5DL

Quant Time: Sep 20 08:04:01 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM090817MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 20 05:31:56 2017
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
9/20/2017 5:54:49 PM





#37

1,2,4,5-Tetrachlorobenzene

Concen: 7.089 ng/ul m

RT: 12.79 min Scan# 1616

Delta R.T. -0.00 min

Lab File: BM011624.D

Acq: 20 Sep 2017 03:06

Instrument :

BNA_M


ClientSampleId :

C0AF5DL

Tgt Ion	Ratio	Resp	Lower	Upper
216	100	204423		
214	73.5	64.1	96.1	
179	19.3	14.5	21.7	
108	16.6	10.4	15.6	

Manual Integrations
APPROVED

Sohil
9/20/2017 5:54:49 PM






Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 108.00 (107.70 to 108.70): E



#73

1,2,3,4-Tetrachlorobenzene

Concen: 24.640 ng/uL


RT: 13.40 min Scan# 1719

Delta R.T. -0.00 min

Lab File: BM011624.D

Acq: 20 Sep 2017 03:06

Tgt Ion	Ratio	Resp	Lower	Upper
216	100	730491		
214	78.7	64.1	96.1	
218	48.0	39.4	59.0	



Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 218.00 (217.70 to 218.70): E

