

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092017\
 Data File : BM011630.D
 Acq On : 20 Sep 2017 10:36
 Operator : SJ/JU
 Sample : I5271-12DL 2X
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampled :
 C0AH3DL

Manual Integrations
 APPROVED

Sohil
 9/22/2017 4:05:06 PM

Quant Time: Sep 21 02:06:05 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM090817MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 21 01:44:48 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.98	152	416869	20.00	ng/ul	0.02
18) Naphthalene-d8	10.79	136	1671079	20.00	ng/ul	0.02
36) Acenaphthene-d10	14.60	164	953030	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.34	188	2158905	20.00	ng/ul	0.00
78) Chrysene-d12	21.50	240	2208603	20.00	ng/ul	0.00
86) Perylene-d12	23.87	264	1958855	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.39	96	4640	0.50	ng/uL	0.00
5) Phenol-d5	7.12	99	87489	2.19	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.30	67	318572	11.81	ng/ul	0.01
9) 2-Chlorophenol-d4	7.50	132	284300	9.42	ng/ul	0.00
13) 4-Methylphenol-d8	8.66	113	172551	5.52	ng/ul	0.00
19) Nitrobenzene-d5	9.13	128	164591	12.97	ng/ul	0.00
22) 2-Nitrophenol-d4	9.85	143	171708	13.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.39	165	314773	11.86	ng/ul	0.01
29) 4-Chloroaniline-d4	10.92	131	22049	0.75	ng/ul	0.01
44) Dimethylphthalate-d6	14.00	166	1131512	14.04	ng/ul	0.00
47) Acenaphthylene-d8	14.29	160	1307657	13.42	ng/ul	0.00
52) 4-Nitrophenol-d4	14.80	143	18961m	1.25	ng/ul	0.02
58) Fluorene-d10	15.59	176	965606	13.84	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.70	200	127334	10.14	ng/ul	0.00
71) Anthracene-d10	17.43	188	1530835	14.40	ng/ul	0.00
79) Pyrene-d10	19.72	212	1738559	16.81	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.72	264	1361622	14.59	ng/ul	0.00

Target Compounds

					Ovalue	
10) 2-Chlorophenol	7.53	128	153971	5.232	ng/ul	91
28) Naphthalene	10.83	128	223276	2.577	ng/ul	97
37) 1,2,4,5-Tetrachlorobenzene	12.79	216	379407	13.421	ng/ul#	96
73) 1,2,3,4-Tetrachlorobenzene	13.40	216	1129628	39.266	ng/uL	99
74) Pentachlorobenzene	14.91	250	71334	2.445	ng/uL	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092017\
Data File : BM011630.D
Acq On : 20 Sep 2017 10:36
Operator : SJ/JU
Sample : I5271-12DL 2X
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AH3DL

Quant Time: Sep 21 02:06:05 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM090817MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Sep 21 01:44:48 2017
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
9/22/2017 4:05:06 PM

