

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092316\  
 Data File : BM007552.D  
 Acq On : 24 Sep 2016 08:25  
 Operator : UM/SJ  
 Sample : H4866-02  
 Misc :  
 ALS Vial : 31 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 E43S2

Quant Time: Sep 26 03:16:37 2016  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM092316.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat Sep 24 04:39:16 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.78  | 152  | 230837   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.56 | 136  | 1099319  | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.41 | 164  | 875773   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.16 | 188  | 2027411  | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.34 | 240  | 2726492  | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.60 | 264  | 2563898  | 20.00 | ng/ul | 0.00     |

## System Monitoring Compounds

|                                |       |     |         |       |       |      |
|--------------------------------|-------|-----|---------|-------|-------|------|
| 3) 1,4-Dioxane-d8              | 3.30  | 96  | 7773    | 1.66  | ng/uL | 0.00 |
| 5) Phenol-d5                   | 6.95  | 99  | 150155  | 7.33  | ng/ul | 0.00 |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.12  | 67  | 367419  | 33.35 | ng/ul | 0.00 |
| 9) 2-Chlorophenol-d4           | 7.32  | 132 | 400443  | 26.91 | ng/ul | 0.00 |
| 13) 4-Methylphenol-d8          | 8.49  | 113 | 306867  | 17.55 | ng/ul | 0.00 |
| 19) Nitrobenzene-d5            | 8.93  | 128 | 276333  | 35.16 | ng/ul | 0.00 |
| 22) 2-Nitrophenol-d4           | 9.65  | 143 | 324709  | 36.37 | ng/ul | 0.00 |
| 26) 2,4-Dichlorophenol-d3      | 10.19 | 165 | 561040  | 31.54 | ng/ul | 0.00 |
| 29) 4-Chloroaniline-d4         | 10.70 | 131 | 219875  | 11.77 | ng/ul | 0.00 |
| 43) Dimethylphthalate-d6       | 13.83 | 166 | 2311103 | 36.28 | ng/ul | 0.00 |
| 46) Acenaphthylene-d8          | 14.10 | 160 | 2630485 | 35.58 | ng/ul | 0.00 |
| 51) 4-Nitrophenol-d4           | 14.63 | 143 | 77835   | 6.92  | ng/ul | 0.01 |
| 57) Fluorene-d10               | 15.40 | 176 | 1979926 | 35.44 | ng/ul | 0.00 |
| 62) 4,6-Dinitro-2-methylphenol | 15.53 | 200 | 425005  | 34.35 | ng/ul | 0.00 |
| 70) Anthracene-d10             | 17.26 | 188 | 3287860 | 35.29 | ng/ul | 0.00 |
| 76) Pyrene-d10                 | 19.55 | 212 | 4079562 | 37.71 | ng/ul | 0.00 |
| 87) Benzo(a)pyrene-d12         | 23.46 | 264 | 4034844 | 35.57 | ng/ul | 0.00 |

Target Compounds Ovalue

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092316\  
Data File : BM007552.D  
Acq On : 24 Sep 2016 08:25  
Operator : UM/SJ  
Sample : H4866-02  
Misc :  
ALS Vial : 31 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
E43S2

Quant Time: Sep 26 03:16:37 2016  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM092316.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sat Sep 24 04:39:16 2016  
Response via : Initial Calibration

