

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM092322\  
 Data File : BM036738.D  
 Acq On : 25 Sep 2022 06:09  
 Operator : CG/JU  
 Sample : SP6012  
 Misc : SFAM SPIKE  
 ALS Vial : 73 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 DFTPP080

Quant Time: Sep 26 01:17:05 2022  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM091522.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat Sep 24 00:41:16 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|---------|--------|----------|
| -----                         |        |      |          |         |        |          |
| Internal Standards            |        |      |          |         |        |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.998  | 152  | 319222   | 20.000  | ng/ul  | -0.01    |
| 20) Naphthalene-d8            | 10.816 | 136  | 1365508  | 20.000  | ng/ul  | -0.01    |
| 38) Acenaphthene-d10          | 14.627 | 164  | 815261   | 20.000  | ng/ul  | -0.01    |
| 64) Phenanthrene-d10          | 17.368 | 188  | 1633767  | 20.000  | ng/ul  | 0.00     |
| 79) Chrysene-d12              | 21.533 | 240  | 1524748  | 20.000  | ng/ul  | -0.01    |
| 88) Perylene-d12              | 23.962 | 264  | 1317265  | 20.000  | ng/ul  | -0.02    |
| System Monitoring Compounds   |        |      |          |         |        |          |
| 3) 1,4-Dioxane-d8             | 3.375  | 96   | 624      | 0.073   | ng/uL  | -0.01    |
| 4) Pyridine-d5                | 3.816  | 84   | 765      | 0.031   | ng/ul  | 0.00     |
| 7) Phenol-d5                  | 7.157  | 99   | 122      | 0.004   | ng/ul  | -0.02    |
| 9) Bis-(2-Chloroethyl)eth...  | 7.328  | 67   | 86       | 0.005   | ng/ul  | -0.01    |
| 11) 2-Chlorophenol-d4         | 7.563  | 132  | 2972     | 0.145   | ng/ul  | 0.02     |
| 15) 4-Methylphenol-d8         | 8.828  | 113  | 226997   | 10.769  | ng/ul  | 0.10     |
| 21) Nitrobenzene-d5           | 9.151  | 128  | 148      | 0.016   | ng/ul  | -0.03    |
| 24) 2-Nitrophenol-d4          | 0.000  | 143  | 0        | 0.000   | ng/ul  |          |
| 28) 2,4-Dichlorophenol-d3     | 10.416 | 165  | 204      | 0.011   | ng/ul  | -0.03    |
| 31) 4-Chloroaniline-d4        | 10.975 | 131  | 2836     | 0.089   | ng/ul  | 0.01     |
| 46) Dimethylphthalate-d6      | 14.092 | 166  | 4389     | 0.080   | ng/ul  | 0.04     |
| 49) Acenaphthylene-d8         | 14.321 | 160  | 803      | 0.012   | ng/ul  | -0.01    |
| 54) 4-Nitrophenol-d4          | 14.821 | 143  | 423      | 0.040   | ng/ul  | -0.01    |
| 60) Fluorene-d10              | 15.615 | 176  | 1071     | 0.022   | ng/ul  | -0.01    |
| 65) 4,6-Dinitro-2-methylph... | 15.751 | 200  | 9693     | 1.500   | ng/ul  | 0.01     |
| 73) Anthracene-d10            | 17.368 | 188  | 1633767  | 21.871  | ng/ul  | -0.11    |
| 81) Pyrene-d10                | 19.745 | 212  | 2041     | 0.027   | ng/ul  | -0.01    |
| 92) Benzo(a)pyrene-d12        | 23.809 | 264  | 3418     | 0.053   | ng/ul  | -0.01    |
| Target Compounds              |        |      |          |         |        |          |
|                               |        |      |          |         | Qvalue |          |
| 2) 1,4-Dioxane                | 3.416  | 88   | 288658   | 31.468  | ng/uL  | 98       |
| 5) Pyridine                   | 3.828  | 79   | 1986664  | 79.623  | ng/ul  | 91       |
| 6) Benzaldehyde               | 7.140  | 77   | 1758128  | 127.270 | ng/ul  | 95       |
| 8) Phenol                     | 7.192  | 94   | 2778540  | 90.751  | ng/ul  | 98       |
| 10) Bis(2-Chloroethyl)ether   | 7.428  | 93   | 2086088  | 87.571  | ng/ul  | 99       |
| 12) 2-Chlorophenol            | 7.563  | 128  | 2110685  | 95.003  | ng/ul  | 98       |
| 13) 2-Methylphenol            | 8.451  | 108  | 2066948  | 91.846  | ng/ul  | 99       |
| 14) 2,2'-oxybis(1-Chloropr... | 8.539  | 45   | 2335487  | 82.718  | ng/ul  | 98       |
| 16) Acetophenone              | 8.834  | 105  | 3163554  | 86.526  | ng/ul  | 99       |
| 17) N-Nitroso-di-n-propyla... | 8.822  | 70   | 1558891  | 88.363  | ng/ul  | 94       |
| 18) 4-Methylphenol            | 8.786  | 108  | 2215546  | 91.042  | ng/ul  | 96       |
| 19) Hexachloroethane          | 9.086  | 117  | 812890   | 90.333  | ng/ul  | 96       |
| 22) Nitrobenzene              | 9.216  | 77   | 2293866  | 93.478  | ng/ul  | 96       |
| 23) Isophorone                | 9.751  | 82   | 4362322  | 87.186  | ng/ul  | 99       |
| 25) 2-Nitrophenol             | 9.928  | 139  | 1037183  | 101.434 | ng/ul  | 99       |
| 26) 2,4-Dimethylphenol        | 9.986  | 107  | 2322995  | 92.110  | ng/ul  | 98       |
| 27) Bis(2-Chloroethoxy)met... | 10.228 | 93   | 2688808  | 90.160  | ng/ul  | 100      |
| 29) 2,4-Dichlorophenol        | 10.463 | 162  | 1874785  | 92.950  | ng/ul  | 99       |
| 30) Naphthalene               | 10.869 | 128  | 6457136  | 86.804  | ng/ul  | 99       |
| 32) 4-Chloroaniline           | 10.975 | 127  | 2397120  | 72.788  | ng/ul  | 99       |
| 33) Hexachlorobutadiene       | 11.151 | 225  | 1028419  | 83.368  | ng/ul  | 99       |
| 34) Caprolactam               | 11.798 | 113  | 518294   | 79.217  | ng/ul  | 96       |
| 35) 4-Chloro-3-methylphenol   | 12.098 | 107  | 2104202  | 94.508  | ng/ul  | 100      |
| 36) 2-Methylnaphthalene       | 12.469 | 142  | 4309397  | 86.949  | ng/ul  | 100      |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM092322\  
 Data File : BM036738.D  
 Acq On : 25 Sep 2022 06:09  
 Operator : CG/JU  
 Sample : SP6012  
 Misc : SFAM SPIKE  
 ALS Vial : 73 Sample Multiplier: 1


Instrument :  
 BNA\_M  
 ClientSampleId :  
 DFTPP080

Quant Time: Sep 26 01:17:05 2022  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM091522.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat Sep 24 00:41:16 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|---------|--------|----------|
| 37) 1-Methylnaphthalene       | 12.686 | 142  | 4284495  | 85.991  | ng/ul  | 100      |
| 39) 1,2,4,5-Tetrachloroben... | 12.833 | 216  | 2034881  | 88.185  | ng/ul  | 100      |
| 40) Hexachlorocyclopentadiene | 12.810 | 237  | 1100552  | 91.518  | ng/ul  | 99       |
| 41) 2,4,6-Trichlorophenol     | 13.069 | 196  | 1411699  | 99.917  | ng/ul  | 98       |
| 42) 2,4,5-Trichlorophenol     | 13.145 | 196  | 1522624  | 100.517 | ng/ul  | 99       |
| 43) 1,1'-Biphenyl             | 13.469 | 154  | 5438305  | 90.491  | ng/ul  | 98       |
| 44) 2-Chloronaphthalene       | 13.516 | 162  | 4264680  | 90.433  | ng/ul  | 98       |
| 45) 2-Nitroaniline            | 13.716 | 65   | 1312378  | 113.064 | ng/ul  | 98       |
| 47) Dimethylphthalate         | 14.092 | 163  | 5153060  | 88.349  | ng/ul  | 100      |
| 48) 2,6-Dinitrotoluene        | 14.210 | 165  | 1093061  | 115.268 | ng/ul  | 95       |
| 50) Acenaphthylene            | 14.357 | 152  | 6634273  | 88.970  | ng/ul  | 99       |
| 51) 3-Nitroaniline            | 14.539 | 138  | 1247052  | 109.649 | ng/ul# | 95       |
| 52) Acenaphthene              | 14.698 | 153  | 4632744  | 88.793  | ng/ul  | 99       |
| 53) 2,4-Dinitrophenol         | 14.739 | 184  | 478353   | 113.686 | ng/ul  | 98       |
| 55) 4-Nitrophenol             | 14.839 | 109  | 782439   | 85.826  | ng/ul  | 97       |
| 56) Dibenzofuran              | 15.027 | 168  | 6196061  | 88.428  | ng/ul  | 97       |
| 57) 2,4-Dinitrotoluene        | 14.992 | 165  | 1544461  | 112.032 | ng/ul  | 93       |
| 58) 2,3,4,6-Tetrachlorophenol | 15.251 | 232  | 1236508  | 97.515  | ng/ul  | 99       |
| 59) Diethylphthalate          | 15.451 | 149  | 5268168  | 90.227  | ng/ul  | 99       |
| 61) Fluorene                  | 15.674 | 166  | 5240121  | 87.808  | ng/ul  | 98       |
| 62) 4-Chlorophenyl-phenyle... | 15.668 | 204  | 2473425  | 86.664  | ng/ul  | 98       |
| 63) 4-Nitroaniline            | 15.704 | 138  | 1312683  | 118.796 | ng/ul  | 97       |
| 66) 4,6-Dinitro-2-methylph... | 15.751 | 198  | 706220   | 96.819  | ng/ul# | 97       |
| 67) N-Nitrosodiphenylamine    | 15.880 | 169  | 4363315  | 90.678  | ng/ul  | 99       |
| 68) 4-Bromophenyl-phenylether | 16.557 | 248  | 1417405  | 88.021  | ng/ul  | 99       |
| 69) Hexachlorobenzene         | 16.674 | 284  | 1644868  | 86.361  | ng/ul  | 99       |
| 70) Atrazine                  | 16.833 | 200  | 1551863  | 91.393  | ng/ul  | 97       |
| 71) Pentachlorophenol         | 17.015 | 266  | 1029524  | 91.000  | ng/ul  | 99       |
| 72) Phenanthrene              | 17.409 | 178  | 7937589  | 88.206  | ng/ul  | 98       |
| 74) Anthracene                | 17.504 | 178  | 8079548  | 88.331  | ng/ul  | 98       |
| 75) 1,2,3,4-Tetrachloroben... | 13.433 | 216  | 2089069  | 93.490  | ng/ul  | 99       |
| 76) Pentachlorobenzene        | 14.945 | 250  | 1963149  | 81.228  | ng/ul  | 99       |
| 77) Carbazole                 | 17.768 | 167  | 7434634  | 87.790  | ng/ul  | 98       |
| 78) Di-n-butylphthalate       | 18.333 | 149  | 8999861  | 93.762  | ng/ul  | 98       |
| 80) Fluoranthene              | 19.415 | 202  | 8976907  | 97.660  | ng/ul  | 98       |
| 82) Pyrene                    | 19.780 | 202  | 9316648  | 95.752  | ng/ul  | 98       |
| 83) Butylbenzylphthalate      | 20.674 | 149  | 4137570  | 112.223 | ng/ul  | 98       |
| 84) 3,3'-Dichlorobenzidine    | 21.450 | 252  | 3046841  | 102.268 | ng/ul  | 99       |
| 85) Benzo(a)anthracene        | 21.521 | 228  | 8612374  | 90.150  | ng/ul  | 98       |
| 86) Bis(2-ethylhexyl)phtha... | 21.444 | 149  | 5863041  | 108.863 | ng/ul  | 98       |
| 87) Chrysene                  | 21.574 | 228  | 8050615  | 88.781  | ng/ul  | 98       |
| 89) Di-n-octyl phthalate      | 22.380 | 149  | 9789302  | 123.268 | ng/ul  | 100      |
| 90) Benzo(b)fluoranthene      | 23.227 | 252  | 8007069  | 95.856  | ng/ul  | 99       |
| 91) Benzo(k)fluoranthene      | 23.280 | 252  | 7925402  | 94.952  | ng/ul  | 99       |
| 93) Benzo(a)pyrene            | 23.862 | 252  | 6739636  | 91.779  | ng/ul  | 99       |
| 94) Indeno(1,2,3-cd)pyrene    | 26.515 | 276  | 7802963  | 90.992  | ng/ul  | 96       |
| 95) Dibenzo(a,h)anthracene    | 26.526 | 278  | 6789661  | 87.304  | ng/ul  | 99       |
| 96) Benzo(g,h,i)perylene      | 27.297 | 276  | 6197975  | 83.371  | ng/ul  | 99       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed









#2  
1,4-Dioxane  
Concen: 31.468 ng/uL  
RT: 3.416 min Scan# 50  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion: 88 Resp: 288658  
Ion Ratio Lower Upper  
88 100  
43 26.9 23.1 34.7  
58 69.5 56.6 85.0



#5  
Pyridine  
Concen: 79.623 ng/uL  
RT: 3.828 min Scan# 126  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion: 79 Resp: 1986664  
Ion Ratio Lower Upper  
79 100  
52 61.4 57.2 85.8  
51 31.4 26.8 40.2









#6  
Benzaldehyde  
Concen: 127.270 ng/ul  
RT: 7.140 min Scan# 690  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion: 77 Resp: 1758128  
Ion Ratio Lower Upper  
77 100  
105 99.4 75.1 112.7  
106 95.4 73.0 109.6



#8  
Phenol  
Concen: 90.751 ng/ul  
RT: 7.192 min Scan# 698  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion: 94 Resp: 2778540  
Ion Ratio Lower Upper  
94 100  
65 27.2 22.2 33.4  
66 34.4 28.9 43.3









#10  
Bis(2-Chloroethyl)ether  
Concen: 87.571 ng/ul  
RT: 7.428 min Scan# 710  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080

Tgt Ion: 93 Resp: 2086088




| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 93  | 100   |       |       |
| 63  | 72.7  | 59.1  | 88.7  |
| 95  | 32.8  | 26.1  | 39.1  |




#12  
2-Chlorophenol  
Concen: 95.003 ng/ul  
RT: 7.563 min Scan# 761  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion: 128 Resp: 2110685

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 128 | 100   |       |       |
| 64  | 45.8  | 37.8  | 56.8  |
| 130 | 32.9  | 26.0  | 39.0  |









#13  
2-Methylphenol  
Concen: 91.846 ng/ul  
RT: 8.451 min Scan# 913  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:108 Resp: 2066948  
Ion Ratio Lower Upper  
108 100  
107 89.0 70.7 106.1



#14  
2,2'-oxybis(1-Chloropropane)  
Concen: 82.718 ng/ul  
RT: 8.539 min Scan# 927  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion: 45 Resp: 2335487  
Ion Ratio Lower Upper  
45 100  
77 16.6 13.1 19.7  
79 13.0 9.5 14.3









#16  
Acetophenone  
Concen: 86.526 ng/ul  
RT: 8.834 min Scan# 91  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080

Tgt Ion:105 Resp: 3163554  
Ion Ratio Lower Upper  
105 100  
77 76.7 61.6 92.4  
51 23.5 20.5 30.7




#17  
N-Nitroso-di-n-propylamine  
Concen: 88.363 ng/ul  
RT: 8.822 min Scan# 975  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion: 70 Resp: 1558891  
Ion Ratio Lower Upper  
70 100  
42 48.3 43.0 64.4  
101 9.8 7.7 11.5  
130 21.2 15.1 22.7







#18

4-Methylphenol

Concen: 91.042 ng/ul

RT: 8.786 min Scan# 90

Delta R.T. 0.000 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09

Instrument :

BNA\_M

ClientSampleId :





DFTPP080

Tgt Ion:108 Resp: 2215546

Ion Ratio Lower Upper

108 100

107 107.5 89.4 134.0



#19

Hexachloroethane

Concen: 90.333 ng/ul

RT: 9.086 min Scan# 1020

Delta R.T. -0.012 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09




Tgt Ion:117 Resp: 812890


Ion Ratio Lower Upper

117 100

201 90.3 68.7 103.1

199 56.4 43.0 64.6









#22  
Nitrobenzene  
Concen: 93.478 ng/ul  
RT: 9.216 min Scan# 1042  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion: 77 Resp: 2293866  
Ion Ratio Lower Upper  
77 100  
123 46.5 34.9 52.3  
65 13.1 10.7 16.1



#23  
Isophorone  
Concen: 87.186 ng/ul  
RT: 9.751 min Scan# 1133  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion: 82 Resp: 4362322  
Ion Ratio Lower Upper  
82 100  
95 6.8 5.4 8.2  
138 17.5 13.5 20.3









#25  
2-Nitrophenol  
Concen: 101.434 ng/ul  
RT: 9.928 min Scan# 1163  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:139 Resp: 1037183  
Ion Ratio Lower Upper  
139 100  
65 49.8 40.9 61.3  
109 30.3 23.9 35.9



#26  
2,4-Dimethylphenol  
Concen: 92.110 ng/ul  
RT: 9.986 min Scan# 1173  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:107 Resp: 2322995  
Ion Ratio Lower Upper  
107 100  
121 50.3 39.4 59.2  
122 88.0 69.1 103.7









#27  
 Bis(2-Chloroethoxy)methane  
 Concen: 90.160 ng/ul  
 RT: 10.228 min Scan# 11  
 Delta R.T. -0.006 min  
 Lab File: BM036738.D  
 Acq: 25 Sep 2022 06:09

Instrument :  
 BNA\_M  
 ClientSampleId :  
 DFTPP080

Tgt Ion: 93 Resp: 2688808  




| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 93  | 100   |       |       |
| 95  | 32.5  | 26.2  | 39.4  |
| 123 | 11.5  | 9.2   | 13.8  |




#29  
 2,4-Dichlorophenol  
 Concen: 92.950 ng/ul  
 RT: 10.463 min Scan# 1254  
 Delta R.T. -0.006 min  
 Lab File: BM036738.D  
 Acq: 25 Sep 2022 06:09

Tgt Ion:162 Resp: 1874785  

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 162 | 100   |       |       |
| 164 | 64.2  | 52.1  | 78.1  |
| 98  | 36.0  | 29.1  | 43.7  |









#30  
Naphthalene  
Concen: 86.804 ng/ul  
RT: 10.869 min Scan# 11  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:128 Resp: 6457136  
Ion Ratio Lower Upper  
128 100  
129 11.2 8.7 13.1  
127 13.3 10.3 15.5



#32  
4-Chloroaniline  
Concen: 72.788 ng/ul  
RT: 10.975 min Scan# 1341  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:127 Resp: 2397120  
Ion Ratio Lower Upper  
127 100  
129 32.2 25.4 38.2









#33  
Hexachlorobutadiene  
Concen: 83.368 ng/ul  
RT: 11.151 min Scan# 11  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:225 Resp: 1028419  
Ion Ratio Lower Upper  
225 100  
223 62.9 49.8 74.8  
227 64.3 51.0 76.6



#34  
Caprolactam  
Concen: 79.217 ng/ul  
RT: 11.798 min Scan# 1481  
Delta R.T. 0.024 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:113 Resp: 518294  
Ion Ratio Lower Upper  
113 100  
55 153.0 127.5 191.3  
56 115.6 94.6 142.0









#35  
4-Chloro-3-methylphenol  
Concen: 94.508 ng/ul  
RT: 12.098 min Scan# 1532  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:107 Resp: 2104202  
Ion Ratio Lower Upper  
107 100  
144 26.3 21.5 32.3  
142 80.0 63.9 95.9



#36  
2-Methylnaphthalene  
Concen: 86.949 ng/ul  
RT: 12.469 min Scan# 1595  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:142 Resp: 4309397  
Ion Ratio Lower Upper  
142 100  
141 88.4 70.7 106.1





#37

1-Methylnaphthalene

Concen: 85.991 ng/ul

RT: 12.686 min Scan# 1

Delta R.T. -0.012 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09

Instrument :

BNA\_M

ClientSampleId :

DFTPP080





Tgt Ion:142 Resp: 4284495

Ion Ratio Lower Upper

142 100

141 91.6 73.4 110.2

116 3.8 3.1 4.7



#39

1,2,4,5-Tetrachlorobenzene

Concen: 88.185 ng/ul

RT: 12.833 min Scan# 1657

Delta R.T. -0.006 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09

Tgt Ion:216 Resp: 2034881




Ion Ratio Lower Upper

216 100


214 78.3 62.4 93.6

179 21.4 16.7 25.1

108 19.0 15.4 23.0











#40  
Hexachlorocyclopentadiene  
Concen: 91.518 ng/ul  
RT: 12.810 min Scan# 1653  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:237 Resp: 1100552  
Ion Ratio Lower Upper  
237 100  
235 63.2 50.9 76.3  
272 13.3 10.3 15.5



#41  
2,4,6-Trichlorophenol  
Concen: 99.917 ng/ul  
RT: 13.069 min Scan# 1697  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:196 Resp: 1411699  
Ion Ratio Lower Upper  
196 100  
198 94.3 77.3 115.9  
200 29.9 25.2 37.8





#42

2,4,5-Trichlorophenol

Concen: 100.517 ng/ul

RT: 13.145 min Scan# 1

Delta R.T. -0.006 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09

Instrument :

BNA\_M

ClientSampleId :

DFTPP080





Tgt Ion:196 Resp: 1522624

Ion Ratio Lower Upper

196 100

198 95.6 75.6 113.4

200 30.5 24.7 37.1



#43

1,1'-Biphenyl

Concen: 90.491 ng/ul

RT: 13.469 min Scan# 1765

Delta R.T. -0.012 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09




Tgt Ion:154 Resp: 5438305


Ion Ratio Lower Upper

154 100

153 40.6 31.4 47.2

76 13.4 10.4 15.6





#44

2-Chloronaphthalene

Concen: 90.433 ng/ul

RT: 13.516 min Scan# 1

Delta R.T. -0.006 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09

Instrument :

BNA\_M

ClientSampleId :

DFTFP080





Tgt Ion:162 Resp: 4264680

Ion Ratio Lower Upper

162 100

164 33.3 26.2 39.2

127 38.8 32.6 49.0



#45

2-Nitroaniline

Concen: 113.064 ng/ul

RT: 13.716 min Scan# 1807

Delta R.T. -0.006 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09




Tgt Ion: 65 Resp: 1312378


Ion Ratio Lower Upper

65 100

92 71.3 54.4 81.6

138 108.0 86.1 129.1









#47  
Dimethylphthalate  
Concen: 88.349 ng/ul  
RT: 14.092 min Scan# 1871  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:163 Resp: 5153060  
Ion Ratio Lower Upper  
163 100  
194 4.0 3.0 4.6  
164 10.4 8.3 12.5



#48  
2,6-Dinitrotoluene  
Concen: 115.268 ng/ul  
RT: 14.210 min Scan# 1891  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:165 Resp: 1093061  
Ion Ratio Lower Upper  
165 100  
89 62.1 52.8 79.2  
121 22.3 19.4 29.0









#50  
Acenaphthylene  
Concen: 88.970 ng/ul  
RT: 14.357 min Scan# 1916  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTFP080


Tgt Ion:152 Resp: 6634273  
Ion Ratio Lower Upper  
152 100  
151 20.3 15.7 23.5  
153 13.3 10.5 15.7



#51  
3-Nitroaniline  
Concen: 109.649 ng/ul  
RT: 14.539 min Scan# 1947  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:138 Resp: 1247052  
Ion Ratio Lower Upper  
138 100  
108 10.2 12.5 18.7#  
92 115.0 95.4 143.2









#52  
Acenaphthene  
Concen: 88.793 ng/ul  
RT: 14.698 min Scan# 1974  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:153 Resp: 4632744  
Ion Ratio Lower Upper  
153 100  
152 48.8 38.2 57.2  
154 89.2 71.0 106.6



#53  
2,4-Dinitrophenol  
Concen: 113.686 ng/ul  
RT: 14.739 min Scan# 1981  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:184 Resp: 478353  
Ion Ratio Lower Upper  
184 100  
63 73.7 58.8 88.2  
154 65.3 55.0 82.4









#55  
4-Nitrophenol  
Concen: 85.826 ng/ul  
RT: 14.839 min Scan# 1999  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:109 Resp: 782439  
Ion Ratio Lower Upper  
109 100  
139 131.5 102.2 153.4  
65 128.1 105.7 158.5



#56  
Dibenzofuran  
Concen: 88.428 ng/ul  
RT: 15.027 min Scan# 2030  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:168 Resp: 6196061  
Ion Ratio Lower Upper  
168 100  
139 38.8 29.7 44.5





#57

2,4-Dinitrotoluene

Concen: 112.032 ng/ul

RT: 14.992 min Scan# 2025

Delta R.T. -0.006 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09

Instrument :

BNA\_M

ClientSampleId :

DFTPP080





Tgt Ion:165 Resp: 1544461

Ion Ratio Lower Upper

165 100

63 44.6 39.7 59.5

182 2.6 2.1 3.1



#58

2,3,4,6-Tetrachlorophenol

Concen: 97.515 ng/ul

RT: 15.251 min Scan# 2068

Delta R.T. -0.006 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09

Tgt Ion:232 Resp: 1236508




Ion Ratio Lower Upper

232 100


131 49.8 39.1 58.7

130 2.5 1.8 2.6

166 32.4 25.4 38.0











#59  
Diethylphthalate  
Concen: 90.227 ng/ul  
RT: 15.451 min Scan# 2102  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:149 Resp: 5268168  
Ion Ratio Lower Upper  
149 100  
177 22.0 17.3 25.9  
150 12.7 10.1 15.1



#61  
Fluorene  
Concen: 87.808 ng/ul  
RT: 15.674 min Scan# 2140  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:166 Resp: 5240121  
Ion Ratio Lower Upper  
166 100  
165 96.4 78.5 117.7  
167 13.6 10.4 15.6









#62  
4-Chlorophenyl-phenylether  
Concen: 86.664 ng/ul  
RT: 15.668 min Scan# 2140  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:204 Resp: 2473425  
Ion Ratio Lower Upper  
204 100  
206 33.1 25.7 38.5  
141 59.5 49.4 74.0



#63  
4-Nitroaniline  
Concen: 118.796 ng/ul  
RT: 15.704 min Scan# 2145  
Delta R.T. 0.000 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:138 Resp: 1312683  
Ion Ratio Lower Upper  
138 100  
92 50.7 42.1 63.1  
108 79.3 66.2 99.2









#66  
4,6-Dinitro-2-methylphenol  
Concen: 96.819 ng/ul  
RT: 15.751 min Scan# 2154  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:198 Resp: 706220  
Ion Ratio Lower Upper  
198 100  
182 3.8 4.2 6.2#  
77 28.3 24.0 36.0



#67  
N-Nitrosodiphenylamine  
Concen: 90.678 ng/ul  
RT: 15.880 min Scan# 2175  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:169 Resp: 4363315  
Ion Ratio Lower Upper  
169 100  
168 67.3 54.6 81.8  
167 37.2 29.6 44.4









#68  
4-Bromophenyl-phenylether  
Concen: 88.021 ng/ul  
RT: 16.557 min Scan# 2110  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:248 Resp: 1417405  
Ion Ratio Lower Upper  
248 100  
250 96.4 78.9 118.3  
141 82.2 65.7 98.5



#69  
Hexachlorobenzene  
Concen: 86.361 ng/ul  
RT: 16.674 min Scan# 2310  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:284 Resp: 1644868  
Ion Ratio Lower Upper  
284 100  
142 37.4 30.8 46.2  
249 30.2 24.2 36.2









#70  
Atrazine  
Concen: 91.393 ng/ul  
RT: 16.833 min Scan# 21  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:200 Resp: 1551863  
Ion Ratio Lower Upper  
200 100  
173 28.2 21.8 32.6  
215 47.3 39.4 59.2



#71  
Pentachlorophenol  
Concen: 91.000 ng/ul  
RT: 17.015 min Scan# 2368  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:266 Resp: 1029524  
Ion Ratio Lower Upper  
266 100  
264 62.0 49.7 74.5  
268 63.3 51.8 77.6









#72  
Phenanthrene  
Concen: 88.206 ng/ul  
RT: 17.409 min Scan# 2435  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:178 Resp: 7937589  
Ion Ratio Lower Upper  
178 100  
179 16.2 12.2 18.2  
176 20.6 15.7 23.5



#74  
Anthracene  
Concen: 88.331 ng/ul  
RT: 17.504 min Scan# 2451  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:178 Resp: 8079548  
Ion Ratio Lower Upper  
178 100  
179 16.2 12.3 18.5  
176 19.9 15.0 22.6





#75

1,2,3,4-Tetrachlorobenzene

Concen: 93.490 ng/uL

RT: 13.433 min Scan# 1

Delta R.T. -0.012 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09

Instrument :

BNA\_M

ClientSampleId :

DFTPP080





Tgt Ion:216 Resp: 2089069

Ion Ratio Lower Upper

216 100

214 79.2 62.6 94.0

218 48.1 38.2 57.2



#76

Pentachlorobenzene

Concen: 81.228 ng/uL

RT: 14.945 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BM036738.D

Acq: 25 Sep 2022 06:09




Tgt Ion:250 Resp: 1963149


Ion Ratio Lower Upper

250 100

248 62.6 50.2 75.2

252 64.4 50.5 75.7









#77  
 Carbazole  
 Concen: 87.790 ng/ul  
 RT: 17.768 min Scan# 2498  
 Delta R.T. -0.012 min  
 Lab File: BM036738.D  
 Acq: 25 Sep 2022 06:09




Instrument :  
 BNA\_M  
 ClientSampleId :  
 DFTPP080

Tgt Ion:167 Resp: 7434634  
 Ion Ratio Lower Upper  
 167 100  
 166 22.2 17.2 25.8  
 139 13.9 10.6 15.8




#78  
 Di-n-butylphthalate  
 Concen: 93.762 ng/ul  
 RT: 18.333 min Scan# 2592  
 Delta R.T. -0.012 min  
 Lab File: BM036738.D  
 Acq: 25 Sep 2022 06:09

Tgt Ion:149 Resp: 8999861  
 Ion Ratio Lower Upper  
 149 100  
 150 9.9 7.2 10.8  
 104 5.3 4.3 6.5











#80  
Fluoranthene  
Concen: 97.660 ng/ul  
RT: 19.415 min Scan# 21  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:202 Resp: 8976907  
Ion Ratio Lower Upper  
202 100  
101 13.2 9.8 14.6  
100 9.8 7.4 11.2



#82  
Pyrene  
Concen: 95.752 ng/ul  
RT: 19.780 min Scan# 2838  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:202 Resp: 9316648  
Ion Ratio Lower Upper  
202 100  
101 14.3 10.9 16.3  
100 11.6 8.7 13.1









#83  
Butylbenzylphthalate  
Concen: 112.223 ng/ul  
RT: 20.674 min Scan# 2990  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:149 Resp: 4137570  
Ion Ratio Lower Upper  
149 100  
91 70.5 55.2 82.8  
206 20.5 16.2 24.2



#84  
3,3'-Dichlorobenzidine  
Concen: 102.268 ng/ul  
RT: 21.450 min Scan# 3122  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:252 Resp: 3046841  
Ion Ratio Lower Upper  
252 100  
254 65.6 53.0 79.4  
126 12.6 10.4 15.6









#85  
Benzo(a)anthracene  
Concen: 90.150 ng/ul  
RT: 21.521 min Scan# 3134  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:228 Resp: 8612374  
Ion Ratio Lower Upper  
228 100  
229 20.8 15.8 23.8  
226 28.7 21.9 32.9



#86  
Bis(2-ethylhexyl)phthalate  
Concen: 108.863 ng/ul  
RT: 21.444 min Scan# 3121  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:149 Resp: 5863041  
Ion Ratio Lower Upper  
149 100  
167 28.7 22.0 33.0  
279 4.1 3.3 4.9









#87  
Chrysene  
Concen: 88.781 ng/ul  
RT: 21.574 min Scan# 3145  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:228 Resp: 8050615  
Ion Ratio Lower Upper  
228 100  
226 31.4 24.4 36.6  
229 21.0 15.6 23.4



#89  
Di-n-octyl phthalate  
Concen: 123.268 ng/ul  
RT: 22.380 min Scan# 3280  
Delta R.T. -0.018 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:149 Resp: 9789302









#90  
Benzo(b)fluoranthene  
Concen: 95.856 ng/ul  
RT: 23.227 min Scan# 3427  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:252 Resp: 8007069  
Ion Ratio Lower Upper  
252 100  
253 22.8 17.6 26.4  
125 11.5 9.1 13.7



#91  
Benzo(k)fluoranthene  
Concen: 94.952 ng/ul  
RT: 23.280 min Scan# 3433  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:252 Resp: 7925402  
Ion Ratio Lower Upper  
252 100  
253 22.5 17.8 26.8  
125 11.2 8.2 12.4









#93  
Benzo(a)pyrene  
Concen: 91.779 ng/ul  
RT: 23.862 min Scan# 31  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09




Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080


Tgt Ion:252 Resp: 6739636  
Ion Ratio Lower Upper  
252 100  
253 22.3 17.5 26.3  
125 12.8 9.5 14.3



#94  
Indeno(1,2,3-cd)pyrene  
Concen: 90.992 ng/ul  
RT: 26.515 min Scan# 3983  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:276 Resp: 7802963  
Ion Ratio Lower Upper  
276 100  
138 29.2 20.2 30.4  
277 25.1 19.7 29.5









#95  
Dibenzo(a,h)anthracene  
Concen: 87.304 ng/ul  
RT: 26.526 min Scan# 3985  
Delta R.T. -0.012 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Instrument :  
BNA\_M  
ClientSampleId :  
DFTPP080

Tgt Ion:278 Resp: 6789661  
Ion Ratio Lower Upper  
278 100  
139 18.8 14.5 21.7  
279 24.0 19.7 29.5



#96  
Benzo(g,h,i)perylene  
Concen: 83.371 ng/ul  
RT: 27.297 min Scan# 4116  
Delta R.T. -0.006 min  
Lab File: BM036738.D  
Acq: 25 Sep 2022 06:09

Tgt Ion:276 Resp: 6197975  
Ion Ratio Lower Upper  
276 100  
138 24.5 18.7 28.1  
277 24.2 19.2 28.8

