

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092717\
 Data File : BM011740.D
 Acq On : 28 Sep 2017 01:21
 Operator : SJ/JU
 Sample : I5377-08
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Sep 28 04:08:56 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM092717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 28 04:06:20 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	222991	20.00	ng/ul	0.00
18) Naphthalene-d8	10.74	136	1026694	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.57	164	582659	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.32	188	1273005	20.00	ng/ul	0.00
75) Chrysene-d12	21.48	240	1362973	20.00	ng/ul	0.00
83) Perylene-d12	23.84	264	1141588	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.36	96	8880	1.78	ng/uL	0.00
5) Phenol-d5	7.09	99	205940	9.39	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.26	67	176602	11.10	ng/ul	0.00
9) 2-Chlorophenol-d4	7.46	132	177742	10.89	ng/ul	0.00
13) 4-Methylphenol-d8	8.63	113	156849	9.13	ng/ul	0.00
19) Nitrobenzene-d5	9.10	128	84600	10.56	ng/ul	0.00
22) 2-Nitrophenol-d4	9.82	143	80787	9.46	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.36	165	159418	9.78	ng/ul	0.00
29) 4-Chloroaniline-d4	10.89	131	41655	2.31	ng/ul	0.01
43) Dimethylphthalate-d6	13.97	166	551825	11.04	ng/ul	0.00
46) Acenaphthylene-d8	14.26	160	673753	11.15	ng/ul	0.00
51) 4-Nitrophenol-d4	14.77	143	10251	1.20	ng/ul	0.01
57) Fluorene-d10	15.56	176	493434	11.47	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.67	200	27217	3.16	ng/ul	0.00
70) Anthracene-d10	17.41	188	758273	11.71	ng/ul	0.00
76) Pyrene-d10	19.70	212	900677	13.85	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.69	264	655534	11.99	ng/ul	0.00

Target Compounds


					Ovalue	
44) Dimethylphthalate	14.02	163	142183	2.975	ng/ul	99
69) Phenanthrene	17.36	178	157687	2.213	ng/ul	99
74) Fluoranthene	19.36	202	305558	3.513	ng/ul#	89
77) Pyrene	19.73	202	290269	3.574	ng/ul#	87
80) Benzo(a)anthracene	21.46	228	162156	2.127	ng/ul	95
82) Chrysene	21.52	228	167559	2.330	ng/ul	98
85) Benzo(b)fluoranthene	23.12	252	208239	3.092	ng/ul#	91
86) Benzo(k)fluoranthene	23.12	252	208239	3.031	ng/ul#	92
88) Benzo(a)pyrene	23.73	252	115329	1.773	ng/ul#	94
89) Indeno(1,2,3-cd)pyrene	26.26	276	69201	1.022	ng/ul#	88
91) Benzo(g,h,i)perylene	27.00	276	73022	1.299	ng/ul#	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092717\
Data File : BM011740.D
Acq On : 28 Sep 2017 01:21
Operator : SJ/JU
Sample : I5377-08
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Sep 28 04:08:56 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM092717.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Sep 28 04:06:20 2017
Response via : Initial Calibration









#44
Dimethylphthalate
Concen: 2.975 ng/ul
RT: 14.02 min Scan# 1825
Delta R.T. -0.00 min
Lab File: BM011740.D
Acq: 28 Sep 2017 01:21




Instrument :
BNA_M
ClientSampleId :


Tot Ion:163 Resp: 142183
Ion Ratio Lower Upper
163 100
194 4.1 3.5 5.3
164 10.0 8.2 12.4



#69
Phenanthrene
Concen: 2.213 ng/ul
RT: 17.36 min Scan# 2392
Delta R.T. -0.00 min
Lab File: BM011740.D
Acq: 28 Sep 2017 01:21

Tgt Ion:178 Resp: 157687
Ion Ratio Lower Upper
178 100
179 15.3 12.6 19.0
176 19.0 14.9 22.3





#74

Fluoranthene

Concen: 3.513 ng/ul

RT: 19.36 min Scan# 2733

Delta R.T. -0.00 min

Lab File: BM011740.D

Acq: 28 Sep 2017 01:21

Instrument :

BNA_M

ClientSampleId :


Tot Ion:202 Resp: 305558

Ion Ratio Lower Upper

202 100

101 9.0 4.6 7.0#




100 8.2 3.4 5.2#



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B



#77

Pyrene

Concen: 3.574 ng/ul

RT: 19.73 min Scan# 2795

Delta R.T. -0.00 min

Lab File: BM011740.D

Acq: 28 Sep 2017 01:21


Tgt Ion:202 Resp: 290269

Ion Ratio Lower Upper

202 100

101 11.7 5.1 7.7#



100 9.6 4.9 7.3#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B









#80
Benzo(a)anthracene
Concen: 2.127 ng/ul
RT: 21.46 min Scan# 3090
Delta R.T. -0.00 min
Lab File: BM011740.D
Acq: 28 Sep 2017 01:21




Instrument :
BNA_M
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
228	100		
229	21.6	15.4	23.0
226	29.3	21.4	32.0



#82
Chrysene
Concen: 2.330 ng/ul
RT: 21.52 min Scan# 3099
Delta R.T. -0.00 min
Lab File: BM011740.D
Acq: 28 Sep 2017 01:21

Tgt Ion	Ratio	Lower	Upper
228	100		
226	28.6	23.4	35.2
229	20.9	15.5	23.3









#85
Benzo(b)fluoranthene
Concen: 3.092 ng/ul
RT: 23.12 min Scan# 3372
Delta R.T. -0.01 min
Lab File: BM011740.D
Acq: 28 Sep 2017 01:21




Instrument :
BNA_M
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.9	26.9
125	19.4	3.6	5.4



#86
Benzo(k)fluoranthene
Concen: 3.031 ng/ul
RT: 23.12 min Scan# 3372
Delta R.T. -0.05 min
Lab File: BM011740.D
Acq: 28 Sep 2017 01:21

Tgt Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.1	25.7
125	19.4	3.4	5.2





#88

Benzo(a)pyrene

Concen: 1.773 ng/ul

RT: 23.73 min Scan# 3476

Delta R.T. -0.01 min

Lab File: BM011740.D





Acq: 28 Sep 2017 01:21

Instrument :

BNA_M

ClientSampleId :

Tot Ion:	252	Resp:	115329
Ion	Ratio	Lower	Upper
252	100		
253	23.6	18.2	27.2
125	12.5	4.0	6.0#



#89

Indeno(1,2,3-cd)pyrene

Concen: 1.022 ng/ul




RT: 26.26 min Scan# 3905


Delta R.T. -0.01 min

Lab File: BM011740.D

Acq: 28 Sep 2017 01:21

Tgt Ion:	276	Resp:	69201
Ion	Ratio	Lower	Upper
276	100		
138	22.2	9.3	13.9#
277	22.4	19.9	29.9





#91

Benzo(a,h,i)perylene

Concen: 1.299 ng/ul

RT: 27.00 min Scan# 4032

Delta R.T. -0.01 min

Lab File: BM011740.D

Acq: 28 Sep 2017 01:21

Instrument :

BNA_M

ClientSampleId :

Tot Ion:276 Resp: 73022

Ion Ratio Lower Upper

276 100

138 22.7 8.5 12.7#

277 28.2 18.6 28.0#

