

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM092816\
 Data File : BM007609.D
 Acq On : 28 Sep 2016 19:31
 Operator : UM/SJ
 Sample : H4955-13MS
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4VM1MS

Quant Time: Sep 29 01:41:53 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM092316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 29 01:41:47 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	211488	20.00	ng/ul	0.00
18) Naphthalene-d8	10.56	136	1007328	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.40	164	805528	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.15	188	1859553	20.00	ng/ul	0.00
75) Chrysene-d12	21.33	240	2496484	20.00	ng/ul	0.00
83) Perylene-d12	23.60	264	2372434	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.30	96	5582	1.30	ng/uL	0.00
5) Phenol-d5	6.95	99	114118	6.08	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.11	67	285003	28.24	ng/ul	0.00
9) 2-Chlorophenol-d4	7.31	132	304154	22.31	ng/ul	0.00
13) 4-Methylphenol-d8	8.48	113	229635	14.33	ng/ul	0.00
19) Nitrobenzene-d5	8.93	128	209681	29.12	ng/ul	0.00
22) 2-Nitrophenol-d4	9.65	143	239218	29.24	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.18	165	426173	26.14	ng/ul	0.00
29) 4-Chloroaniline-d4	10.73	131	13669	0.80	ng/ul	0.03
43) Dimethylphthalate-d6	13.82	166	1933199	32.99	ng/ul	0.00
46) Acenaphthylene-d8	14.10	160	2157753	31.74	ng/ul	0.00
51) 4-Nitrophenol-d4	14.62	143	59354	5.74	ng/ul	0.00
57) Fluorene-d10	15.40	176	1688253	32.85	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.53	200	338832	29.86	ng/ul	0.00
70) Anthracene-d10	17.25	188	2918695	34.16	ng/ul	0.00
76) Pyrene-d10	19.54	212	3696271	37.31	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.45	264	3596623	34.26	ng/ul	0.00

Target Compounds


						Qvalue
6) Phenol	6.97	94	122446	6.43	ng/ul	97
10) 2-Chlorophenol	7.34	128	304942	22.31	ng/ul	97
15) N-Nitroso-di-n-propylamine	8.57	70	394151	31.81	ng/ul	96
33) 4-Chloro-3-methylphenol	11.85	107	512034	26.18	ng/ul	93
49) Acenaphthene	14.47	153	1447047	31.18	ng/ul	100
52) 4-Nitrophenol	14.64	109	62096	5.77	ng/ul	89
54) 2,4-Dinitrotoluene	14.78	165	601573	34.60	ng/ul	97
68) Pentachlorophenol	16.80	266	480096	33.58	ng/ul	98
77) Pyrene	19.57	202	4514912	36.86	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM092816\
Data File : BM007609.D
Acq On : 28 Sep 2016 19:31
Operator : UM/SJ
Sample : H4955-13MS
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4VM1MS

Quant Time: Sep 29 01:41:53 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM092316.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Sep 29 01:41:47 2016
Response via : Initial Calibration





#6

Phenol

Concen: 6.43 ng/ul

RT: 6.97 min Scan# 746

Delta R.T. -0.00 min

Lab File: BM007609.D

Acq: 28 Sep 2016 19:31

Instrument :

BNA_M

ClientSampleId :

A4VM1MS


Tgt Ion: 94 Resp: 122446

Ion Ratio Lower Upper

94 100

65 32.0 23.9 35.9




66 43.5 33.5 50.3



Abundance Ion 94.00 (93.70 to 94.70): BM007609.D (-712) (-)

Ion 65.00 (64.70 to 65.70): BM007609.D (-712) (-)

Ion 66.00 (65.70 to 66.70): BM007609.D (-712) (-)



#10

2-Chlorophenol

Concen: 22.31 ng/ul

RT: 7.34 min Scan# 808

Delta R.T. -0.01 min

Lab File: BM007609.D

Acq: 28 Sep 2016 19:31


Tgt Ion: 128 Resp: 304942

Ion Ratio Lower Upper

128 100

64 48.4 37.5 56.3



130 33.0 25.0 37.4




Abundance Ion 128.00 (127.70 to 128.70): BM007609.D (-775) (-)

Ion 64.00 (63.70 to 64.70): BM007609.D (-775) (-)

Ion 130.00 (129.70 to 130.70): BM007609.D (-775) (-)









#15
N-Nitroso-di-n-propylamine
Concen: 31.81 ng/ul
RT: 8.57 min Scan# 1018
Delta R.T. -0.01 min
Lab File: BM007609.D
Acq: 28 Sep 2016 19:31




Instrument :
BNA_M
ClientSampleId :
A4VM1MS


Tgt Ion:	70	Resp:	394151
Ion	Ratio	Lower	Upper
70	100		
42	49.7	43.4	65.2
101	9.3	7.8	11.6
130	19.8	16.2	24.4



#33
4-Chloro-3-methylphenol
Concen: 26.18 ng/ul
RT: 11.85 min Scan# 1574
Delta R.T. -0.01 min
Lab File: BM007609.D
Acq: 28 Sep 2016 19:31

Tgt Ion:	107	Resp:	512034
Ion	Ratio	Lower	Upper
107	100		
144	23.2	21.1	31.7
142	73.5	64.1	96.1





#49

Acenaphthene

Concen: 31.18 ng/ul

RT: 14.47 min Scan# 2020

Delta R.T. -0.00 min

Lab File: BM007609.D

Acq: 28 Sep 2016 19:31

Instrument :

BNA_M

ClientSampleId :

A4VM1MS


Tgt Ion:153 Resp: 1447047

Ion Ratio Lower Upper

153 100

152 47.9 37.8 56.6




154 89.3 71.4 107.0



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E



#52

4-Nitrophenol

Concen: 5.77 ng/ul

RT: 14.64 min Scan# 2049

Delta R.T. 0.01 min

Lab File: BM007609.D

Acq: 28 Sep 2016 19:31


Tgt Ion:109 Resp: 62096

Ion Ratio Lower Upper

109 100

139 101.8 88.7 133.1



65 106.4 96.4 144.6




Abundance Ion 109.00 (108.70 to 109.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 65.00 (64.70 to 65.70): BM









#54
 2,4-Dinitrotoluene
 Concen: 34.60 ng/ul
 RT: 14.78 min Scan# 2073
 Delta R.T. -0.00 min
 Lab File: BM007609.D
 Acq: 28 Sep 2016 19:31




Instrument :
 BNA_M
 ClientSampleId :
 A4VM1MS


Tgt Ion:165 Resp: 601573
 Ion Ratio Lower Upper
 165 100
 63 47.5 36.2 54.2
 182 3.0 2.2 3.4



#68
 Pentachlorophenol
 Concen: 33.58 ng/ul
 RT: 16.80 min Scan# 2417
 Delta R.T. -0.00 min
 Lab File: BM007609.D
 Acq: 28 Sep 2016 19:31

Tgt Ion:266 Resp: 480096
 Ion Ratio Lower Upper
 266 100
 264 62.2 50.6 75.8
 268 62.3 51.0 76.6





#77

Pyrene

Concen: 36.86 ng/ul

RT: 19.57 min Scan# 2888

Delta R.T. -0.00 min

Lab File: BM007609.D

Acq: 28 Sep 2016 19:31

Instrument :

BNA_M

ClientSampleId :

A4VM1MS


Tgt Ion: 202 Resp: 4514912

Ion Ratio Lower Upper

202 100

101 10.0 8.4 12.6

100 8.1 6.9 10.3



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B

