

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092915\
 Data File : BM002766.D
 Acq On : 30 Sep 2015 03:30
 Operator : UM/IZ
 Sample : G3838-23
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E5MX9

Quant Time: Sep 30 05:57:47 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM092915.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 30 02:06:21 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.70	152	104577	20.00	ng/ul	0.00
18) Naphthalene-d8	11.56	136	463743	20.00	ng/ul	0.00
36) Acenaphthene-d10	15.29	164	232900	20.00	ng/ul	0.00
62) Phenanthrene-d10	18.00	188	436018	20.00	ng/ul	0.00
78) Chrysene-d12	22.09	240	397480	20.00	ng/ul	0.00
86) Perylene-d12	24.67	264	383852	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.76	96	11084	4.92	ng/uL	0.00
5) Phenol-d5	7.81	99	178653	22.55	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.99	67	136084	30.53	ng/ul	0.00
9) 2-Chlorophenol-d4	8.21	132	195867	26.56	ng/ul	0.00
13) 4-Methylphenol-d8	9.39	113	130196	19.93	ng/ul	0.00
19) Nitrobenzene-d5	9.89	128	105528	29.84	ng/ul	0.00
22) 2-Nitrophenol-d4	10.62	143	112121	30.33	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	11.16	165	172464	26.44	ng/ul	0.00
29) 4-Chloroaniline-d4	11.68	131	257413	32.78	ng/ul	0.00
44) Dimethylphthalate-d6	14.67	166	537850	30.70	ng/ul	0.00
47) Acenaphthylene-d8	15.00	160	710486	30.38	ng/ul	0.00
52) 4-Nitrophenol-d4	15.46	143	65901	21.18	ng/ul	0.00
58) Fluorene-d10	16.27	176	459015	29.08	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	16.39	200	47470	22.32	ng/ul	0.00
71) Anthracene-d10	18.10	188	627958	30.18	ng/ul	0.00
79) Pyrene-d10	20.33	212	601754	32.44	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.51	264	613391	31.24	ng/ul	0.00


Target Compounds					Ovalue
2) 1,4-Dioxane	3.45	88	6359	2.55 ng/uL#	1
45) Dimethylphthalate	14.72	163	295944	16.61 ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092915\
Data File : BM002766.D
Acq On : 30 Sep 2015 03:30
Operator : UM/IZ
Sample : G3838-23
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
E5MX9

Quant Time: Sep 30 05:57:47 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM092915.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 30 02:06:21 2015
Response via : Initial Calibration





#2

1,4-Dioxane

Concen: 2.55 ng/uL

RT: 3.45 min Scan# 62

Delta R.T. -0.36 min

Lab File: BM002766.D

Acq: 30 Sep 2015 03:30

Instrument :

BNA_M

ClientSampled :

E5MX9


Tot Ion: 88 Resp: 6359

Ion Ratio Lower Upper

88 100

43 2523.4 26.2 39.4#

58 20.8 58.5 87.7#






Abundance Ion 88.00 (87.70 to 88.70): BM002757.D (-118) (-)

Ion 43.00 (42.70 to 43.70): BM002757.D (-118) (-)

Ion 58.00 (57.70 to 58.70): BM002757.D (-118) (-)

Time-->



#45

Dimethylphthalate

Concen: 16.61 ng/uL

RT: 14.72 min Scan# 1978

Delta R.T. 0.00 min

Lab File: BM002766.D

Acq: 30 Sep 2015 03:30


Tgt Ion: 163 Resp: 295944

Ion Ratio Lower Upper

163 100

194 4.1 3.2 4.8

164 9.8 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): BM002757.D (-1972) (-)

Ion 194.00 (193.70 to 194.70): BM002757.D (-1972) (-)

Ion 164.00 (163.70 to 164.70): BM002757.D (-1972) (-)

Time-->

