

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092917\
 Data File : BM011776.D
 Acq On : 29 Sep 2017 20:37
 Operator : SJ/JU
 Sample : I5354-03
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B0B89

Quant Time: Sep 30 01:20:14 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM092717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Sep 30 00:51:32 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	212118	20.00	ng/ul	0.00
18) Naphthalene-d8	10.74	136	965811	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.57	164	537396	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.31	188	1151009	20.00	ng/ul	0.00
75) Chrysene-d12	21.47	240	949191	20.00	ng/ul	0.00
83) Perylene-d12	23.84	264	779962	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.36	96	29257	6.15	ng/uL	0.00
5) Phenol-d5	7.09	99	689383	33.04	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.26	67	530076	35.03	ng/ul	0.00
9) 2-Chlorophenol-d4	7.46	132	554193	35.71	ng/ul	0.00
13) 4-Methylphenol-d8	8.63	113	566459	34.66	ng/ul	0.00
19) Nitrobenzene-d5	9.10	128	276492	36.70	ng/ul	0.00
22) 2-Nitrophenol-d4	9.82	143	311256	38.74	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.35	165	550089	35.87	ng/ul	0.00
29) 4-Chloroaniline-d4	10.87	131	754806	44.52	ng/ul	0.00
43) Dimethylphthalate-d6	13.97	166	1797195	38.99	ng/ul	0.00
46) Acenaphthylene-d8	14.26	160	2176803	39.05	ng/ul	0.00
51) 4-Nitrophenol-d4	14.76	143	258344	32.79	ng/ul	0.00
57) Fluorene-d10	15.56	176	1546766	38.97	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.68	200	227785	29.22	ng/ul	0.00
70) Anthracene-d10	17.41	188	2399358	40.96	ng/ul	0.00
76) Pyrene-d10	19.70	212	2588752	57.15	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.69	264	1517443	40.63	ng/ul	0.00


Target Compounds				Ovalue	
44) Dimethylphthalate	14.02	163	467884	10.614	ng/ul# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM092917\
Data File : BM011776.D
Acq On : 29 Sep 2017 20:37
Operator : SJ/JU
Sample : I5354-03
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B0B89

Quant Time: Sep 30 01:20:14 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM092717.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Sep 30 00:51:32 2017
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 10.614 ng/ul

RT: 14.02 min Scan# 1859

Delta R.T. -0.00 min

Lab File: BM011776.D

Acq: 29 Sep 2017 20:37

Instrument :

BNA_M

ClientSampleId :

B0B89


Tot Ion:163 Resp: 467884

Ion Ratio Lower Upper

163 100

194 3.4 3.5 5.3#

164 10.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

