

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM100324\
 Data File : BM047837.D
 Acq On : 04 Oct 2024 11:03
 Operator : RC/JU
 Sample : P4016-11ME
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DCVW2ME

Quant Time: Oct 04 13:00:22 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM092724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Oct 04 08:32:31 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.804	152	248263	20.000	ng/ul	0.00
20) Naphthalene-d8	10.592	136	983827	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.433	164	616289	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.174	188	1204717	20.000	ng/ul	0.00
79) Chrysene-d12	21.398	240	1143448	20.000	ng/ul	0.00
88) Perylene-d12	24.397	264	1312344	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.252	96	21355	2.780	ng/uL	0.00
4) Pyridine-d5	3.669	84	315035	14.005	ng/ul	0.00
7) Phenol-d5	6.969	99	410264	17.476	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.128	67	270134	16.216	ng/ul	0.00
11) 2-Chlorophenol-d4	7.334	132	330679	19.361	ng/ul	0.00
15) 4-Methylphenol-d8	8.504	113	311757	17.862	ng/ul	0.00
21) Nitrobenzene-d5	8.957	128	154875	19.771	ng/ul	0.00
24) 2-Nitrophenol-d4	9.675	143	156903	20.902	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.216	165	312541	20.842	ng/ul	0.00
31) 4-Chloroaniline-d4	10.728	131	507795	21.904	ng/ul	0.00
46) Dimethylphthalate-d6	13.845	166	911743	20.405	ng/ul	0.00
49) Acenaphthylene-d8	14.127	160	1101570	20.793	ng/ul	0.00
54) 4-Nitrophenol-d4	14.633	143	110682	12.442	ng/ul	0.00
60) Fluorene-d10	15.427	176	788124	20.364	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.539	200	56000	7.943	ng/ul	0.00
73) Anthracene-d10	17.274	188	1210593	20.436	ng/ul	0.00
81) Pyrene-d10	19.557	212	1415392	21.810	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.192	264	1436389	21.095	ng/ul	0.00
Target Compounds						
					Qvalue	
30) Naphthalene	10.645	128	552924	9.771	ng/ul	98
36) 2-Methylnaphthalene	12.257	142	836898	23.275	ng/ul	99
37) 1-Methylnaphthalene	12.475	142	481262	13.155	ng/ul	99
43) 1,1'-Biphenyl	13.269	154	80054	1.622	ng/ul	91
58) 2,3,4,6-Tetrachlorophenol	15.063	232	1117114	111.650	ng/ul	98
61) Fluorene	15.480	166	53277	1.123	ng/ul#	84
71) Pentachlorophenol	16.845	266	6260130	681.249	ng/ul	99
72) Phenanthrene	17.215	178	238941	3.382	ng/ul#	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM100324\
Data File : BM047837.D
Acq On : 04 Oct 2024 11:03
Operator : RC/JU
Sample : P4016-11ME
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCVW2ME

Quant Time: Oct 04 13:00:22 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM092724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Oct 04 08:32:31 2024
Response via : Initial Calibration

