

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM100324\
 Data File : BM047845.D
 Acq On : 04 Oct 2024 16:19
 Operator : RC/JU
 Sample : P4017-14ME
 Misc :
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DDC96ME

Quant Time: Oct 04 17:12:30 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM092724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Oct 04 08:32:31 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.798	152	265654	20.000	ng/ul	0.00
20) Naphthalene-d8	10.592	136	1067752	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.433	164	669611	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.174	188	1337236	20.000	ng/ul	0.00
79) Chrysene-d12	21.397	240	1296043	20.000	ng/ul	0.00
88) Perylene-d12	24.397	264	1492013	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.251	96	22356	2.720	ng/uL	0.00
4) Pyridine-d5	3.669	84	273227	11.352	ng/ul	0.00
7) Phenol-d5	6.963	99	388655	15.472	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.128	67	253099	14.199	ng/ul	0.00
11) 2-Chlorophenol-d4	7.334	132	331099	18.116	ng/ul	0.00
15) 4-Methylphenol-d8	8.504	113	322444	17.264	ng/ul	0.00
21) Nitrobenzene-d5	8.951	128	158404	18.632	ng/ul	0.00
24) 2-Nitrophenol-d4	9.675	143	168936	20.736	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.216	165	314742	19.339	ng/ul	0.00
31) 4-Chloroaniline-d4	10.722	131	454284	18.055	ng/ul	0.00
46) Dimethylphthalate-d6	13.839	166	991289	20.419	ng/ul	0.00
49) Acenaphthylene-d8	14.127	160	1157077	20.102	ng/ul	0.00
54) 4-Nitrophenol-d4	14.627	143	140659	14.552	ng/ul	0.00
60) Fluorene-d10	15.427	176	864657	20.562	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.539	200	102486	13.097	ng/ul	0.00
73) Anthracene-d10	17.268	188	1335598	20.312	ng/ul	0.00
81) Pyrene-d10	19.556	212	1574213	21.401	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.191	264	1619506	20.921	ng/ul	0.00
Target Compounds						
					Qvalue	
30) Naphthalene	10.639	128	167911	2.734	ng/ul	98
36) 2-Methylnaphthalene	12.257	142	254028	6.510	ng/ul	98
37) 1-Methylnaphthalene	12.474	142	151242	3.809	ng/ul	99
58) 2,3,4,6-Tetrachlorophenol	15.057	232	533509	49.076	ng/ul	97
71) Pentachlorophenol	16.833	266	4055074	397.556	ng/ul	99
72) Phenanthrene	17.215	178	100155	1.277	ng/ul#	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM100324\
Data File : BM047845.D
Acq On : 04 Oct 2024 16:19
Operator : RC/JU
Sample : P4017-14ME
Misc :
ALS Vial : 45 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DDC96ME

Quant Time: Oct 04 17:12:30 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM092724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Oct 04 08:32:31 2024
Response via : Initial Calibration

