

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM100617\
 Data File : BM011946.D
 Acq On : 06 Oct 2017 18:54
 Operator : SJ/JU
 Sample : I5462-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B0BR2

Quant Time: Oct 07 05:37:53 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM100317.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Oct 07 04:15:28 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	207300	20.00	ng/ul	0.00
18) Naphthalene-d8	10.66	136	828658	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.50	164	456194	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.24	188	954278	20.00	ng/ul	0.00
75) Chrysene-d12	21.42	240	945918	20.00	ng/ul	0.00
83) Perylene-d12	23.74	264	1074286	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.27	96	42155	9.62	ng/uL	0.00
5) Phenol-d5	7.02	99	803391	45.04	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.19	67	505889	47.92	ng/ul	0.00
9) 2-Chlorophenol-d4	7.39	132	714427	49.93	ng/ul	0.00
13) 4-Methylphenol-d8	8.56	113	701872	45.52	ng/ul	0.00
19) Nitrobenzene-d5	9.02	128	335460	56.85	ng/ul	0.00
22) 2-Nitrophenol-d4	9.75	143	390813	58.80	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.28	165	705425	52.52	ng/ul	0.00
29) 4-Chloroaniline-d4	10.80	131	842756	57.50	ng/ul	0.00
43) Dimethylphthalate-d6	13.91	166	2131509	53.91	ng/ul	0.00
46) Acenaphthylene-d8	14.20	160	2643834	56.91	ng/ul	0.00
51) 4-Nitrophenol-d4	14.70	143	285112	41.28	ng/ul	0.00
57) Fluorene-d10	15.49	176	1770811	50.75	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.62	200	307890	47.95	ng/ul	0.00
70) Anthracene-d10	17.34	188	2736299	58.19	ng/ul	0.00
76) Pyrene-d10	19.63	212	3111166	72.92	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.60	264	3194156	61.81	ng/ul	0.00


Target Compounds						Qvalue
6) Phenol	7.04	94	59043	3.35	ng/ul	88
44) Dimethylphthalate	13.96	163	830146	21.82	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM100617\
Data File : BM011946.D
Acq On : 06 Oct 2017 18:54
Operator : SJ/JU
Sample : I5462-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B0BR2

Quant Time: Oct 07 05:37:53 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM100317.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Oct 07 04:15:28 2017
Response via : Initial Calibration





#6

Phenol

Concen: 3.35 ng/ul

RT: 7.04 min Scan# 672

Delta R.T. -0.00 min

Lab File: BM011946.D

Acq: 06 Oct 2017 18:54

Instrument :

BNA_M

ClientSampleId :

B0BR2


Tgt Ion: 94 Resp: 59043

Ion Ratio Lower Upper

94 100

65 29.3 28.2 42.4




66 49.1 47.2 70.8



Abundance Ion 94.00 (93.70 to 94.70): BM011938.D (-665) (-)

Ion 65.00 (64.70 to 65.70): BM011938.D (-665) (-)

Ion 66.00 (65.70 to 66.70): BM011938.D (-665) (-)



#44

Dimethylphthalate

Concen: 21.82 ng/ul

RT: 13.96 min Scan# 1848

Delta R.T. -0.00 min

Lab File: BM011946.D

Acq: 06 Oct 2017 18:54


Tgt Ion: 163 Resp: 830146

Ion Ratio Lower Upper

163 100

194 4.2 3.5 5.3

164 9.5 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM011938.D (-1841) (-)

Ion 194.00 (193.70 to 194.70): BM011938.D (-1841) (-)

Ion 164.00 (163.70 to 164.70): BM011938.D (-1841) (-)

