

Data Path : Z:\HPCHEM1\BNA M\DATA\BM101017\
 Data File : BM012064.D
 Acq On : 11 Oct 2017 04:27
 Operator : SJ/JU
 Sample : I5669-17
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Oct 11 08:57:53 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM100317.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 11 02:39:56 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.84	152	211622	20.00	ng/ul	0.00
18) Naphthalene-d8	10.65	136	989014	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.49	164	658899	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.23	188	1658732	20.00	ng/ul	0.00
75) Chrysene-d12	21.41	240	2183656	20.00	ng/ul	0.00
83) Perylene-d12	23.73	264	2374173	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.26	96	1965	0.44	ng/uL	0.00
5) Phenol-d5	7.00	99	61625	3.38	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.17	67	37013	3.43	ng/ul	0.00
9) 2-Chlorophenol-d4	7.37	132	48106	3.29	ng/ul	0.00
13) 4-Methylphenol-d8	8.55	113	73255	4.65	ng/ul	0.00
19) Nitrobenzene-d5	9.02	128	28080	3.99	ng/ul	0.00
22) 2-Nitrophenol-d4	9.73	143	32588	4.11	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.27	165	78243	4.88	ng/ul	0.00
29) 4-Chloroaniline-d4	10.79	131	102882	5.88	ng/ul	0.00
43) Dimethylphthalate-d6	13.90	166	948202	16.60	ng/ul	0.00
46) Acenaphthylene-d8	14.18	160	755800	11.26	ng/ul	0.00
51) 4-Nitrophenol-d4	14.69	143	101086	10.13	ng/ul	0.00
57) Fluorene-d10	15.48	176	771541	15.31	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.61	200	143806	12.89	ng/ul	0.00
70) Anthracene-d10	17.33	188	1559525	19.08	ng/ul	0.00
76) Pyrene-d10	19.62	212	2242334	22.77	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.58	264	2590301	22.68	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.94	163	239369	4.357	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM101017\
Data File : BM012064.D
Acq On : 11 Oct 2017 04:27
Operator : SJ/JU
Sample : I5669-17
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Oct 11 08:57:53 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM100317.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 11 02:39:56 2017
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 4.357 ng/ul

RT: 13.94 min Scan# 1845

Delta R.T. -0.01 min

Lab File: BM012064.D

Acq: 11 Oct 2017 04:27

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 239369

Ion Ratio Lower Upper

163 100

194 4.5 3.5 5.3

164 10.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

