

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM101321\
 Data File : BM032490.D
 Acq On : 13 Oct 2021 11:36
 Operator : CG/JU
 Sample : M4170-03
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SW-RR-03-(SA)

Quant Time: Oct 13 12:07:07 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM100221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 13 12:02:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.601	152	216406	20.00	ng	0.00
21) Naphthalene-d8	10.389	136	836437	20.00	ng	# 0.00
39) Acenaphthene-d10	14.248	164	468193	20.00	ng	0.00
64) Phenanthrene-d10	16.977	188	886072	20.00	ng	0.00
76) Chrysene-d12	21.142	240	809298	20.00	ng	0.00
86) Perylene-d12	23.283	264	825174	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.178	112	873636	68.02	ng	0.00
7) Phenol-d6	6.790	99	653791	37.22	ng	-0.01
23) Nitrobenzene-d5	8.754	82	1488514	98.98	ng	0.00
42) 2,4,6-Tribromophenol	15.736	330	691279	131.89	ng	0.00
45) 2-Fluorobiphenyl	12.866	172	3029953	96.22	ng	0.00
79) Terphenyl-d14	19.595	244	3545424	92.26	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM101321\
Data File : BM032490.D
Acq On : 13 Oct 2021 11:36
Operator : CG/JU
Sample : M4170-03
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SW-RR-03-(SA)

Quant Time: Oct 13 12:07:07 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM100221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 13 12:02:28 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.601 min Scan# 810
Delta R.T. -0.006 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36




Instrument :
BNA_M
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:152 Resp: 216406
Ion Ratio Lower Upper
152 100
150 154.4 122.4 183.6
115 59.7 53.8 80.8



#5
2-Fluorophenol
Concen: 68.02 ng
RT: 5.178 min Scan# 398
Delta R.T. -0.000 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36

Tgt Ion:112 Resp: 873636
Ion Ratio Lower Upper
112 100
64 56.3 53.7 80.5
63 28.8 33.9 50.9#









#7
Phenol-d6
Concen: 37.22 ng
RT: 6.790 min Scan# 672
Delta R.T. -0.012 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36




Instrument :
BNA_M
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion: 99 Resp: 653791
Ion Ratio Lower Upper
99 100
42 15.8 23.0 34.6#
71 33.2 37.8 56.8#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.389 min Scan# 1284
Delta R.T. -0.006 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36

Tgt Ion: 136 Resp: 836437
Ion Ratio Lower Upper
136 100
137 11.0 8.7 13.1
54 7.9 7.4 11.0
68 5.9 3.8 5.8#









#23
Nitrobenzene-d5
Concen: 98.98 ng
RT: 8.754 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36




Instrument :
BNA_M
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion: 82 Resp: 1488514
Ion Ratio Lower Upper
82 100
128 44.2 29.0 43.6#
54 48.3 45.8 68.8



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.248 min Scan# 1940
Delta R.T. -0.006 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36

Tgt Ion:164 Resp: 468193
Ion Ratio Lower Upper
164 100
162 102.0 80.6 121.0
160 43.7 35.1 52.7









#42
2,4,6-Tribromophenol
Concen: 131.89 ng
RT: 15.736 min Scan# 2193
Delta R.T. -0.006 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36




Instrument :
BNA_M
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:330 Resp: 691279
Ion Ratio Lower Upper
330 100
332 97.5 75.7 113.5
141 38.8 50.7 76.1#



#45
2-Fluorobiphenyl
Concen: 96.22 ng
RT: 12.866 min Scan# 1705
Delta R.T. -0.006 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36

Tgt Ion:172 Resp: 3029953
Ion Ratio Lower Upper
172 100
171 35.7 28.1 42.1
170 23.8 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.977 min Scan# 2404
Delta R.T. -0.006 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36




Instrument :
BNA_M
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:188 Resp: 886072
Ion Ratio Lower Upper
188 100
94 9.3 6.3 9.5
80 10.2 7.3 10.9



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.142 min Scan# 3112
Delta R.T. -0.006 min
Lab File: BM032490.D
Acq: 13 Oct 2021 11:36

Tgt Ion:240 Resp: 809298
Ion Ratio Lower Upper
240 100
120 11.6 7.8 11.6
236 25.6 20.9 31.3









#79
 Terphenyl-d14
 Concen: 92.26 ng
 RT: 19.595 min Scan# 2849
 Delta R.T. -0.006 min
 Lab File: BM032490.D
 Acq: 13 Oct 2021 11:36

Instrument :
 BNA_M
 ClientSampleId :
 SW-RR-03-(SA)

Tgt Ion:244 Resp: 3545424
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.5 9.7
 122 11.7 8.7 13.1



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.283 min Scan# 3476
 Delta R.T. -0.006 min
 Lab File: BM032490.D
 Acq: 13 Oct 2021 11:36

Tgt Ion:264 Resp: 825174
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.3 28.9
 265 22.4 18.3 27.5

