

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM101322\
 Data File : BM037067.D
 Acq On : 14 Oct 2022 23:15
 Operator : CG/JU
 Sample : N5049-04
 Misc :
 ALS Vial : 63 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Oct 15 02:30:46 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM100622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 14 07:11:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.930	152	5669	0.400	ng/ul	0.00
4) Naphthalene-d8	10.732	136	20667	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.557	164	12396	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.297	188	23991	0.400	ng/ul	0.00
17) Chrysene-d12	21.470	240	17064	0.400	ng/ul	0.00
23) Perylene-d12	23.855	264	13060	0.400	ng/ul	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.335	96	41689	5.215	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.316	152	11318	0.363	ng/ul	-0.01
18) Fluoranthene-d10	19.318	212	24413	0.478	ng/ul	0.00
Target Compounds						Qvalue
5) Naphthalene	10.781	128	257898	4.365	ng/ul	96
7) 2-Methylnaphthalene	12.393	142	201274	5.569	ng/ul	92
8) 1-Methylnaphthalene	12.607	142	164899	4.492	ng/ul	99
10) Acenaphthylene	14.280	152	106558	2.068	ng/ul	97
11) Acenaphthene	14.622	153	18649	0.417	ng/ul	99
12) Fluorene	15.603	166	33946	0.670	ng/ul#	95
15) Phenanthrene	17.339	178	1071157	13.986	ng/ul	99
16) Anthracene	17.428	178	221248	3.457	ng/ul	98
19) Fluoranthene	19.350	202	2212379	32.597	ng/ul	99
20) Pyrene	19.713	202	1818745	25.696	ng/ul	100
21) Benzo(a)anthracene	21.452	228	913306	14.814	ng/ul	99
22) Chrysene	21.505	228	1002391	15.144	ng/ul	99
24) Benzo(b)fluoranthene	23.130	252	1128949	19.350	ng/ul	84
26) Benzo(a)pyrene	23.753	252	664894	14.046	ng/ul#	74
27) Indeno(1,2,3-cd)pyrene	26.332	276	486135	7.250	ng/ul#	94
28) Dibenzo(a,h)anthracene	26.241	278	13067	0.241	ng/ul	93
29) Benzo(g,h,i)perylene	27.097	276	423696	7.170	ng/ul	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM101322\
Data File : BM037067.D
Acq On : 14 Oct 2022 23:15
Operator : CG/JU
Sample : N5049-04
Misc :
ALS Vial : 63 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Oct 15 02:30:46 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM100622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 14 07:11:07 2022
Response via : Initial Calibration









#5
Naphthalene
Concen: 4.365 ng/ul
RT: 10.781 min Scan# 1785
Delta R.T. -0.005 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15




Instrument :
BNA_M
ClientSampleId :


Tgt Ion:128 Resp: 257898
Ion Ratio Lower Upper
128 100
129 11.2 10.2 15.2
127 12.8 11.7 17.5



#7
2-Methylnaphthalene
Concen: 5.569 ng/ul
RT: 12.393 min Scan# 2078
Delta R.T. -0.005 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15


Tgt Ion:142 Resp: 201274
Ion Ratio Lower Upper
142 100
141 88.4 77.4 116.0








#8
1-Methylnaphthalene
Concen: 4.492 ng/ul
RT: 12.607 min Scan# 2117
Delta R.T. -0.011 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15

Instrument :
BNA_M
ClientSampleId :







Tgt Ion:142 Resp: 164899
Ion Ratio Lower Upper
142 100
141 91.6 74.1 111.1



#10
Acenaphthylene
Concen: 2.068 ng/ul
RT: 14.280 min Scan# 2451
Delta R.T. -0.005 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15


Tgt Ion:152 Resp: 106558
Ion Ratio Lower Upper
152 100
151 20.1 16.6 24.8
153 16.1 11.4 17.0








#11
Acenaphthene
Concen: 0.417 ng/ul
RT: 14.622 min Scan# 21
Delta R.T. -0.005 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15

Instrument :
BNA_M
ClientSampleId :







Tgt Ion:153 Resp: 18649
Ion Ratio Lower Upper
153 100
152 51.0 40.2 60.4
154 87.6 69.7 104.5



#12
Fluorene
Concen: 0.670 ng/ul
RT: 15.603 min Scan# 2737
Delta R.T. -0.005 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15


Tgt Ion:166 Resp: 33946
Ion Ratio Lower Upper
166 100
165 101.8 78.9 118.3
167 19.7 11.3 16.9#








#15
Phenanthrene
Concen: 13.986 ng/ul
RT: 17.339 min Scan# 3140
Delta R.T. -0.004 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15

Instrument :
BNA_M
ClientSampleId :







Tgt Ion:178 Resp: 1071157
Ion Ratio Lower Upper
178 100
179 15.7 13.0 19.6
176 19.3 15.6 23.4



#16
Anthracene
Concen: 3.457 ng/ul
RT: 17.428 min Scan# 3161
Delta R.T. -0.008 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15

Tgt Ion:178 Resp: 221248
Ion Ratio Lower Upper
178 100
179 15.7 13.6 20.4
176 19.0 15.6 23.4









#19
Fluoranthene
Concen: 32.597 ng/u1
RT: 19.350 min Scan# 31
Delta R.T. -0.005 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15




Instrument :
BNA_M
ClientSampleId :


Tgt Ion:202 Resp: 2212379
Ion Ratio Lower Upper
202 100
101 12.6 10.1 15.1
100 9.4 7.9 11.9



#20
Pyrene
Concen: 25.696 ng/u1
RT: 19.713 min Scan# 3676
Delta R.T. -0.005 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15


Tgt Ion:202 Resp: 1818745
Ion Ratio Lower Upper
202 100
101 15.2 12.0 18.0
100 12.3 9.8 14.6








#21
Benzo(a)anthracene
Concen: 14.814 ng/ul
RT: 21.452 min Scan# 4171
Delta R.T. -0.006 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15

Instrument :
BNA_M
ClientSampleId :







Tgt Ion:228 Resp: 913306
Ion Ratio Lower Upper
228 100
229 20.8 16.2 24.2
226 28.1 22.5 33.7



#22
Chrysene
Concen: 15.144 ng/ul
RT: 21.505 min Scan# 4189
Delta R.T. -0.006 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15


Tgt Ion:228 Resp: 1002391
Ion Ratio Lower Upper
228 100
226 30.5 24.6 37.0
229 21.8 16.4 24.6







#24
Benzo(b)fluoranthene
Concen: 19.350 ng/ul
RT: 23.130 min Scan# 41
Delta R.T. -0.006 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15

Instrument :
BNA_M
ClientSampleId :







Tgt Ion:252 Resp: 1128949
Ion Ratio Lower Upper
252 100
253 22.7 0.0 61.4
125 13.2 0.0 42.6



#26
Benzo(a)pyrene
Concen: 14.046 ng/ul
RT: 23.753 min Scan# 4958
Delta R.T. -0.006 min
Lab File: BM037067.D
Acq: 14 Oct 2022 23:15


Tgt Ion:252 Resp: 664894
Ion Ratio Lower Upper
252 100
253 22.6 29.7 44.5#
125 14.0 23.6 35.4#








#27
 Indeno(1,2,3-cd)pyrene
 Concen: 7.250 ng/ul
 RT: 26.332 min Scan# 51
 Delta R.T. -0.010 min
 Lab File: BM037067.D
 Acq: 14 Oct 2022 23:15

Instrument :
 BNA_M
 ClientSampleId :







Tgt Ion:276 Resp: 486135
 Ion Ratio Lower Upper
 276 100
 138 26.8 23.9 35.9
 227 0.3 0.1 0.1#



#28
 Dibenzo(a,h)anthracene
 Concen: 0.241 ng/ul
 RT: 26.241 min Scan# 5755
 Delta R.T. -0.121 min
 Lab File: BM037067.D
 Acq: 14 Oct 2022 23:15

Tgt Ion:278 Resp: 13067
 Ion Ratio Lower Upper
 278 100
 139 23.1 19.8 29.6
 279 40.0 27.7 41.5





#29

Benzo(g,h,i)perylene

Concen: 7.170 ng/ul

RT: 27.097 min Scan# 6010

Delta R.T. -0.010 min


Lab File: BM037067.D

Acq: 14 Oct 2022 23:15

Instrument :

BNA_M

ClientSampleId :



Tgt Ion:276 Resp: 423696

Ion Ratio Lower Upper

276 100

138 27.2 23.4 35.0

277 23.9 21.0 31.4

