

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM101424\
 Data File : BM048071.D
 Acq On : 15 Oct 2024 21:44
 Operator : RC/JU
 Sample : P4239-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4F08

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/16/2024
 Supervised By :mohammad ahmed 10/17/2024

Quant Time: Oct 15 23:17:29 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM092724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 10 05:10:14 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.781	152	234680	20.000	ng/u1	0.00
20) Naphthalene-d8	10.569	136	967996	20.000	ng/u1	-0.01
38) Acenaphthene-d10	14.415	164	610571	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.156	188	1220765	20.000	ng/u1	0.00
79) Chrysene-d12	21.386	240	1188097	20.000	ng/u1	0.00
88) Perylene-d12	24.380	264	1355585	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.240	96	12437	1.713	ng/uL	0.00
4) Pyridine-d5	0.000	84	0d	0.000	ng/u1	
7) Phenol-d5	6.957	99	193700	8.729	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.110	67	121344	7.706	ng/u1	0.00
11) 2-Chlorophenol-d4	7.316	132	173011	10.716	ng/u1	0.00
15) 4-Methylphenol-d8	8.492	113	135965	8.241	ng/u1	0.00
21) Nitrobenzene-d5	8.933	128	79276	10.286	ng/u1	0.00
24) 2-Nitrophenol-d4	9.657	143	86685	11.737	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.198	165	147085	9.969	ng/u1	0.00
31) 4-Chloroaniline-d4	10.710	131	169103m	7.414	ng/u1	0.00
46) Dimethylphthalate-d6	13.827	166	465484	10.515	ng/u1	0.00
49) Acenaphthylene-d8	14.110	160	537425	10.240	ng/u1	0.00
54) 4-Nitrophenol-d4	14.639	143	49354m	5.600	ng/u1	0.02
60) Fluorene-d10	15.410	176	417481	10.888	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.533	200	45449	6.362	ng/u1	0.00
73) Anthracene-d10	17.256	188	624502	10.404	ng/u1	0.00
81) Pyrene-d10	19.545	212	709346	10.520	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.174	264	569461	8.097	ng/u1	0.00
Target Compounds						
					Qvalue	
72) Phenanthrene	17.198	178	167011	2.333	ng/u1	99
80) Fluoranthene	19.215	202	286755	3.611	ng/u1	98
82) Pyrene	19.574	202	218690	2.474	ng/u1	97
85) Benzo(a)anthracene	21.368	228	131501	1.581	ng/u1	96
86) Bis(2-ethylhexyl)phtha...	21.286	149	50676	1.080	ng/u1#	99
87) Chrysene	21.427	228	136546	1.684	ng/u1	97
90) Benzo(b)fluoranthene	23.433	252	160917	1.903	ng/u1#	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM101424\
Data File : BM048071.D
Acq On : 15 Oct 2024 21:44
Operator : RC/JU
Sample : P4239-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4F08

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/16/2024
Supervised By :mohammad ahmed 10/17/2024

Quant Time: Oct 15 23:17:29 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM092724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Oct 10 05:10:14 2024
Response via : Initial Calibration

