

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM101818\
 Data File : BM017223.D
 Acq On : 19 Oct 2018 10:20
 Operator : MJ/SJ
 Sample : J5204-06
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SU-03-101718-A

Quant Time: Oct 19 12:10:19 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM101718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 17 14:23:17 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	332008	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	1264107	20.00	ng	-0.01
39) Acenaphthene-d10	14.31	164	755707	20.00	ng	0.00
64) Phenanthrene-d10	17.06	188	1727171	20.00	ng	-0.01
76) Chrysene-d12	21.25	240	1580078	20.00	ng	-0.01
87) Perylene-d12	23.46	264	1413584	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.29	112	2171834	110.64	ng	0.00
7) Phenol-d6	6.85	99	2587743	96.79	ng	0.00
23) Nitrobenzene-d5	8.82	82	1969074	91.10	ng	-0.01
42) 2,4,6-Tribromophenol	15.80	330	1358715	132.95	ng	-0.01
45) 2-Fluorobiphenyl	12.93	172	4682390	82.44	ng	0.00
79) Terphenyl-d14	19.70	244	6751094	96.31	ng	0.00
Target Compounds						
31) Naphthalene	10.49	128	148701	2.400	ng	Qvalue 100
80) Butylbenzylphthalate	20.42	149	456	7.187	ng	# 86
84) Bis(2-ethylhexyl)phthalate	21.17	149	3712	5.372	ng	# 83
85) Di-n-octyl phthalate	22.05	149	1403	5.586	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM101818\
Data File : BM017223.D
Acq On : 19 Oct 2018 10:20
Operator : MJ/SJ
Sample : J5204-06
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SU-03-101718-A

Quant Time: Oct 19 12:10:19 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM101718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 17 14:23:17 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.67 min Scan# 796
Delta R.T. -0.01 min
Lab File: BM017223.D
Acq: 19 Oct 2018 10:20

Instrument :
BNA_M
ClientSampleId :
SU-03-101718-A

Tgt Ion:152 Resp: 332008
Ion Ratio Lower Upper
152 100
150 154.8 124.3 186.5
115 61.3 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 110.639 ng
RT: 5.29 min Scan# 391
Delta R.T. 0.00 min
Lab File: BM017223.D
Acq: 19 Oct 2018 10:20

Tgt Ion:112 Resp: 2171834
Ion Ratio Lower Upper
112 100
64 59.2 41.7 62.5
63 31.4 23.0 34.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 96.793 ng

RT: 6.85 min Scan# 657

Delta R.T. -0.01 min

Lab File: BM017223.D

Acq: 19 Oct 2018 10:20

Instrument :

BNA_M

ClientSampleId :

SU-03-101718-A


Tgt Ion: 99 Resp: 2587743

Ion Ratio Lower Upper

99 100

42 18.7 13.3 19.9




71 38.1 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM017163.D (-650) (-)

Ion 42.00 (41.70 to 42.70): BM017163.D (-650) (-)

Ion 71.00 (70.70 to 71.70): BM017163.D (-650) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.44 min Scan# 1267

Delta R.T. -0.01 min

Lab File: BM017223.D

Acq: 19 Oct 2018 10:20

Tgt Ion: 136 Resp: 1264107


Ion Ratio Lower Upper

136 100

137 11.1 9.2 13.8

54 8.0 6.7 10.1

68 5.1 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): BM017163.D (-1261) (-)

Ion 137.00 (136.70 to 137.70): BM017163.D (-1261) (-)

Ion 54.00 (53.70 to 54.70): BM017163.D (-1261) (-)

Ion 68.00 (67.70 to 68.70): BM017163.D (-1261) (-)









#23
 Nitrobenzene-d5
 Concen: 91.102 ng
 RT: 8.82 min Scan# 992
 Delta R.T. -0.01 min
 Lab File: BM017223.D
 Acq: 19 Oct 2018 10:20




Instrument :
 BNA_M
 ClientSampleId :
 SU-03-101718-A


Tgt Ion: 82 Resp: 1969074
 Ion Ratio Lower Upper
 82 100
 128 42.6 37.0 55.6
 54 51.3 40.7 61.1



#31
 Naphthalene
 Concen: 2.400 ng
 RT: 10.49 min Scan# 1276
 Delta R.T. -0.01 min
 Lab File: BM017223.D
 Acq: 19 Oct 2018 10:20

Tgt Ion: 128 Resp: 148701
 Ion Ratio Lower Upper
 128 100
 129 10.5 8.5 12.7
 127 13.1 10.3 15.5









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.31 min Scan# 1925
Delta R.T. -0.01 min
Lab File: BM017223.D
Acq: 19 Oct 2018 10:20




Instrument :
BNA_M
ClientSampleId :
SU-03-101718-A


Tgt Ion:164 Resp: 755707
Ion Ratio Lower Upper
164 100
162 100.6 82.1 123.1
160 44.4 40.2 60.2



#42
2,4,6-Tribromophenol
Concen: 132.949 ng
RT: 15.80 min Scan# 2179
Delta R.T. -0.01 min
Lab File: BM017223.D
Acq: 19 Oct 2018 10:20

Tgt Ion:330 Resp: 1358715
Ion Ratio Lower Upper
330 100
332 97.4 77.3 115.9
141 35.3 27.4 41.0









#45
 2-Fluorobiphenyl
 Concen: 82.441 ng
 RT: 12.93 min Scan# 1690
 Delta R.T. -0.01 min
 Lab File: BM017223.D
 Acq: 19 Oct 2018 10:20




Instrument :
 BNA_M
 ClientSampleId :
 SU-03-101718-A


Tgt Ion:172 Resp: 4682390
 Ion Ratio Lower Upper
 172 100
 171 35.2 28.3 42.5
 170 22.7 18.3 27.5



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.06 min Scan# 2392
 Delta R.T. -0.01 min
 Lab File: BM017223.D
 Acq: 19 Oct 2018 10:20

Tgt Ion:188 Resp: 1727171
 Ion Ratio Lower Upper
 188 100
 94 8.1 7.0 10.4
 80 9.3 7.7 11.5





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.25 min Scan# 3105

Delta R.T. -0.01 min

Lab File: BM017223.D

Acq: 19 Oct 2018 10:20

Instrument :

BNA_M

ClientSampleId :

SU-03-101718-A


Tgt Ion:240 Resp: 1580078

Ion Ratio Lower Upper

240 100

120 9.6 8.1 12.1




236 25.1 19.9 29.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 96.305 ng

RT: 19.70 min Scan# 2841

Delta R.T. -0.01 min

Lab File: BM017223.D

Acq: 19 Oct 2018 10:20


Tgt Ion:244 Resp: 6751094

Ion Ratio Lower Upper

244 100

212 7.6 5.5 8.3



122 10.2 8.4 12.6




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#80
 Butylbenzylphthalate
 Concen: 7.187 ng
 RT: 20.42 min Scan# 2963
 Delta R.T. 0.01 min
 Lab File: BM017223.D
 Acq: 19 Oct 2018 10:20




Instrument :
 BNA_M
 ClientSampleId :
 SU-03-101718-A


Tgt Ion:149 Resp: 456
 Ion Ratio Lower Upper
 149 100
 91 62.5 51.3 76.9
 206 0.0 18.0 27.0#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 5.372 ng
 RT: 21.17 min Scan# 3092
 Delta R.T. -0.01 min
 Lab File: BM017223.D
 Acq: 19 Oct 2018 10:20

Tgt Ion:149 Resp: 3712
 Ion Ratio Lower Upper
 149 100
 167 18.9 22.2 33.4#
 279 0.0 3.6 5.4#









#85
Di-n-octyl phthalate
Concen: 5.586 ng
RT: 22.05 min Scan# 3241
Delta R.T. -0.01 min
Lab File: BM017223.D
Acq: 19 Oct 2018 10:20

Instrument :
BNA_M
ClientSampleId :
SU-03-101718-A

Tgt Ion:149 Resp: 1403
Ion Ratio Lower Upper
149 100
167 20.2 1.4 2.0#
43 69.2 7.2 10.8#



#87
Perylene-d12
Concen: 20.000 ng
RT: 23.46 min Scan# 3481
Delta R.T. -0.02 min
Lab File: BM017223.D
Acq: 19 Oct 2018 10:20

Tgt Ion:264 Resp: 1413584
Ion Ratio Lower Upper
264 100
260 23.2 18.6 27.8
265 22.0 17.8 26.8

