

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM101921\
 Data File : BM032618.D
 Acq On : 20 Oct 2021 14:46
 Operator : CG/JU
 Sample : M4196-18
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JDGD6

Quant Time: Oct 20 15:24:24 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM101421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 19 15:20:30 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.556	152	5839	0.40	ng/ul	0.00
4) Naphthalene-d8	10.343	136	19205	0.40	ng/ul	0.00
9) Acenaphthene-d10	14.213	164	9395	0.40	ng/ul	0.00
13) Phenanthrene-d10	16.946	188	16537	0.40	ng/ul	# 0.00
17) Chrysene-d12	21.123	240	10585	0.40	ng/ul	0.00
23) Perylene-d12	23.261	264	9583	0.40	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	2.920	96	22053	3.37	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.940	152	4054	0.16	ng/ul	0.00
18) Fluoranthene-d10	18.973	212	6359	0.19	ng/ul	0.00
Target Compounds						
						Qvalue
5) Naphthalene	10.388	128	3651	0.06	ng/ul#	94
7) 2-Methylnaphthalene	12.012	142	1156	0.03	ng/ul	94
8) 1-Methylnaphthalene	12.237	142	1053	0.03	ng/ul	99
10) Acenaphthylene	13.928	152	963	0.02	ng/ul#	80
15) Phenanthrene	16.988	178	3097	0.06	ng/ul	93
19) Fluoranthene	19.004	202	1362	0.03	ng/ul#	71
20) Pyrene	19.362	202	1605	0.03	ng/ul#	75
22) Chrysene	21.157	228	1140	0.03	ng/ul#	77

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM101921\
Data File : BM032618.D
Acq On : 20 Oct 2021 14:46
Operator : CG/JU
Sample : M4196-18
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JDGD6

Quant Time: Oct 20 15:24:24 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM101421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 19 15:20:30 2021
Response via : Initial Calibration

