

Data Path : Z:\HPCHEM1\BNA M\DATA\BM102315\
 Data File : BM002982.D
 Acq On : 22 Oct 2015 18:13
 Operator : UM/IZ
 Sample : G4074-20
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JG9J5

Manual Integrations
 APPROVED

mmdadoda
 10/23/2015 4:43:36 PM

Quant Time: Oct 23 05:11:52 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM102215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 23 01:55:29 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.64	152	7359	0.40	ng/ul	0.00
4) Naphthalene-d8	11.48	136	31628	0.40	ng/ul	-0.01
8) Acenaphthene-d10	15.23	164	17037	0.40	ng/ul	0.00
12) Phenanthrene-d10	17.94	188	36710m	0.40	ng/ul	0.00
18) Chrysene-d12	22.03	240	27317	0.40	ng/ul	0.00
22) Perylene-d12	24.60	264	24321	0.40	ng/ul	0.00
System Monitoring Compounds						
2) 1,4-Dioxane-d8	3.71	96	17809	2.27	ng/uL	0.00
6) 2-Methylnaphthalene-d10	13.04	152	9660	0.18	ng/ul	0.00
16) Fluoranthene-d10	19.93	212	19251	0.20	ng/ul	0.00
Target Compounds						
13) Pentachlorophenol	17.61	266	458	0.21	ng/ul	Ovalue 93
14) Phenanthrene	17.98	178	5983m	0.05	ng/ul	
17) Fluoranthene	19.95	202	12393	0.09	ng/ul	94
19) Pyrene	20.30	202	13880	0.14	ng/ul#	91
20) Benzo(a)anthracene	22.01	228	4656	0.05	ng/ul#	79
21) Chrysene	22.07	228	5487	0.06	ng/ul#	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM102315\
Data File : BM002982.D
Acq On : 22 Oct 2015 18:13
Operator : UM/IZ
Sample : G4074-20
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JG9J5

Manual Integrations
APPROVED

mmdadoda
10/23/2015 4:43:36 PM

Quant Time: Oct 23 05:11:52 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM102215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 23 01:55:29 2015
Response via : Initial Calibration

