

Data Path : Z:\HPCHEM1\BNA M\DATA\BM102417\
 Data File : BM012428.D
 Acq On : 24 Oct 2017 21:48
 Operator : SJ/JU
 Sample : I5978-01
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TWP-B-7

Quant Time: Oct 25 00:58:28 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM102417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 25 00:51:00 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.88	152	468110	20.00	ng/ul	0.00
18) Naphthalene-d8	10.67	136	1847619	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.51	164	1173807	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.24	188	2641867	20.00	ng/ul	0.00
75) Chrysene-d12	21.42	240	2826863	20.00	ng/ul	0.00
83) Perylene-d12	23.72	264	2845911	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.36	96	76214	8.32	ng/uL	0.00
5) Phenol-d5	7.04	99	276671	7.07	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.21	67	700574	30.18	ng/ul	0.00
9) 2-Chlorophenol-d4	7.42	132	742894	25.36	ng/ul	0.00
13) 4-Methylphenol-d8	8.58	113	517213	15.48	ng/ul	0.00
19) Nitrobenzene-d5	9.03	128	409569	35.40	ng/ul	0.00
22) 2-Nitrophenol-d4	9.75	143	533574	44.76	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.29	165	929230	29.43	ng/ul	0.00
29) 4-Chloroaniline-d4	10.79	131	11012	0.33	ng/ul	-0.01
43) Dimethylphthalate-d6	13.92	166	3151856	30.74	ng/ul	0.00
46) Acenaphthylene-d8	14.20	160	3824699	31.53	ng/ul	0.00
51) 4-Nitrophenol-d4	14.69	143	95539	6.27	ng/ul	0.00
57) Fluorene-d10	15.50	176	2663396	30.69	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.61	200	344315	26.93	ng/ul	0.00
70) Anthracene-d10	17.34	188	4090180	32.49	ng/ul	0.00
76) Pyrene-d10	19.63	212	4497527	34.68	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.57	264	4394439	32.50	ng/ul	0.00

Target Compounds


						Ovalue
2) 1,4-Dioxane	3.40	88	15956	1.63	ng/uL#	75
25) Bis(2-Chloroethoxy)methane	10.10	93	90025	2.27	ng/ul#	1
73) Di-n-butylphthalate	18.22	149	252200	1.62	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM102417\
Data File : BM012428.D
Acq On : 24 Oct 2017 21:48
Operator : SJ/JU
Sample : I5978-01
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TWP-B-7

Quant Time: Oct 25 00:58:28 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM102417.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 25 00:51:00 2017
Response via : Initial Calibration





#2

1,4-Dioxane

Concen: 1.63 ng/uL

RT: 3.40 min Scan# 54

Delta R.T. 0.01 min

Lab File: BM012428.D

Acq: 24 Oct 2017 21:48

Instrument :

BNA_M

ClientSampleId :

TWP-B-7


Tot Ion: 88 Resp: 15956

Ion Ratio Lower Upper

88 100

43 45.2 48.0 72.0#

58 71.4 80.0 120.0#





Abundance Ion 88.00 (87.70 to 88.70): BM012428.D (-19) (-)

Ion 43.00 (42.70 to 43.70): BM012428.D (-19) (-)

Ion 58.00 (57.70 to 58.70): BM012428.D (-19) (-)

Time-->



#25

Bis(2-Chloroethoxy)methane

Concen: 2.27 ng/uL

RT: 10.10 min Scan# 1192

Delta R.T. 0.01 min

Lab File: BM012428.D

Acq: 24 Oct 2017 21:48


Tgt Ion: 93 Resp: 90025

Ion Ratio Lower Upper

93 100

95 801.0 28.5 42.7#

123 9.7 8.9 13.3





Abundance Ion 93.00 (92.70 to 93.70): BM012428.D (-1156) (-)

Ion 95.00 (94.70 to 95.70): BM012428.D (-1156) (-)

Ion 123.00 (122.70 to 123.70): BM012428.D (-1156) (-)

Time-->






#73
 Di-n-butylphthalate
 Concen: 1.62 ng/ul
 RT: 18.22 min Scan# 2572
 Delta R.T. -0.01 min
 Lab File: BM012428.D
 Acq: 24 Oct 2017 21:48

Instrument :
 BNA_M
 ClientSampleId :
 TWP-B-7

Tot Ion:	149	Resp:	252200
Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.1	10.7
104	6.2	5.6	8.4



Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 104.00 (103.70 to 104.70): E

