

Data Path : Z:\HPCHEM1\BNA M\DATA\BM102817\
 Data File : BM012548.D
 Acq On : 29 Oct 2017 05:22
 Operator : SJ/JU
 Sample : I5887-14
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B0DF1

Quant Time: Oct 30 09:19:40 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM102417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Oct 30 09:15:01 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	491318	20.00	ng/ul	0.00
18) Naphthalene-d8	10.66	136	1811099	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.50	164	995305	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.24	188	2207326	20.00	ng/ul	0.00
75) Chrysene-d12	21.41	240	2515132	20.00	ng/ul	0.00
83) Perylene-d12	23.71	264	2867256	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.36	96	63326	6.58	ng/uL	0.00
5) Phenol-d5	7.03	99	1168254	28.46	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.20	67	729220	29.93	ng/ul	0.00
9) 2-Chlorophenol-d4	7.40	132	945508	30.76	ng/ul	0.00
13) 4-Methylphenol-d8	8.57	113	804516	22.93	ng/ul	0.00
19) Nitrobenzene-d5	9.02	128	444191	39.16	ng/ul	0.00
22) 2-Nitrophenol-d4	9.74	143	490607	41.98	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.27	165	932978	30.14	ng/ul	0.00
29) 4-Chloroaniline-d4	10.79	131	1096804	33.60	ng/ul	0.00
43) Dimethylphthalate-d6	13.90	166	2743103	31.55	ng/ul	0.00
46) Acenaphthylene-d8	14.19	160	3435879	33.41	ng/ul	0.00
51) 4-Nitrophenol-d4	14.69	143	374500	28.97	ng/ul	0.00
57) Fluorene-d10	15.49	176	2348901	31.92	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.61	200	315640	29.55	ng/ul	0.00
70) Anthracene-d10	17.34	188	3520411	33.47	ng/ul	0.00
76) Pyrene-d10	19.62	212	4039191	35.00	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.57	264	4608817	33.83	ng/ul	0.00
Target Compounds						
6) Phenol	7.06	94	150373	3.519	ng/ul#	86
44) Dimethylphthalate	13.95	163	171451	1.993	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM102817\
Data File : BM012548.D
Acq On : 29 Oct 2017 05:22
Operator : SJ/JU
Sample : I5887-14
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B0DF1

Quant Time: Oct 30 09:19:40 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM102417.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Oct 30 09:15:01 2017
Response via : Initial Calibration





#6

Phenol

Concen: 3.519 ng/ul

RT: 7.06 min Scan# 675

Delta R.T. -0.01 min

Lab File: BM012548.D

Acq: 29 Oct 2017 05:22

Instrument :

BNA_M

ClientSampleId :

B0DF1


Tot Ion: 94 Resp: 150373

Ion Ratio Lower Upper

94 100

65 32.0 28.2 42.4

66 45.3 47.2 70.8#






Abundance Ion 94.00 (93.70 to 94.70): BM012538.D (-669) (-)

Ion 65.00 (64.70 to 65.70): BM012538.D (-669) (-)

Ion 66.00 (65.70 to 66.70): BM012538.D (-669) (-)

Time-->



#44

Dimethylphthalate

Concen: 1.993 ng/ul

RT: 13.95 min Scan# 1847

Delta R.T. -0.01 min

Lab File: BM012548.D

Acq: 29 Oct 2017 05:22


Tgt Ion:163 Resp: 171451

Ion Ratio Lower Upper

163 100

194 4.6 3.5 5.3

164 11.8 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM012538.D (-1841) (-)

Ion 194.00 (193.70 to 194.70): BM012538.D (-1841) (-)

Ion 164.00 (163.70 to 164.70): BM012538.D (-1841) (-)

Time-->

