

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102918\
 Data File : BM017406.D
 Acq On : 29 Oct 2018 13:53
 Operator : MJ/SJ
 Sample : J5651-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RBR-200030

Quant Time: Oct 29 15:33:23 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 29 15:08:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	255816	20.00	ng	0.00
21) Naphthalene-d8	10.42	136	1074087	20.00	ng	0.00
39) Acenaphthene-d10	14.29	164	652748	20.00	ng	0.00
64) Phenanthrene-d10	17.05	188	1644678	20.00	ng	0.00
76) Chrysene-d12	21.24	240	2014186	20.00	ng	0.00
87) Perylene-d12	23.45	264	1796392	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	1715357	113.41	ng	0.00
7) Phenol-d6	6.83	99	2092273	101.57	ng	0.00
23) Nitrobenzene-d5	8.80	82	1581941	86.14	ng	0.00
42) 2,4,6-Tribromophenol	15.79	330	1240320	140.51	ng	0.00
45) 2-Fluorobiphenyl	12.90	172	3893362	79.36	ng	0.00
79) Terphenyl-d14	19.69	244	7151245	80.03	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102918\
Data File : BM017406.D
Acq On : 29 Oct 2018 13:53
Operator : MJ/SJ
Sample : J5651-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RBR-200030

Quant Time: Oct 29 15:33:23 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 29 15:08:36 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.65 min Scan# 792
Delta R.T. -0.00 min
Lab File: BM017406.D
Acq: 29 Oct 2018 13:53

Instrument :
BNA_M
ClientSampleId :
RBR-200030

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.7	124.3	186.5
115	59.8	48.1	72.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 113.411 ng
RT: 5.27 min Scan# 388
Delta R.T. 0.01 min
Lab File: BM017406.D
Acq: 29 Oct 2018 13:53

Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.7	41.7	62.5
63	29.8	23.0	34.4






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 101.569 ng

RT: 6.83 min Scan# 654

Delta R.T. -0.00 min

Lab File: BM017406.D

Acq: 29 Oct 2018 13:53

Instrument :

BNA_M

ClientSampleId :

RBR-200030


Tot Ion: 99 Resp: 2092273

Ion Ratio Lower Upper

99 100

42 17.8 13.3 19.9




71 35.5 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM017163.D (-649) (-)

Ion 42.00 (41.70 to 42.70): BM017163.D (-649) (-)

Ion 71.00 (70.70 to 71.70): BM017163.D (-649) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.42 min Scan# 1264

Delta R.T. -0.00 min

Lab File: BM017406.D

Acq: 29 Oct 2018 13:53

Tgt Ion: 136 Resp: 1074087


Ion Ratio Lower Upper

136 100

137 10.5 9.2 13.8

54 7.7 6.7 10.1

68 5.3 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): BM017163.D (-1260) (-)

Ion 137.00 (136.70 to 137.70): BM017163.D (-1260) (-)

Ion 54.00 (53.70 to 54.70): BM017163.D (-1260) (-)

Ion 68.00 (67.70 to 68.70): BM017163.D (-1260) (-)









#23
Nitrobenzene-d5
Concen: 86.139 ng
RT: 8.80 min Scan# 989
Delta R.T. -0.00 min
Lab File: BM017406.D
Acq: 29 Oct 2018 13:53




Instrument :
BNA_M
ClientSampleId :
RBR-200030


Tot Ion: 82 Resp: 1581941
Ion Ratio Lower Upper
82 100
128 43.4 37.0 55.6
54 48.7 40.7 61.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.29 min Scan# 1922
Delta R.T. -0.00 min
Lab File: BM017406.D
Acq: 29 Oct 2018 13:53

Tgt Ion:164 Resp: 652748
Ion Ratio Lower Upper
164 100
162 103.5 82.1 123.1
160 45.4 40.2 60.2









#42
 2,4,6-Tribromophenol
 Concen: 140.507 ng
 RT: 15.79 min Scan# 2177
 Delta R.T. -0.00 min
 Lab File: BM017406.D
 Acq: 29 Oct 2018 13:53

Instrument :
 BNA_M
 ClientSampled :
 RBR-200030

Tot Ion:330 Resp: 1240320
 Ion Ratio Lower Upper
 330 100
 332 96.6 77.3 115.9
 141 33.0 27.4 41.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 79.361 ng
 RT: 12.90 min Scan# 1686
 Delta R.T. -0.00 min
 Lab File: BM017406.D
 Acq: 29 Oct 2018 13:53

Tgt Ion:172 Resp: 3893362
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.3 42.5
 170 22.6 18.3 27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.05 min Scan# 2390
Delta R.T. -0.00 min
Lab File: BM017406.D
Acq: 29 Oct 2018 13:53




Instrument :
BNA_M
ClientSampleId :
RBR-200030


Tot Ion:188 Resp: 1644678
Ion Ratio Lower Upper
188 100
94 8.6 7.0 10.4
80 9.8 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.24 min Scan# 3103
Delta R.T. -0.01 min
Lab File: BM017406.D
Acq: 29 Oct 2018 13:53

Tgt Ion:240 Resp: 2014186
Ion Ratio Lower Upper
240 100
120 10.4 8.1 12.1
236 24.4 19.9 29.9





#79

Terphenyl-d14

Concen: 80.027 ng

RT: 19.69 min Scan# 2839

Delta R.T. -0.00 min

Lab File: BM017406.D

Acq: 29 Oct 2018 13:53

Instrument :


BNA_M

ClientSampleId :

RBR-200030

Tot Ion:244 Resp: 7151245




Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.5	8.3
122	10.6	8.4	12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.45 min Scan# 3479


Delta R.T. -0.00 min

Lab File: BM017406.D

Acq: 29 Oct 2018 13:53

Tgt Ion:264 Resp: 1796392

Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.6	27.8
265	22.0	17.8	26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

