

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102918\
 Data File : BM017416.D
 Acq On : 29 Oct 2018 20:40
 Operator : MJ/SJ
 Sample : J5706-02
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 102518-SIDI-F-D-M

Quant Time: Oct 30 03:56:59 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 29 15:08:36 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	234973	20.00	ng	0.00
21) Naphthalene-d8	10.42	136	989169	20.00	ng	0.00
39) Acenaphthene-d10	14.29	164	631990	20.00	ng	0.00
64) Phenanthrene-d10	17.04	188	1545432	20.00	ng	0.00
76) Chrysene-d12	21.24	240	1760513	20.00	ng	0.00
87) Perylene-d12	23.44	264	1638765	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	588037	42.33	ng	0.00
7) Phenol-d6	6.83	99	509206	26.91	ng	0.00
23) Nitrobenzene-d5	8.80	82	1827428	108.05	ng	0.00
42) 2,4,6-Tribromophenol	15.79	330	939540	109.93	ng	0.00
45) 2-Fluorobiphenyl	12.90	172	4713978	99.24	ng	0.00
79) Terphenyl-d14	19.69	244	7714629	98.77	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.76	163	162844	3.340	ng	99
84) Bis(2-ethylhexyl)phthalate	21.16	149	8230	5.436	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102918\
Data File : BM017416.D
Acq On : 29 Oct 2018 20:40
Operator : MJ/SJ
Sample : J5706-02
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
102518-SIDI-F-D-M

Quant Time: Oct 30 03:56:59 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 29 15:08:36 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.65 min Scan# 792
Delta R.T. -0.00 min
Lab File: BM017416.D
Acq: 29 Oct 2018 20:40

Instrument :
BNA_M
ClientSampleId :
102518-SIDI-F-D-M

Tot Ion:152 Resp: 234973
Ion Ratio Lower Upper
152 100
150 154.4 124.3 186.5
115 60.3 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.327 ng
RT: 5.26 min Scan# 387
Delta R.T. -0.00 min
Lab File: BM017416.D
Acq: 29 Oct 2018 20:40

Tgt Ion:112 Resp: 588037
Ion Ratio Lower Upper
112 100
64 59.0 41.7 62.5
63 31.7 23.0 34.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 26.912 ng

RT: 6.83 min Scan# 653

Delta R.T. -0.01 min

Lab File: BM017416.D

Acq: 29 Oct 2018 20:40

Instrument :

BNA_M

ClientSampleId :

102518-SIDI-F-D-M





Tot Ion: 99 Resp: 509206

Ion Ratio Lower Upper

99 100

42 18.8 13.3 19.9

71 35.8 28.0 42.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.42 min Scan# 1263

Delta R.T. -0.01 min

Lab File: BM017416.D

Acq: 29 Oct 2018 20:40

Tgt Ion: 136 Resp: 989169




Ion Ratio Lower Upper


136 100

137 10.9 9.2 13.8

54 7.7 6.7 10.1

68 5.7 4.7 7.1









#23
 Nitrobenzene-d5
 Concen: 108.049 ng
 RT: 8.80 min Scan# 989
 Delta R.T. -0.00 min
 Lab File: BM017416.D
 Acq: 29 Oct 2018 20:40

Instrument :
 BNA_M
 ClientSampleId :
 102518-SIDI-F-D-M

Tot Ion: 82 Resp: 1827428




Ion	Ratio	Lower	Upper
82	100		
128	44.5	37.0	55.6
54	48.7	40.7	61.1




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.29 min Scan# 1921
 Delta R.T. -0.01 min
 Lab File: BM017416.D
 Acq: 29 Oct 2018 20:40

Tgt Ion:164 Resp: 631990

Ion	Ratio	Lower	Upper
164	100		
162	100.9	82.1	123.1
160	43.4	40.2	60.2









#42
 2,4,6-Tribromophenol
 Concen: 109.930 ng
 RT: 15.79 min Scan# 2176
 Delta R.T. -0.01 min
 Lab File: BM017416.D
 Acq: 29 Oct 2018 20:40

Instrument :
 BNA_M
 ClientSampleId :
 102518-SIDI-F-D-M

Tot Ion:330 Resp: 939540
 Ion Ratio Lower Upper
 330 100
 332 97.0 77.3 115.9
 141 32.9 27.4 41.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 99.244 ng
 RT: 12.90 min Scan# 1686
 Delta R.T. -0.00 min
 Lab File: BM017416.D
 Acq: 29 Oct 2018 20:40

Tgt Ion:172 Resp: 4713978
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.3 42.5
 170 23.0 18.3 27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.340 ng

RT: 13.76 min Scan# 1831

Delta R.T. -0.01 min

Lab File: BM017416.D

Acq: 29 Oct 2018 20:40

Instrument :

BNA_M

ClientSampleId :

102518-SIDI-F-D-M


Tot Ion:163 Resp: 162844

Ion Ratio Lower Upper

163 100

194 4.0 3.3 4.9




164 10.1 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.04 min Scan# 2389

Delta R.T. -0.01 min

Lab File: BM017416.D

Acq: 29 Oct 2018 20:40


Tgt Ion:188 Resp: 1545432

Ion Ratio Lower Upper

188 100

94 9.4 7.0 10.4



80 10.3 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.24 min Scan# 3103

Delta R.T. -0.01 min

Lab File: BM017416.D

Acq: 29 Oct 2018 20:40

Instrument :

BNA_M

ClientSampleId :

102518-SIDI-F-D-M


Tot Ion:240 Resp: 1760513

Ion Ratio Lower Upper

240 100

120 10.1 8.1 12.1




236 24.5 19.9 29.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 98.771 ng

RT: 19.69 min Scan# 2839

Delta R.T. -0.00 min

Lab File: BM017416.D

Acq: 29 Oct 2018 20:40


Tgt Ion:244 Resp: 7714629

Ion Ratio Lower Upper

244 100

212 7.2 5.5 8.3



122 10.1 8.4 12.6




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#84

Bis(2-ethylhexyl)phthalate

Concen: 5.436 ng

RT: 21.16 min Scan# 3090

Delta R.T. -0.00 min

Lab File: BM017416.D

Acq: 29 Oct 2018 20:40

Instrument :

BNA_M

ClientSampleId :

102518-SIDI-F-D-M


Tot Ion:149 Resp: 8230

Ion Ratio Lower Upper

149 100

167 27.0 22.2 33.4




279 10.6 3.6 5.4#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.44 min Scan# 3478

Delta R.T. -0.01 min

Lab File: BM017416.D

Acq: 29 Oct 2018 20:40


Tgt Ion:264 Resp: 1638765

Ion Ratio Lower Upper

264 100

260 23.0 18.6 27.8

265 22.0 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

