

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102919\
 Data File : BM023442.D
 Acq On : 29 Oct 2019 14:45
 Operator : JU
 Sample : K5423-09
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Oct 29 18:04:53 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102319MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Oct 25 07:44:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	459094	20.00	ng/ul	-0.02
18) Naphthalene-d8	10.40	136	1836345	20.00	ng/ul	-0.02
36) Acenaphthene-d10	14.27	164	1109193	20.00	ng/ul	-0.01
62) Phenanthrene-d10	17.02	188	2187345	20.00	ng/ul	-0.01
78) Chrysene-d12	21.22	240	2211530	20.00	ng/ul	-0.01
86) Perylene-d12	23.41	264	2593183	20.00	ng/ul	-0.02

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.15	96	56841	5.88	ng/uL	0.00
5) Phenol-d5	6.80	99	297086	7.71	ng/ul	-0.01
7) Bis-(2-Chloroethyl)ether-d	6.96	67	624690	27.64	ng/ul	-0.02
9) 2-Chlorophenol-d4	7.16	132	738848	24.51	ng/ul	-0.01
13) 4-Methylphenol-d8	8.34	113	510158	16.29	ng/ul	-0.01
19) Nitrobenzene-d5	8.77	128	419140	30.32	ng/ul	-0.01
22) 2-Nitrophenol-d4	9.49	143	471436	30.74	ng/ul	-0.02
26) 2,4-Dichlorophenol-d3	10.03	165	841203	27.91	ng/ul	-0.01
29) 4-Chloroaniline-d4	10.53	131	8543	0.25	ng/ul	-0.03
44) Dimethylphthalate-d6	13.69	166	2610820	31.00	ng/ul	-0.01
47) Acenaphthylene-d8	13.96	160	3024440	31.34	ng/ul	-0.02
52) 4-Nitrophenol-d4	14.50	143	105643	7.24	ng/ul	0.00
58) Fluorene-d10	15.27	176	2195848	30.78	ng/ul	-0.02
63) 4,6-Dinitro-2-methylphenol	15.40	200	322540	23.68	ng/ul	-0.01
71) Anthracene-d10	17.12	188	3355510	32.46	ng/ul	-0.02
79) Pyrene-d10	19.42	212	3616214	29.73	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.27	264	4213516	31.90	ng/ul	-0.01


Target Compounds					Ovalue	
2) 1,4-Dioxane	3.19	88	95211	9.257	ng/uL	95
6) Phenol	6.83	94	115877	2.918	ng/ul	98
8) Bis(2-Chloroethyl)ether	7.06	93	142013	4.587	ng/ul	98
14) Acetophenone	8.43	105	58335	1.192	ng/ul#	41
24) 2,4-Dimethylphenol	9.60	107	105926	3.061	ng/ul	96
28) Naphthalene	10.45	128	577199	6.133	ng/ul	99
45) Dimethylphthalate	13.74	163	164516	1.945	ng/ul#	97
57) Diethylphthalate	15.11	149	145483	1.705	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102919\
Data File : BM023442.D
Acq On : 29 Oct 2019 14:45
Operator : JU
Sample : K5423-09
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Oct 29 18:04:53 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Oct 25 07:44:12 2019
Response via : Initial Calibration





#2

1,4-Dioxane

Concen: 9.257 ng/uL

RT: 3.19 min Scan# 34

Delta R.T. -0.01 min

Lab File: BM023442.D

Acq: 29 Oct 2019 14:45


Instrument :

BNA_M

ClientSampleId :

Tot Ion: 88 Resp: 95211




Ion	Ratio	Lower	Upper
88	100		
43	30.6	26.3	39.5
58	67.8	58.0	87.0



Abundance Ion 88.00 (87.70 to 88.70): BM023442.D (-1) (-)

Ion 43.00 (42.70 to 43.70): BM023442.D (-1) (-)

Ion 58.00 (57.70 to 58.70): BM023442.D (-1) (-)



#6

Phenol

Concen: 2.918 ng/uL

RT: 6.83 min Scan# 654


Delta R.T. -0.01 min

Lab File: BM023442.D

Acq: 29 Oct 2019 14:45

Tgt Ion: 94 Resp: 115877



Ion	Ratio	Lower	Upper
94	100		
65	26.7	22.9	34.3
66	38.5	31.4	47.2




Abundance Ion 94.00 (93.70 to 94.70): BM023442.D (-622) (-)

Ion 65.00 (64.70 to 65.70): BM023442.D (-622) (-)

Ion 66.00 (65.70 to 66.70): BM023442.D (-622) (-)









#8

Bis(2-Chloroethyl)ether
 Concen: 4.587 ng/ul
 RT: 7.06 min Scan# 692
 Delta R.T. -0.01 min
 Lab File: BM023442.D
 Acq: 29 Oct 2019 14:45

Instrument :
 BNA_M
 ClientSampleId :




Tot Ion: 93 Resp: 142013
 Ion Ratio Lower Upper
 93 100
 63 79.0 61.4 92.0
 95 32.3 26.1 39.1




#14

Acetophenone
 Concen: 1.192 ng/ul
 RT: 8.43 min Scan# 925
 Delta R.T. -0.03 min
 Lab File: BM023442.D
 Acq: 29 Oct 2019 14:45

Tgt Ion: 105 Resp: 58335
 Ion Ratio Lower Upper
 105 100
 77 20.4 64.8 97.2#
 51 10.2 21.3 31.9#






#24
2,4-Dimethylphenol
Concen: 3.061 ng/ul
RT: 9.60 min Scan# 1124
Delta R.T. -0.01 min
Lab File: BM023442.D
Acq: 29 Oct 2019 14:45

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
107	100		
121	48.3	39.8	59.8
122	78.5	66.4	99.6






Abundance

Ion 107.00 (106.70 to 107.70): E


Ion 121.00 (120.70 to 121.70): E

Ion 122.00 (121.70 to 122.70): E



#28
Naphthalene
Concen: 6.133 ng/ul
RT: 10.45 min Scan# 1269
Delta R.T. -0.02 min
Lab File: BM023442.D
Acq: 29 Oct 2019 14:45

Tgt Ion	Ratio	Lower	Upper
128	100		
129	11.2	8.8	13.2
127	12.6	10.4	15.6






Abundance

Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E






#45
Dimethylphthalate
Concen: 1.945 ng/ul
RT: 13.74 min Scan# 1828
Delta R.T. -0.02 min
Lab File: BM023442.D
Acq: 29 Oct 2019 14:45

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
163	100		
194	5.1	3.3	4.9#
164	10.8	7.9	11.9






Abundance

Ion 163.00 (162.70 to 163.70): E


Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#57
Diethylphthalate
Concen: 1.705 ng/ul
RT: 15.11 min Scan# 2061
Delta R.T. -0.02 min
Lab File: BM023442.D
Acq: 29 Oct 2019 14:45

Tgt Ion	Ratio	Lower	Upper
149	100		
177	23.1	18.1	27.1
150	13.2	10.3	15.5



Abundance

Ion 149.00 (148.70 to 149.70): E

Ion 177.00 (176.70 to 177.70): E

Ion 150.00 (149.70 to 150.70): E

