

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102919\
 Data File : BM023448.D
 Acq On : 29 Oct 2019 18:20
 Operator : JU
 Sample : PB124180BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Oct 30 07:38:31 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102319MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 30 07:08:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	606826	20.00	ng/ul	-0.02
18) Naphthalene-d8	10.40	136	2454817	20.00	ng/ul	-0.02
36) Acenaphthene-d10	14.27	164	1471838	20.00	ng/ul	-0.02
62) Phenanthrene-d10	17.02	188	2973660	20.00	ng/ul	-0.02
78) Chrysene-d12	21.22	240	2998194	20.00	ng/ul	-0.01
86) Perylene-d12	23.41	264	3506975	20.00	ng/ul	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.15	96	50882	3.98	ng/uL	0.00
5) Phenol-d5	6.80	99	220926	4.33	ng/ul	-0.01
7) Bis-(2-Chloroethyl)ether-d	6.96	67	546745	18.30	ng/ul	-0.02
9) 2-Chlorophenol-d4	7.16	132	605543	15.20	ng/ul	-0.02
13) 4-Methylphenol-d8	8.33	113	381346	9.21	ng/ul	-0.02
19) Nitrobenzene-d5	8.77	128	357729	19.36	ng/ul	-0.02
22) 2-Nitrophenol-d4	9.49	143	386869	18.87	ng/ul	-0.02
26) 2,4-Dichlorophenol-d3	10.03	165	651151	16.16	ng/ul	-0.02
29) 4-Chloroaniline-d4	10.54	131	37133	0.80	ng/ul	-0.02
44) Dimethylphthalate-d6	13.69	166	2221066	19.87	ng/ul	-0.02
47) Acenaphthylene-d8	13.96	160	2555266	19.96	ng/ul	-0.02
52) 4-Nitrophenol-d4	14.49	143	61007	3.15	ng/ul	0.00
58) Fluorene-d10	15.27	176	1887165	19.94	ng/ul	-0.02
63) 4,6-Dinitro-2-methylphenol	15.40	200	255929	13.82	ng/ul	-0.01
71) Anthracene-d10	17.12	188	3107792	22.11	ng/ul	-0.02
79) Pyrene-d10	19.42	212	3413386	20.70	ng/ul	-0.01
90) Benzo(a)pyrene-d12	23.27	264	3970520	22.22	ng/ul	-0.02


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.73	163	167516	1.493	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102919\
Data File : BM023448.D
Acq On : 29 Oct 2019 18:20
Operator : JU
Sample : PB124180BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Oct 30 07:38:31 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 30 07:08:35 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.493 ng/ul

RT: 13.73 min Scan# 1827

Delta R.T. -0.02 min

Lab File: BM023448.D

Acq: 29 Oct 2019 18:20

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 167516

Ion Ratio Lower Upper

163 100

194 3.9 3.3 4.9

164 9.8 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

